

yuki

**INNOVATION
LEADER**

**R+D+I
I+D+I**



**2025
CATALOGUE**



LEONEL PEREIRA
Manager

Fishing is a difficult hobby, you have to be patient, experiment, feel, observe, innovate, share... And that's what we try to do in the Yuki team season after season. Each time with more enthusiasm and confidence in a well done job. Developing new articles more avant-garde than ever, in the search for excellence and taking care of every detail, to offer every year the best and most effective, which will help us in achieving success.

Most of the world is covered in water; a fisherman's job is easy; Choose the Best Part...

La pesca es una afición difícil, tienes que ser paciente, experimentar, sentir, observar, innovar, compartir...Y eso tratamos de hacer en el equipo de Yuki temporada tras temporada. Cada vez con más ilusión y confianza en el trabajo bien hecho. Desarrollando nuevos artículos más a la vanguardia que nunca, en la búsqueda de la excelencia y cuidando al mínimo cada detalle, para ofrecer cada año lo mejor y más efectivo, lo que nos ayudara en la consecución del éxito.

La mayor parte del mundo esta cubierta de agua; el trabajo de un pescador es fácil; Elije la Mejor parte...

La pêche est un hobby difficile, il faut être patient, expérimenter, sentir, observer, innover, partager... Et c'est ce que nous essayons de faire dans l'équipe Yuki saison après saison. Chaque fois avec de plus en plus d'enthousiasme et de confiance dans le travail bien fait. En développant de nouveaux articles plus avant-gardistes que jamais, en recherchant l'excellence et en soignant chaque détail, pour offrir chaque année ce qu'il y a de mieux et de plus efficace, ce qui nous aidera à atteindre le succès.

La plus grande partie du monde est recouverte d'eau ; le travail d'un pêcheur est facile; Choisir la meilleure partie...

SELLING COUNTRIES		PAÍSES DE VENTA		PAYS DE VENTE	
ALBANIA	CYPRUS	GUADELOUPE	LYBIA	POLAND	SOUTH AFRICA
ALGERIA	CZECH REPUB	(Caribbean)	MALTA	PORTUGAL	SPAIN
ARGENTINA	DENMARK	HUNGARY	MAURITIUS	(Madeira and Azores included)	(Balearic and Canary included)
AUSTRALIA	EGYPT	ICELAND	MONACO	QATAR	SWEDEN
AUSTRIA	ESTONIA	IRAN	MONTENEGRO	REUNION ISLAND	SWITZERLAND
AZERBAIJAN	FINLAND	IRELAND	MOROCCO	ROMANIA	TUNISIA
BELGIUM	FRANCE	ISRAEL	NAMIBIA	SAN MARINO	TURKEY
BRAZIL	(Corsica included)	ITALY	NETHERLANDS	SAUDI ARABIA	UAE
BULGARIA	FRENCH GUIANA	KUWAIT	NEW ZEALAND	SINGAPORE	UKRAINE
CANADA	FRENCH POLYNESIA	LATVIA	NORTH CYPRUS	SLOVAKIA	UNITED KINGDOM
CHILE	GERMANY	LITHUANIA	PANAMÁ	SLOVENIA	(England, Wales, Scotland and North Ireland)
CROATIA	GREECE	LUXEMBOURG	PERU		

PARTICULAR CONDITIONS

Artfishing, S. L. is not responsible for the loss or deterioration of the goods if it is not specified in the delivery note. Claims will not be accepted more than 24/48 hours after receipt. Claims to the transport company, either for breakage/damage or missing packages, which are not stated at the time of delivery on the receipt, cannot be claimed to the insurance company, being invalidated by Artfishing, S. L. such replacement.

Incoterm EXW, except under agreed conditions.

In the event of late payment or non-payment, the legal rate of interest will be charged, plus two percentage points, plus return costs and the associated financial cost (minimum €18).

In the case of return of goods, including repairs, will only be accepted carriage paid when Artfishing, S. L. authorizes such return, always through our transport agency, and by means of a number expressly indicated by the company. The consumer shall have a period of 14 days to return these products. In all cases, an explanatory note must be attached. The cost of repairs and return costs shall be supported by the customer.

Any goods returned by a different procedure than the one established will be rejected. In the case of unjustified returns of goods, administration and handling costs will be deducted, with a minimum of 10 % of the corresponding credit note, plus the associated shipping costs. Returns of items not listed in this catalogue will not be accepted.

Any type of tax, whether direct or associated, is not included in the prices shown in this catalogue. The prices in this catalogue cancel the previous ones.

Artfishing, S. L. reserves the right to modify the products or prices presented in this catalogue without prior notice, if necessary. All diameters and resistances given are approximate values. Carbon is an electrically conductive material, do not use products containing carbon in the vicinity of power lines or on stormy days. All rights reserved. The total or partial reproduction of texts and images without the express authorisation of Artfishing, S. L. is forbidden.

Retention of title: The goods supplied shall remain the property of the seller until the buyer has paid the full amount and there's no balance remaining to pay.

The acceptance and discounting of bills of exchange or the delivery by the buyer of documents creating an obligation to pay, such as cheques, promissory notes, etc., does not constitute payment until they have been debited from the buyer's account. In the event of seizure by third parties, the buyer undertakes to inform the seizer of the "Retention of Title" clause on the goods supplied by the seller, and the seller of the seizure that has taken place.

Retention of title clauses provides that the ownership of goods remains on the seller until payment has been made. In the event of a seizure by third parties, the buyer undertakes to inform the seizer of the "Retention of Title" clause, about the goods supplied by the seller, and the seller informed about the seizure that has taken place.

Jurisdiction: By express conviction, any disputes that may arise shall fall within the jurisdiction of the Courts of Barcelona, with express waiver of all others.

CONDICIONES PARTICULARES

Artfishing, S. L. no se responsabiliza de la pérdida o deterioro de la mercancía si no se especifica en el albarán de entrega. No serán aceptadas reclamaciones después de 24/48 horas de la recepción de la misma. Las reclamaciones a la empresa de transporte, ya sea por rotura/golpe o por falta de algún bulto, que no se hagan constar en el momento de la entrega en el comprobante, no podrán ser reclamadas a la empresa aseguradora, quedando invalidada dicha sustitución por Artfishing, S. L.

Portes: Incoterm EXW, salvo condiciones pactadas.

En caso de demora o impago, se devengará el tipo legal del dinero, incrementándolo en dos puntos porcentuales, más los gastos de devolución y el coste financiero asociado (mínimo 18€).

En el caso de devolución de mercancía, incluyendo reparaciones, sólo se aceptará a portes pagados cuando Artfishing, S. L. autorice dicha devolución, siempre a través de nuestra agencia de transporte, y mediante un número indicado expresamente por la empresa. El consumidor dispondrá de un periodo de 14 días para devolver dichos productos. En todo caso deberá adjuntarse una nota explicativa. El coste de las reparaciones y los portes correrán a cargo del cliente

Cualquier mercancía devuelta por procedimiento distinto al establecido será rechazada. En devoluciones de mercancía no justificadas se deducirán los gastos de administración y manipulación, con un mínimo del 10 % del abono correspondiente, más los portes asociados. No se aceptarán devoluciones de artículos que no figuren en el presente catálogo.

Cualquier tipo de impuesto, ya sea directo o asociado, no está incluido en los precios reflejados en este catálogo. Los precios de este catálogo anulan los anteriores.

Artfishing, S. L. se reserva el derecho de modificaciones en los productos o precios presentados en este catálogo, sin previo aviso, en caso necesario. Todos los diámetros y resistencias indicados en el mismo son valores aproximados. El carbono es material conductor de electricidad, no utilizar productos con dicho material en proximidades de tendidos eléctricos ni en días de tormenta. Todos los derechos reservados. Prohibida la reproducción total o parcial de textos e imágenes sin la autorización expresa de Artfishing, S. L.

Reserva de dominio: Las mercancías suministradas serán propiedad del vendedor, hasta que el comprador haya completado el pago del importe y no exista saldo a favor del vendedor.

No constituye pago la aceptación y descuento de letras o la entrega por parte del comprador de documentos que creen una obligación de pago, tales como cheques, pagarés, etc., hasta que hayan sido debitados en la cuenta del comprador. En caso de embargo por parte de terceros, el comprador se compromete a informar al embargante de la cláusula de "Reserva de Dominio" sobre las mercancías suministradas por el vendedor, y al vendedor, del embargo que ha sido objeto.

Jurisdicción: Por convicción expresa, los litigios que pudieran surgir serán competencia de los Tribunales de Barcelona, con renuncia expresa de todos los demás.

CONDITIONS PARTICULIÈRES

Artfishing, S. L. n'est pas responsable de la perte ou de la détérioration des marchandises si cela n'est pas spécifié dans le bon de livraison.

Les réclamations ne seront pas acceptées plus de 24/48 heures après leur réception. Les réclamations auprès du transporteur, que ce soit pour casse/dommage ou colis manquant, qui ne sont pas mentionnés au moment de la livraison sur le reçu, ne peuvent pas être réclamées à la compagnie d'assurance, étant invalidées par Artfishing, S. L. un tel remplacement.

Expédition : Incoterm EXW, sauf conditions convenues.

Le taux d'intérêt légal peut être utilisé comme base pour fixer un taux d'intérêt minimum applicable en cas de retard de paiement, majoré de deux points de pourcentage, ainsi que les frais de remboursement et le coût financier associé (minimum 18,00 Euros).

En cas de retour de marchandises, y compris les réparations, ne seront acceptées en port payé que, lorsque Artfishing, S. L., autorise ce retour, toujours par l'intermédiaire de notre agence de transports, et au moyen d'un numéro expressément indiqué par l'entreprise.

Le consommateur dispose d'un délai de 14 jours pour retourner ces produits. Dans tous les cas, une note explicative doit être jointe. Les frais de réparation et d'envoi sont à la charge du client. Toute marchandise retournée selon une procédure différente de celle établie sera rejetée.

En cas de retour injustifié de marchandises, les frais de gestion et de manutention seront déduits, avec un minimum de 10 % de l'avoir correspondant, ainsi que les frais d'expédition associés. Les retours d'articles que ne figurant pas dans le présent catalogue, ne seront pas acceptés.

Tout impôt direct ou indirect, taxe ou droit, n'est pas compris dans les prix indiqués dans ce catalogue. Le présent catalogue des prix annule et remplace les précédents. Artfishing, S. L. se réserve le droit de modifier les produits ou les prix présentés dans ce catalogue sans préavis, si nécessaire. Tous les diamètres et résistances indiqués sont des valeurs approximatives. Le carbone est un conducteur d'électricité. N'utilisez pas l'équipement contenant du carbone à proximité de lignes électriques ou en jours d'orage.

Tous les droits sont réservés. Toute reproduction totale ou partielle de ces éléments, effectuées sans autorisation expresse par Artfishing, S. L., est interdite. Les marchandises livrées restent la propriété du vendeur jusqu'à paiement total, et qu'il n'y ait plus de solde en retard de paiement.

L'acceptation et l'escompte de lettres de change, ou la remise par l'acheteur de documents créant une obligation de payer, tels que chèques, billets à ordre, etc. ne constituent un paiement que lorsqu'ils ont été portés au débit du compte de l'acheteur.

En cas de saisie par un tiers, l'acheteur s'engage à informer le saisissant de la clause de "réserve de propriété" des marchandises fournies par le vendeur, et à avertir le vendeur de toute saisie pratiquée par un tiers.

Juridiction : par conviction expresse, tout litige éventuel relève de la juridiction des tribunaux de Barcelone, avec renonciation expresse à toute autre juridiction.

INDEX

ÍNDICE · SOMMAIRE · INDICE

ENGLISH

RODS	2
SURF CASTING 3 PCS	02
LIGHT & BEACH	
LEDGERING	44
POWER + CASTING	48
SURF CASTING TELE.	54
BOAT ADJUSTABLE	60
BOAT FISHING	62
EGI FISHING	72
JIGGING / POPPING	78
TROLLING / DRIFTING	94
SPINNING	96
TELESPIN-TELEMATCH &	98
CARP FISHING	106
ISO	106
BOLOGNESE & TELE	110
FEEDER	118
POLE FISHING	128
EGI MISAKI	266
ACCESSORIES	224
BEADS	190
CARP FISHING	336
CLOTHING	320
COUP ACCESSORIES-FEEDER	290
CREATIVE SERIES	310
FLOATS	296
GROUND BAIT	284
GUIDES	252
HOLDALL & BAGS	204
HOOKS	170
KEEP NETS	302
LANDING NETS	304
LEADS	200
LINES	142
LURES	256
misaki	266
NAUTICAL	274
REELS	130
SABIKI	268
SEATBOX / ACCESSORIES	278
Starlite	248
SUPPORTS AND TROLLEYS	220
SWIVELS	194
TIPS	250

ESPAÑOL

CAÑAS	2
SURF CASTING 3 PZ	02
LIGHT & BEACH	
LEDGERING	44
POWER + CASTING	48
SURF CASTING TELE.	54
EMBARCACIÓN AJUST.	60
EMBARCACIÓN	62
CALAMAR	72
JIGGING / POPPING	78
TROLLING / DRIFTING	94
SPINNING	96
TELESPIN-TELEMATCH &	98
CARP FISHING	106
ISO	106
BOLOGNESA & TELE	110
FEEDER	118
PESCA ENCHUFABLE	128
EGI MISAKI	266
ACCESORIOS COUP-FEEDER	290
ACCESORIOS PESCA	224
ANILLAS	252
ANZUELOS	170
CARP FISHING	336
CARRETES	130
CREATIVE SERIES	310
EMERILLONES	194
ENGODOS	284
FLOTADORES	296
FUNDAS Y BOLSAS	204
HILOS	142
JURELERAS	268
misaki	266
NÁUTICA	274
PANIERES / ACCESORIOS	278
PERLAS Y FLOTANTES	190
PLOMOS	200
PUNTERAS	250
REJONES	302
ROPA	320
SACADORAS	304
SEÑUELOS	256
SOPORTES Y CARROS	220
Starlite	248

FRANÇAISE

CANNES	2
SURF CASTING 3 PCS	02
LIGHT & BEACH	
LEDGERING	44
POWER + CASTING	48
SURF CASTING TELE.	54
BATEAU ADJUSTABLE	60
BATEAU	62
CALAMAR	72
JIGGING / POPPING	78
TROLLING / DRIFTING	94
SPINNING	96
TELESPIN-TELEMATCH &	98
CARP FISHING	106
ISO	106
BOLOGNAISE & TELE	110
FEEDER	118
ROUBAISienne	128
EGI MISAKI	266
ACCESOIRES	224
AMORCES	284
ANNEAUX	252
BAS DE LIGNE	268
BOURRICHES	302
CARP FISHING	336
COUP ACCESOIRES-FEEDER	290
CREATIVE SERIES	310
ÉMERILLONS	194
ÉPUISETTES	304
FILS	142
FLOTTEURS	296
FOURREAUX-SACS	204
HAMEÇONS	170
LEURRES	256
misaki	266
MOULINETS	130
NAUTIQUE	274
PERLES ET FLOTTANTS	190
PLOMBS	200
SCION	250
Starlite	248
STATION/ACCESOIRES	278
SUPPORTS ET CHARRIOTS	220
VÊTEMENTS	320

NEOX Class

COLLECTION

NEOX Class
MASERATY

LENGTH: 4,20m / 14'
W: 509gr / **SECTIONS:** 3 / **CL:**150cm

LENGTH: 4,50m / 15'
W: 523gr / **SECTIONS:** 3 / **CL:**157cm



SLHMC: Super Light High Modulus Carbon

Fuji GUIDES: KW + RV TITANIUM

ACTION / H / 100-250gr

REEL SEAT: **Fuji** DPS + LOCK

TIP: HYBRID SENSITIVE



TORZITE

STIFF
ACTION

Tip Test
curve
according
i20gr.

TIP ACTION

Ref.	Length		R.R.P.
CSNMC42	4,20		969,00
CSNMC45	4,50		999,00

RODS

CAÑAS
CANNES
CANAS
CANNE
RUTEN

NEOX *Class* Kenta

LENGTH: 4,20m / 14'
W: 505gr / **SECTIONS:** 3 / **CL:**150cm

LENGTH: 4,50m / 15'
W: 534gr / **SECTIONS:** 3 / **CL:**150cm




SLHMC: Superlight high modulus carbon

Fuji GUIDES: LOW RIDER TITANIUM

ACTION / H / 100-250gr

REEL SEAT: **Fuji** DPS + LOCK

TIP: HYBRID SENSITIVE



**STIFF
ACTION**


**Tip Test
curve
according
120gr.**

TIP ACTION

Ref.	Length		R.R.P.
CSNKC42	4,20		890,00
CSNKC45	4,50		950,00

NEOX *Class*

COLLECTION



	Ref.	Length	Weight	Section	CL	RAW MATERIAL	REEL SEAT	GUIDES	TIP	ACTION		R.R.P.
NEOX CLASS K	CSNCK42	4,15	511 gr	3	1,47	Super Light High Modulus Carbon	Fuji DPS + Lock	Titanium Low Rider	Hybrid - Soft	100-250gr		890,00
	CSNCK45	4,45	536 gr		1,50							950,00
NEOX CLASS H	CSNCH42	4,10	506 gr	3	1,47	Super Light High Modulus Carbon	Fuji DPS + Lock	Torzite RV+KW	Hybrid - Sensitive	100-250gr		939,00
	CSNCH45	4,40	519 gr		1,46							975,00

NEOXX Class K

Sensitive



STIFF
ACTION



NEOXX Class H

Sensitive





STIFF
ACTION



NEOX *Class*

COLLECTION



	Ref.	Length	Weight	Section	CL	RAW MATERIAL	REEL SEAT	GUIDES	TIP	ACTION		R.R.P.
NEOX CLASS X	CSNCX42	4,20	492 gr	3	1,47	Super Light High Modulus Carbon	Fuji DPS + Lock	Fuji Torzite RV+ Low Rider	Hybrid - Regular	100-250gr		969,00
	CSNCX45	4,50	524 gr		1,59							999,00
NEOX CLASS Z	CSNCZ42	4,20	493 gr	3	1,47	Super Light High Modulus Carbon	Fuji DPS + Lock	Fuji Torzite KW	Tubular	100-250gr		989,00
	CSNCZ45	4,50	519 gr		1,56							999,00

NEOX Class X

STIFF
ACTION



TIP ACTION



NEOX Class Z

STIFF
ACTION



TORZITE



TIP ACTION



NEOX DSC MASERATI

LENGTH: 4,20m / 14'
W:506gr / **SECTIONS:** 3 / **CL:**146cm

LENGTH: 4,50m / 15'
W:539gr / **SECTIONS:** 3 / **CL:**156cm

SLHMC: Superlight High Modulus Carbon

FUJII GUIDES: LOW RIDER TITANIUM

ACTION / H / 100-250gr

REEL SEAT: **FUJII** DPS

TIP: HYBRID



TIP ACTION



TITANIUM (SERIES)

**MID
PROGRESSIVE
ACTION**

**Tip Test
curve
according
i20gr.**

Ref.	Length		R.R.P.
CSNDMA42	4,20		699,00
CSNDMA45	4,50		719,00

NEOX DSC Kenta

LENGTH: 4,20m / 14'
W:501gr / **SECTIONS:** 3 / **CL:**146cm

LENGTH: 4,50m / 15'
W:533gr / **SECTIONS:** 3 / **CL:**156cm

SLHMC: Super Light High Modulus Carbon

Fuji GUIDES: LOW RIDER TITANIUM

ACTION / H / 100-250gr

REEL SEAT: **Fuji** DPS

TIP: HYBRID



WORLD CHAMPIONSHIP SERIES



TITANIUM SERIES

**MID
PROGRESSIVE
ACTION**

**Tip Test
curve
according
120gr.**

Ref.	Length		R.R.P.
CSNDKE42	4,20		689,00
CSNDKE45	4,50		719,00

NEOX DSC MAKAN

LENGTH: 4,20m / 14'
W:484gr / SECTIONS: 3 / CL:146cm

LENGTH: 4,50m / 15'
W:515gr / SECTIONS: 3 / CL:156cm

SLHMC: Superlight high modulus carbon

Fuji GUIDES: K TORZITE

ACTION / H / 100-250gr

REEL SEAT: Fuji DPS

TIP: HYBRID



TIP ACTION



TORZITE

PROGRESSIVE
ACTION

Tip Test
curve
according
120gr.

Ref.	Length		R.R.P.
CSNDMK42	4,20		739,00
CSNDMK45	4,50		769,00

NEOX DSC

911SF

LENGTH: 4,20m / 14'
W:516gr / SECTIONS: 3 / CL:146cm

LENGTH: 4,50m / 15'
W:542gr / SECTIONS: 3 / CL:156cm

SLHMC: Superlight high modulus carbon

Fuji GUIDES: K TORZITE

ACTION / H / 100-250 gr

REEL SEAT: Fuji DPS

TIP: HYBRID

SHINY CROSSED CARBON



TIP ACTION



TORZITE

Tip Test
curve
according
120gr.

MID
PROGRESSIVE
ACTION

Ref.	Length		R.R.P.
CSND9142	4,20		749,00
CSND9145	4,50		779,00

NEOX DSC

911SF

SENSITIVE

LENGTH: 4,20m / 14'
W:510gr / SECTIONS: 3 / CL:146cm

LENGTH: 4,50m / 15'
W:540gr / SECTIONS: 3 / CL:156cm

SLHMC: Superlight high modulus carbon

Fuji GUIDES: K TORZITE

ACTION / H / 100-250gr

REEL SEAT: Fuji DPS

TIP: HYBRID SUPER SOFT



TIP ACTION



TORZITE

Tip Test
curve
according
120gr.

MID
PROGRESSIVE
ACTION

Ref.	Length		R.R.P.
CSNDS9142	4,20		749,00
CSNDS9145	4,50		789,00

NEOX 360°



Extra resistant Japanese Carbon reinforcement
Stiffer and cast power

Refuerzo de carbono japonés extra resistente
Mayor rigidez y potencia en el lance

Renfort de Carbone Japonais extra résistant
Plus rigidité et puissance au lance

LENGTH: 4,20m / 14'
W:485gr / **SECTIONS:** 3 / **CL:**149cm

LENGTH: 4,50m / 15'
W:495gr / **SECTIONS:** 3 / **CL:**159cm

SLHMC: Superlight high modulus carbon

Fuji GUIDES: KW TORZITE

ACTION / H / 100-250gr

REEL SEAT: **Fuji** DPS

TIP: HYBRID



**STIFF
ACTION**

**Tip Test
curve
according
120gr.**



Ref.	Length		R.R.P.
CS3642	4,20		829,00
CS3645	4,50		849,00

NEOX LEGEND



Extra resistant Japanese Carbon reinforcement
Amazing power and stiffness

Refuerzo de carbono japonés extra resistente
Potencia excepcional y gran rigidez

Renfort de Carbone Japonais extra résistant
Puissance exceptionnel et grand rigidité

LENGTH: 4,20m / 14'
W:487gr / **SECTIONS:** 3 / **CL:**149cm

LENGTH: 4,50m / 15'
W:510gr / **SECTIONS:** 3 / **CL:**159cm

SLHMC: Superlight high modulus carbon

Fuji GUIDES: KW TORZITE

ACTION / H / 100-250gr

REEL SEAT: **Fuji** DPS

TIP: HYBRID



TORZITE

**STIFF
ACTION**

**Tip Test
curve
according
i20gr.**



SURF.
CASTING
3 PZ

CASTING
POWER

BEACH
LEDGERING
+LIGHT

SURF.
CASTING
TELE

BOAT
ADJUSTABLE

BOAT

EGI
FISHING

JIGGING
POPPING

TROLLING
DRIFTING

SPINNING

TELESPIN
TELEMATCH

CARP FISHING
& CATFISH
+ ISO

BOLOGNESE
& TELE

FEEDER

POLE
FISHING

Ref.	Length		R.R.P.
CSLE42	4,20		919,00
CSLE45	4,50		959,00

NEOX 911 TITANIUM

Innovative and revolutionary model
Latest cutting edge Japanese technology
Exceptional power, lightness and finesse
Latest technology applied to carbon fiber

Modelo innovador y revolucionario
Última tecnología japonesa de vanguardia
Potencia excepcional, ligereza y finura
Última tecnología aplicada a la fibra de carbono

Modèle innovant et révolutionnaire
Technologie japonaise avant-garde appliquée
Puissance exceptionnel, finesse et légèreté
Dernière technologie appliquée à la fibre de carbone

LENGTH: 4,20m / 14'
W:499gr / SECTIONS: 3 / CL:149m

LENGTH: 4,50m / 15'
W:518gr / SECTIONS: 3 / CL:159cm

SLHMC: Superlight high modulus carbon

Fuji GUIDES: LOW RIDER TITANIUM

ACTION / H / 100-250gr

REEL SEAT: Fuji DPS

TIP: HYBRID


Ref.	Length		R.R.P.
CST9142	4,20		759,00
CST9145	4,50		769,00



TITANIUM SERIES

STIFF
ACTION

Tip Test
curve
according
120gr.



NEOX 911 SF SENSITIVE

LENGTH: 4,20m / 14'
W:478gr / SECTIONS: 3 / CL:149cm

LENGTH: 4,50m / 15'
W:498gr / SECTIONS: 3 / CL:159cm

SLHMC: Superlight high modulus carbon

Fuji GUIDES: K TORZITE

ACTION / H / 100-250gr

REEL SEAT: Fuji DPS

TIP: HYBRID

Ref.	Length		R.R.P.
CSS9142	4,20		779,00
CSS9145	4,50		795,00

Tip Test
curve
according
120gr.

STIFF
ACTION



TORZITE



TIP ACTION



NEOX **ST** TITANIUM



TIP ACTION



NEOX **ST** SENSITIVE



POLE
FISHING

FEEDER

BOLOGNESE
& TELE

CARP FISHING
& CATFISH
+ ISO

TELESPIN
TELEMATCH

SPINNING

TROLLING
DRIFTING

JIGGING
POPPING

EGI
FISHING

BOAT
BOAT

BOAT
ADJUSTABLE

SURF
CASTING
TELE

BEACH
LEDGERING
+ LIGHT

CASTING
POWER

SURF
CASTING
3 PZ

NEOX MASTER



LENGTH: 4,20m / 14'
W:482gr / **SECTIONS:** 3 / **CL:**150cm

LENGTH: 4,50m / 15'
W:520gr / **SECTIONS:** 3 / **CL:**159cm


SLHMC: Superlight high modulus carbon

Fuji GUIDES: K TORZITE

ACTION / H / 100-250gr

REEL SEAT: **Fuji** DPS

TIP: TUBULAR



TIP ACTION



TORZITE

Tip Test curve according 120gr.

STIFF ACTION

Ref.	Length		R.R.P.
CSNM42	4,20		779,00
CSNM45	4,50		795,00

NEOX Kenta PLUS

Excellent finish
Super light structure
Sensitive tip

Acabados excelentes
Estructura súper ligera
Puntera sensible

Finitions excellentes
Structure super légère
Scion sensible

LENGTH: 4,20m / 14'
W:552gr / **SECTIONS:** 3 / **CL:**149cm

SLHMC: Superlight high modulus carbon

Fuji GUIDES: LOW RIDER TITANIUM



ACTION / H / 100-250gr

REEL SEAT: **Fuji** DPS

TIP: HYBRID



STIFF ACTION
Tip Test curve according 120gr.



SURF CASTING 3 PZ

CASTING POWER

BEACH LEDGERING "LIGHT"

SURF CASTING TELE

BOAT ADJUSTABLE

BOAT

EGI FISHING

JIGGING POPPING

TROLLING DRIFTING

SPINNING

TELESPIN TELEMATCH

CARP FISHING & CATFISH + ISO

BOLOGNESE & TELE

FEEDER

POLE FISHING

Ref.	Length		R.R.P.
CSKP42	4,20		779,00

NEOX Kenta

Developed by World Champions
Ultra stiff structure and exceptional power
Latest Japanese technology

Desarrollada por Campeones del Mundo
Estructura ultra rígida y potencia excepcional
Última tecnología japonesa

Développé par les Champions du Monde
Structure ultra rigide et puissance exceptionnelle
La dernière technologie japonaise appliquée

LENGTH: 4,20m / 14'
W:505gr / **SECTIONS:** 3 / **CL:**150cm

LENGTH: 4,50m / 15'
W:535gr / **SECTIONS:** 3 / **CL:**159cm


SLHMC: Superlight high modulus carbon

Fuji GUIDES: LOW RIDER TITANIUM

ACTION / H / 100-250gr

REEL SEAT: **Fuji** DPS

TIP: HYBRID



**STIFF
ACTION**

**Tip Test
curve
according
120gr.**



TITANIUM SERIES

Ref.	Length		R.R.P.
CSNKE42	4,20		789,00
CSNKE45	4,50		799,00

NEOX Class

DSC COLLECTION

20 GOLD MEDALS IN 15 YEARS



EXCELLENCE IN CONSTANT INNOVATION
LA EXCELENCIA EN CONSTANTE INNOVACION
L'EXCELLENCE DANS L'INNOVATION CONSTANTE



yuki  **INNOVATION
LEADER**



SAKOU

C O L L E C T I O N

yuki  INNOVATION
LEADER

SAIKOU DSC A16

LENGTH: 4,20m / 14'
W:494gr / SECTIONS: 3 / CL:146cm

LENGTH: 4,50m / 15'
W:510gr / SECTIONS: 3 / CL:156cm

SHMC: Super High Modulus Carbon

Fuji GUIDES: KW

ACTION / H / 100-250gr

REEL SEAT: Fuji DPS

TIP: HYBRID



Tip Test curve according 120gr.



MID PROGRESSIVE ACTION

Ref.	Length		R.R.P.
CSSDA1642	4,20		395,00
CSSDA1645	4,50		399,00



- SURF CASTING 3 PZ
- CASTING POWER
- BEACH LEDGERING +LIGHT
- SURF CASTING TELE
- BOAT ADJUSTABLE
- BOAT
- EGI FISHING
- JIGGING POPPING
- TROLLING DRIFTING
- SPINNING
- TELESPIN TELEMATCH
- CARP FISHING & CATFISH + ISO
- BOLOGNESE & TELE
- FEEDER
- POLE FISHING

SAIKOU DSC A15

LENGTH: 4,20m / 14'
W:546gr / SECTIONS: 3 / CL:146cm

LENGTH: 4,50m / 15'
W:565gr / SECTIONS: 3 / CL:156cm

SHMC: Super High Modulus Carbon

Fuji GUIDES: LOW RIDER

ACTION / H / 100-250gr

REEL SEAT: Fuji DPS

TIP: HYBRID



TIP ACTION



REFLECTIVE TIP

Ref.	Length		R.R.P.
CSSDA1542	4,20		349,00
CSSDA1545	4,50		369,00



MID
PROGRESSIVE
ACTION

SAIKOU DSC A14

LENGTH: 4,20m / 14'
W:531gr / SECTIONS: 3 / CL:146cm

LENGTH: 4,50m / 15'
W:568gr / SECTIONS: 3 / CL:156cm

SHMC: Super High Modulus Carbon

FUJI GUIDES: KW

ACTION / H / 100-250gr

REEL SEAT: FUJI DPS

TIP: TUBULAR



Ref.	Length		R.R.P.
CSSDA1442	4,20		389,00
CSSDA1445	4,50		399,00



MID
PROGRESSIVE
ACTION



- SURF CASTING 3 PZ
- CASTING POWER
- BEACH LEDGERING "LIGHT"
- SURF CASTING TELE
- BOAT ADJUSTABLE
- BOAT
- EGI FISHING
- JIGGING POPPING
- TROLLING DRIFTING
- SPINNING
- TELESPIN TELEMATCH
- CARP FISHING & CATFISH + ISO
- BOLOGNESE & TELE
- FEEDER
- POLE FISHING

SAIKOU DSC A12

LENGTH: 4,20m / 14'
W:531gr / SECTIONS: 3 / CL:146cm

LENGTH: 4,50m / 15'
W:568gr / SECTIONS: 3 / CL:156cm

SHMC: Super High Modulus Carbon

Fuji GUIDES: Lowrider

ACTION / H / 100-250gr

REEL SEAT: Fuji DPS

TIP: HYBRID SOFT



TIP ACTION



MID
PROGRESSIVE
ACTION

Ref.	Length		R.R.P.
CSSDA1242	4,20		289,00
CSSDA1245	4,50		299,00

SAIKOU DSC A11

LENGTH: 4,20m / 14'
W:531gr / SECTIONS: 3 / CL:146cm

LENGTH: 4,50m / 15'
W:568gr / SECTIONS: 3 / CL:156cm

SHMC: Super High Modulus Carbon

Fuji GUIDES: KW

ACTION / H / 100-250gr

REEL SEAT: Fuji DPS

TIP: HYBRID



TIP ACTION



MID
PROGRESSIVE
ACTION

Ref.	Length		R.R.P.
CSSDA1142	4,20		279,00
CSSDA1145	4,50		299,00



SAIKOU DSC A10

LENGTH: 4,20m / 14'
W:531gr / SECTIONS: 3 / CL:146cm

LENGTH: 4,50m / 15'
W:568gr / SECTIONS: 3 / CL:156cm

SHMC: Super High Modulus Carbon

Fuji GUIDES: KW

ACTION / H / 100-250gr

REEL SEAT: Fuji DPS

TIP: TUBULAR



TIP ACTION

MID
PROGRESSIVE
ACTION

Ref.	Length		R.R.P.
CSSDA1042	4,20		279,00
CSSDA1045	4,50		289,00



- SURF CASTING 3 PZ
- CASTING POWER
- BEACH LEDGERING *LIGHT
- SURF CASTING TELE
- BOAT ADJUSTABLE
- BOAT
- EGI FISHING
- JIGGING POPPING
- TROLLING DRIFTING
- SPINNING
- TELESPIN TELEMATCH
- CARP FISHING & CATFISH + ISO
- BOLOGNESE & TELE
- FEEDER
- POLE FISHING

SAIKOU DSC A9

LENGTH: 4,20m / 14'
W:549gr / SECTIONS: 3 / CL:146cm

LENGTH: 4,50m / 15'
W:592gr / SECTIONS: 3 / CL:156cm

SHMC: Super High Modulus Carbon

FUJI GUIDES: KW

ACTION / H / 100-250gr

REEL SEAT: FUJI DPS

TIP: HYBRID



PROGRESSIVE
ACTION

Ref.	Length		R.R.P.
CSSDA942	4,20		179,00
CSSDA945	4,50		185,00



SAIKOU DSC A8

LENGTH: 4,20m / 14'
W:559gr / SECTIONS: 3 / CL:146cm

LENGTH: 4,50m / 15'
W:582gr / SECTIONS: 3 / CL:156cm

SHMC: Super High Modulus Carbon

Fuji GUIDES: LOW RIDER

ACTION / H / 100-250gr

REEL SEAT: Fuji DPS

TIP: HYBRID

Ref.	Length		R.R.P.
CSSDA842	4,20		189,00
CSSDA845	4,50		199,00

SAIKOU DSC A8 SENSITIVE

LENGTH: 4,20m / 14'
W:560gr / SECTIONS: 3 / CL:146cm

LENGTH: 4,50m / 15'
W:575gr / SECTIONS: 3 / CL:156cm

SHMC: Super High Modulus Carbon

Fuji GUIDES: LOW RIDER

ACTION / H / 100-250gr

REEL SEAT: Fuji DPS

TIP: HYBRID SUPER SOFT

Ref.	Length		R.R.P.
CSSDS842	4,20		185,00
CSSDS845	4,50		189,00



PROGRESSIVE ACTION



PROGRESSIVE ACTION



- SURF CASTING 3 PZ
- CASTING POWER
- BEACH LEDGERING "LIGHT"
- SURF CASTING TELE
- BOAT ADJUSTABLE
- BOAT
- EGI FISHING
- JIGGING POPPING
- TROLLING DRIFTING
- SPINNING
- TELESPIN TELEMATCH
- CARP FISHING & CATFISH + ISO
- BOLOGNESE & TELE
- FEEDER
- POLE FISHING

SAIKOU DSC A7

LENGTH: 4,20m / 14'
W:548gr / SECTIONS: 3 / CL:146cm

LENGTH: 4,50m / 15'
W:571gr / SECTIONS: 3 / CL:156cm

SHMC: Super High Modulus Carbon

Fuji GUIDES: KW

ACTION / H / 100-250gr

REEL SEAT: Fuji DPS

TIP: TUBULAR



Tip Test
curve
according
120gr.



TIP ACTION

PROGRESSIVE
ACTION

Ref.	Length		R.R.P.
CSSDA742	4,20		169,00
CSSDA745	4,50		185,00



SAIKOU DSC A6

LENGTH: 4,20m / 14'
W:520gr / SECTIONS: 3 / CL:147cm

LENGTH: 4,50m / 15'
W:538gr / SECTIONS: 3 / CL:157cm

SHMC: Super High Modulus Carbon

Fuji GUIDES: KW

ACTION / H / 100-250gr

REEL SEAT: Fuji DPS

TIP: HYBRID



PROGRESSIVE
ACTION

Ref.	Length		R.R.P.
CSSDA642	4,20		169,00
CSSDA645	4,50		179,00



- SURF CASTING 3 PZ
- CASTING POWER
- BEACH LEDGERING *LIGHT
- SURF CASTING TELE
- BOAT ADJUSTABLE
- BOAT
- EGI FISHING
- JIGGING POPPING
- TROLLING DRIFTING
- SPINNING
- TELESPIN TELEMATCH
- CARP FISHING & CATFISH * ISO
- BOLOGNESE & TELE
- FEEDER
- POLE FISHING

SAIKOU DSC A6 SENSITIVE

LENGTH: 4,20m / 14'
W:508gr / SECTIONS: 3 / CL:14 7cm

LENGTH: 4,50m / 15'
W:525gr / SECTIONS: 3 / CL:147cm


SHMC: Super High Modulus Carbon

Fuji GUIDES: KW

ACTION / H / 100-250gr

REEL SEAT: Fuji DPS

TIP: HYBRID SUPER SOFT



TIP ACTION

Ref.	Length		R.R.P.
CSSDS642	4,20		169,00
CSSDS645	4,50		179,00



PROGRESSIVE
ACTION



REFLECTIVE TIP

SAIKOU DSC A5

LENGTH: 4,20m / 14'
W: 536gr / SECTIONS: 3 / CL: 147cm

LENGTH: 4,50m / 15'
W: 550gr / SECTIONS: 3 / CL: 157cm

SHMC: Super High Modulus Carbon

Fuji GUIDES: KW

ACTION / H / 100-250gr

REEL SEAT: Fuji DPS

TIP: TUBULAR



Ref.	Length		R.R.P.
CSSDA542	4,20		159,00
CSSDA545	4,50		169,00



PROGRESSIVE
ACTION



- SURF CASTING 3 PZ
- CASTING POWER
- BEACH LEDGERING *LIGHT
- SURF CASTING TELE
- BOAT ADJUSTABLE
- BOAT
- EGI FISHING
- JIGGING POPPING
- TROLLING DRIFTING
- SPINNING
- TELESPIN TELEMATCH
- CARP FISHING & CATFISH + ISO
- BOLOGNESE & TELE
- FEEDER
- POLE FISHING

SAIKOU 最高

NEXT

GENERATION



yuki



INNOVATION
LEADER

SAIKOU NEXT GEN HW SENSITIVE

LENGTH: 4,20m / 14'
W:544gr / SECTIONS: 3 / CL:156cm

LENGTH: 4,50m / 15'
W:560gr / SECTIONS: 3 / CL:156cm

SHMC: Super High Modulus Carbon

Fuji GUIDES: KW

ACTION / H / 100-250gr

REEL SEAT: Fuji DPS

TIP: HYBRID SENSITIVE



REFLECTIVE TIP

Ref.	Length		R.R.P.
CSNGSHW42	4,20		159,00
CSNGSHW45	4,50		169,00



PROGRESSIVE
ACTION

- SURF CASTING 3 PZ
- CASTING POWER
- BEACH LEDGERING +LIGHT
- SURF CASTING TELE
- BOAT ADJUSTABLE
- BOAT
- EGI FISHING
- JIGGING POPPING
- TROLLING DRIFTING
- SPINNING
- TELESPIN TELEMATCH
- CARP FISHING & CATFISH + ISO
- BOLOGNESE & TELE
- FEEDER
- POLE FISHING

SAIKOU NEXT GEN HW

LENGTH: 4,20m / 14'
W:543gr / SECTIONS: 3 / CL:156cm

LENGTH: 4,50m / 15'
W:556gr / SECTIONS: 3 / CL:156cm

SHMC: Super High Modulus Carbon

Fuji GUIDES: KW

ACTION / H / 100-250gr

REEL SEAT: Fuji DPS

TIP: HYBRID

Ref.	Length		R.R.P.
CSNGHW42	4,20		159,00
CSNGHW45	4,50		169,00



PROGRESSIVE
ACTION

REFLECTIVE TIP

SAIKOU NEXT GEN TW

LENGTH: 4,20m / 14'
W:554gr / SECTIONS: 3 / CL:156cm

LENGTH: 4,50m / 15'
W:567gr / SECTIONS: 3 / CL:156cm

SHMC: Super High Modulus Carbon

Fuji GUIDES: KW

ACTION / H / 100-250gr

REEL SEAT: Fuji DPS

TIP: TUBULAR

Ref.	Length		R.R.P.
CSNGTW42	4,20		139,00
CSNGTW45	4,50		149,00



PROGRESSIVE
ACTION



SAIKOU NEXT GEN H2

LENGTH: 4,20m / 14'
W:567gr / SECTIONS: 3 / CL:156cm

LENGTH: 4,50m / 15'
W:587gr / SECTIONS: 3 / CL:156cm

SHMC: Super High Modulus Carbon

Fuji GUIDES: KW

ACTION / H / 100-250gr

REEL SEAT: Fuji DPS

TIP: HYBRID

PROGRESSIVE
ACTION



Ref.	Length		R.R.P.
CSNGH242	4,20		139,00
CSNGH245	4,50		149,00

SAIKOU NEXT GEN T2

LENGTH: 4,20m / 14'
W:562gr / SECTIONS: 3 / CL:156cm

LENGTH: 4,50m / 15'
W:578gr / SECTIONS: 3 / CL:156cm

SHMC: Super High Modulus Carbon

Fuji GUIDES: KW

ACTION / H / 100-250gr

REEL SEAT: Fuji DPS

TIP: TUBULAR

PROGRESSIVE
ACTION



Ref.	Length		R.R.P.
CSNGT242	4,20		119,00
CSNGT245	4,50		125,00



SURF
CASTING
3 PZ

CASTING
POWER

BEACH
LEDGERING
+LIGHT

SURF
CASTING
TELE

BOAT
ADJUSTABLE

BOAT

EGI
FISHING

JIGGING
POPPING

TROLLING
DRIFTING

SPINNING

TELESPIN
TELEMATCH

CARP FISHING
& CATFISH
+ ISO

BOLOGNESE
& TELE

FEEDER

POLE
FISHING

SAIKOU NEXT GEN HT

LENGTH: 4,20m / 14'
W:546gr / SECTIONS: 3 / CL:156cm

LENGTH: 4,50m / 15'
W:578gr / SECTIONS: 3 / CL:156cm

HMC: High Modulus Carbon

Fuji GUIDES: KW

ACTION / H / 100-250gr

REEL SEAT: Fuji DPS

TIP: HYBRID

Ref.	Length		R.R.P.
CSNGHT42	4,20		99,00
CSNGHT45	4,50		99,00



PROGRESSIVE
ACTION

REFLECTIVE TIP

SAIKOU NEXT GEN TT

LENGTH: 4,20m / 14'
W:541gr / SECTIONS: 3 / CL:156cm

LENGTH: 4,50m / 15'
W:465gr / SECTIONS: 3 / CL:156cm

HMC: High Modulus Carbon

Fuji GUIDES: KW

ACTION / H / 100-250gr

REEL SEAT: Fuji DPS

TIP: TUBULAR

Ref.	Length		R.R.P.
CSNGTT42	4,20		99,00
CSNGTT42	4,50		99,00



PROGRESSIVE
ACTION



SAIKOU ITALY

LENGTH: 4,20m / 14'
W:572gr / **SECTIONS:** 3 / **CL:**147cm

LENGTH: 4,50m / 13'
W:590gr / **SECTIONS:** 3 / **CL:**157cm

SLHMC: Super Light High Modulus Carbon

Fuji GUIDES: KW

ACTION / H / 100-250gr

REEL SEAT: **Fuji** DPS

TIP: HYBRID

Ref.	Length		R.R.P.
CSSIT42	4,20		195,00
CSSIT45	4,50		195,00

SAIKOU A11

Super slim blank
Stiff structure
Cast Power

Blank super fino
Buck muy manejable
Potencia de lance

Blank super fin
Buck très maniable
Puissance de lance

LENGTH: 4,20m / 14'
W:518gr / **SECTIONS:** 3 / **CL:**149cm

LENGTH: 4,50m / 13'
W:518gr / **SECTIONS:** 3 / **CL:**149cm

SLHMC: Super Light High Modulus Carbon

Fuji GUIDES: KW ALCONITE

ACTION / H / 100-250gr

REEL SEAT: **Fuji** DPS

TIP: HYBRID

Ref.	Length		R.R.P.
CSSA1142	4,20		439,00



PROGRESSIVE
ACTION



MID
PROGRESSIVE
ACTION

WORLD CHAMPIONSHIP SERIES



- SURF CASTING 3 PZ
- CASTING POWER
- BEACH LEDGERING + LIGHT
- SURF CASTING TELE
- BOAT ADJUSTABLE
- BOAT
- EGI FISHING
- JIGGING POPPING
- TROLLING DRIFTING
- SPINNING
- TELESPIN TELEMATCH
- CARP FISHING & CATFISH + ISO
- BOLOGNESE & TELE
- FEEDER
- POLE FISHING



**PROGRESSIVE
ACTION**



**PROGRESSIVE
ACTION**



SAIKOU A10

Super slim blank
Excellent value for money
Suitable for competition

Blank súper fino
Excelente relación calidad precio
Indicada para la competición

Blank super fin
Excellent rapport qualité-prix
Indiqué pour compétition

LENGTH: 4,20m / 14'
W:499gr / **SECTIONS:** 3 / **CL:**147 cm

SLHMC: Super Light High Modulus Carbon

Fuji GUIDES: LOW RIDER

ACTION / H / 100-250gr

REEL SEAT: **Fuji** DPS

TIP: HYBRID

SP: SEMI PARABOLIC

Ref.	Length		R.R.P.
CSSA0142	4,20		349,00



SAIKOU A7

Super slim blank
Sensitive bite detection
Excellent value for money

Blank súper fino
Detección de picada sensible
Excelente relación calidad precio

Blank super fin
Détection touche sensible
Excellent rapport qualité-prix

LENGTH: 4,50m / 15'
W:599gr / **SECTIONS:** 3 / **CL:**150cm

SHMC: Super High Modulus Carbon

Fuji GUIDES: LOW RIDER

ACTION / H / 100-250gr

REEL SEAT: **Fuji** DPS

TIP: HYBRID

SP: SEMI PARABOLIC

Ref.	Length		R.R.P.
CSSA745	4,50		235,00



SAIKOU A6 PLUS

Greater rigidity
Super light structure
High cast power

Mayor rigidez
Estructura súper ligera
Gran potencia de lance

Grande rigidité
Structure super légère
Grande puissance à lancer

LENGTH: 4,50m / 15'
W:604gr / **SECTIONS:** 3 / **CL:**157cm

SHMC: Super High Modulus Carbon

Fuji GUIDES: LOW RIDER

ACTION / H / 100-250gr

REEL SEAT: **Fuji** DPS

TIP: HYBRID

SP: SEMI PARABOLIC

Ref.	Length		R.R.P.
CSSAP645	4,50		199,00

SAIKOU A4 PLUS

LENGTH: 4,20m / 14'
W:538gr / **SECTIONS:** 3 / **CL:**147 cm

LENGTH: 4,50m / 15'
W:554gr / **SECTIONS:** 3 / **CL:**157cm

HMC: High Modulus Carbon

Fuji GUIDES: LOW RIDER

ACTION / H / 100-250gr

REEL SEAT: **Fuji** DPS

TIP: HYBRID

SP: SEMI PARABOLIC

Ref.	Length		R.R.P.
CSSAP442	4,20		155,00
CSSAP445	4,50		165,00



SURF
CASTING
3 PZ

CASTING
POWER

BEACH
LEDGERING
+LIGHT

SURF
CASTING
TELE

BOAT
ADJUSTABLE

BOAT

EGI
FISHING

JIGGING
POPPING

TROLLING
DRIFTING

SPINNING

TELESPIN
TELEMATCH

CARP FISHING
& CATFISH
+ ISO

BOLOGNESE
& TELE

FEEDER

POLE
FISHING



SAIKOU A4 PLUS SENSITIVE

LENGTH: 4,20m / 14'
W:510gr / SECTIONS: 3 / CL:147 cm

HMC: High Modulus Carbon

Fuji GUIDES: LOW RIDER

ACTION / H / 100-250gr

REEL SEAT: **Fuji** DPS

TIP: HYBRID SUPER SOFT

Ref.	Length		R.R.P.
CSSAS442	4,20		159,00

SAIKOU A3 PLUS

LENGTH: 4,20m / 14'
W:538gr / SECTIONS: 3 / CL:147 cm

LENGTH: 4,50m / 15'
W:554gr / SECTIONS: 3 / CL:157cm

HMC: High Modulus Carbon

Fuji GUIDES: KW


ACTION / H / 100-250gr

REEL SEAT: **Fuji** DPS

TIP: TUBULAR

SP: SEMI PARABOLIC

Ref.	Length		R.R.P.
CSSAP342	4,20		129,00
CSSAP345	4,50		145,00



SAIKOU A2 PLUS

LENGTH: 4,20m / 14'
W:617gr / SECTIONS: 3 / CL:147 cm



HMC: High Modulus Carbon

GUIDES: LOW RIDER

ACTION / H / 100-250gr

REEL SEAT: DPS

TIP: HYBRID

SP: SEMI PARABOLIC

Ref.	Length		R.R.P.
CSSAP242	4,20		89,00

SAIKOU A1 PLUS

LENGTH: 4,20m / 14'
W:629gr / SECTIONS: 3 / CL:147 cm



LENGTH: 4,50m / 15'
W:644gr / SECTIONS: 3 / CL:157cm

HMC: High Modulus Carbon

GUIDES: MN

ACTION / H / 100-250gr

REEL SEAT: DPS

TIP: TUBULAR



Ref.	Length		R.R.P.
CSSAP142	4,20		85,00
CSSAP145	4,50		89,00



TIP ACTION
PROGRESSIVE ACTION

TIP ACTION
PROGRESSIVE ACTION

- SURF CASTING 3 PZ
- CASTING POWER
- BEACH LEDGERING + LIGHT
- SURF CASTING TELE
- BOAT ADJUSTABLE
- BOAT
- EGI FISHING
- JIGGING POPPING
- TROLLING DRIFTING
- SPINNING
- TELESPIN TELEMATCH
- CARP FISHING & CATFISH + ISO
- BOLOGNESE & TELE
- FEEDER
- POLE FISHING



ORUS SURF

Excellent value for money
Optimum performance
For long fishing sessions

Excelente relación calidad-precio
Óptimas prestaciones
Indicada para largas jornadas de pesca

Excellent rapport qualité prix
Avantages optimaux
Pour les longues journées de pêche

LENGTH: 4,20m / 14'
W:620gr / **SECTIONS:** 3 / **CL:**150cm

HMC: High Modulus Carbon

GUIDE: LOW RIDER

ACTION / H / 100-250gr

REEL SEAT: DPS

TIP: HYBRID

SP: SEMI PARABOLIC

Ref.	Length		R.R.P.
CSOU42	4,20		69,00

ARON SURF

Excellent value for money
Suitable for long fishing days
Semi stiff structure

Excelente relación calidad precio
Indicada para largas jornadas de pesca
Estructura semi rígida

Excellent rapport qualité-prix
Indiqué pour des longues journées de pêche
Structure semi-rigide

LENGTH: 4,20m / 14'
W:620gr / **SECTIONS:** 3 / **CL:**150cm

LENGTH: 4,50m / 15'
W:635gr / **SECTIONS:** 3 / **CL:**159cm

HMC: High Modulus Carbon

ACTION / H / 100-250gr

GUIDES: 4,2 LOW RIDER 4,5 MN

REEL SEAT: DPS

TIP: 4.20 HYBRID 4.50 TUBULAR

Ref.	Length		R.R.P.
CSA042	4,20		69,00
CSA045	4,50		69,00

MASERATY YUKI MASTERS

LENGTH: 4,20m / 14'
W:330gr / **SECTIONS:** 3 / **CL:**148cm

SLHMC: Super Light High Modulus Carbon

Fuji GUIDES: KW ALCONITE

ACTION / MH / 80-130gr

REE SEAT: **Fuji** NS7

TIP: HYBRID



TIP ACTION

Ref.	Length		R.R.P.
CSYM42	4,20		299,00

PROGRESSIVE
ACTION



SURF
CASTING
3 PZ

CASTING
POWER

BEACH
LEDGERING
+LIGHT

SURF
CASTING
TELE

BOAT
ADJUSTABLE

BOAT

EGI
FISHING

JIGGING
POPPING

TROLLING
DRIFTING

SPINNING

TELESPIN
TELEMATCH

CARP FISHING
& CATFISH
+ ISO

BOLOGNESE
& TELE

FEEDER

POLE
FISHING

SAIKOU DSC ASTON ONE

LENGTH: 4,20m / 14'
W:388gr / **SECTIONS:** 3 / **CL:**146cm

LENGTH: 4,50m / 15'
W:439gr / **SECTIONS:** 3 / **CL:**156cm

SLHMC: Super Light High Modulus Carbon

Fuji GUIDES: KW

ACTION / MH / 80-225gr

REE SEAT: **Fuji** DPS

Ref.	Length		R.R.P.
CSSDAS42	4,20		349,00
CSSDAS45	4,50		375,00

SAIKOU ITALY LIGHT

LENGTH: 4,20m / 14.43'
W:534gr / **SECTIONS:** 3 / **CL:**147cm

LENGTH: 4,50m / 15.41'
W:560gr / **SECTIONS:** 3 / **CL:**157cm

SLHMC: Super Light High Modulus Carbon

Fuji GUIDES: KW

ACTION / MH / 75-150gr

REE SEAT: **Fuji** DNPS

Ref.	Length		R.R.P.
CSSIL42	4,20		149,00
CSSIL45	4,50		159,00



SAIKOU DSC LIGHT

LENGTH: 4,20m / 14'
W:367gr / SECTIONS: 3 / CL:148cm

LENGTH: 4,50m / 15'
W:397gr / SECTIONS: 3 / CL:156cm

SLHMC: Super Light High Modulus Carbon

Fuji GUIDES: KW

ACTION / MH / 40-140 gr

REEL SEAT: Fuji PLATE

TIP: HYBRID



PROGRESSIVE
ACTION



Ref.	Length		R.R.P.
CSSDL42	4,20		165,00
CSSDL45	4,50		169,00



- SURF CASTING 3 PZ
- CASTING POWER
- BEACH LEDGERING *LIGHT
- SURF CASTING TELE
- BOAT ADJUSTABLE
- BOAT
- EGI FISHING
- JIGGING POPPING
- TROLLING DRIFTING
- SPINNING
- TELESPIN TELEMATCH
- CARP FISHING & CATFISH + ISO
- BOLOGNESE & TELE
- FEEDER
- POLE FISHING

NEOX CLASS BEACH LEDGERING

LENGTH: 4,40m / 14.43'
W:359gr / SECTIONS: 3+3 tips / CL:152cm

LENGTH: 4,70m / 15.41'
W:425gr / SECTIONS: 3+3 tips / CL:162cm

SLHMC: Super Light High Modulus Carbon

Fuji GUIDES: KW

ACTION / MH / 50-150gr

REE SEAT: Fuji DNPS

TIP: 3 TIPS - MULTI TIP
RED & ORANGE - CARBON
GREEN - GLASS



Ref.	Length		R.R.P.
CSNDBE44	4,40		290,00
CSNDBE47	4,70		329,00



PROGRESSIVE
ACTION



SAIKOU DSC ASTON ONE BEACH LEDGERING

LENGTH: 4,40m / 14.43'
W: 359gr / SECTIONS: 3+2 tips / CL: 149cm

LENGTH: 4,70m / 15.41'
W: 428gr / SECTIONS: 3+2 tips / CL: 148cm

SLHMC: Super Light High Modulus Carbon

FUJII GUIDES: KW

ACTION / M / 50-150 gr

REEL SEAT: FUJII DNPS

TIP: MULTI-TIP

TIPS: 2 MULTITIP
RED - CARBON
ORANGE - GLASS

Ref.	Length		R.R.P.
CSAB44	4,20		279,00
CSAB47	4,70		299,00

SAIKOU BEACH LEDGERING

LENGTH: 4,20m / 14'
W: 430gr / SECTIONS: 3 / CL: 148cm

LENGTH: 4,50m / 15'
W: 451gr / SECTIONS: 3 / CL: 156cm

LENGTH: 4,90m / 16'
W: 493gr / SECTIONS: 3 / CL: 170cm

SHMC: Super High Modulus Carbon

FUJII GUIDES: KW

ACTION / M / 40-120 gr

REEL SEAT: FUJII PLATE

TIP: MULTI-TIP

TIPS: 2 MULTITIP
WHITE-CARBON
WHITE-GLASS

Ref.	Length		R.R.P.
CSSB42	4,20		179,00
CSSB45	4,70		189,00
CSSB49	4,90		195,00



- SURF CASTING 3 PZ
- CASTING POWER
- BEACH LEDGERING LIGHT
- SURF CASTING TELE
- BOAT ADJUSTABLE
- BOAT
- EGI FISHING
- JIGGING POPPING
- TROLLING DRIFTING
- SPINNING
- TELESPIN TELEMATCH
- CARP FISHING & CATFISH + ISO
- BOLOGNESE & TELE
- FEEDER
- POLE FISHING

SAIKOU W-POWER

Stiff blank and amazing power

Estructura extra rígida y potencia excepcional

Structure extra rigide et puissance exceptionnel

LENGTH: 4,50m / 15'
W:662gr / **SECTIONS:** 3 / **CL:**157cm

LENGTH: 5-5.50m / 16',4"-18'
W:736gr + 155 mini / **SECTIONS:** 3 + Mini Extension
CL:176cm

SHMC: Super High Modulus Carbon

Fuji GUIDES: KW

ACTION / HH / 100-350gr

REEL SEAT: **Fuji** DPS

TIP: TUBULAR POWER



Ref.	Length		R.R.P.
CSSWP45	4,50		169,00
CSSWP50	5,00 + mini		199,00



SAIKOU NEXT GEN POWER

Stiff blank and amazing power
Estructura extra rígida y potencia excepcional
Structure extra rigide et puissance exceptionnel

LENGTH: 4,50m / 15"
W: 510gr / **SECTIONS:** 3 / **CL:** 214cm


ACTION / HH / 100-350gr

SLHMC: Super Light High Modulus Carbon

Fuji GUIDES: KW ALCONITE

REEL SEAT: DPS

TIP: TUBULAR POWER



STIFF+
ACTION

Ref.	Length		R.R.P.
CSNGP45	4,50		239,00



- SURF CASTING 3 PZ
- CASTING POWER
- BEACH LEDGERING "LIGHT"
- SURF CASTING TELE
- BOAT ADJUSTABLE
- BOAT
- EGI FISHING
- JIGGING POPPING
- TROLLING DRIFTING
- SPINNING
- TELESPIN TELEMATCH
- CARP FISHING & CATFISH + ISO
- BOLOGNESE & TELE
- FEEDER
- POLE FISHING

SAIKOU BOSFORUS

Stiff blank and amazing power
Latest vanguard Japanese technology

Estructura extra rígida y potencia excepcional
Última tecnología Japonesa de vanguardia

Structure extra rigide et puissance exceptionnel
Dernière technologie Japonaise

LENGTH: 4,20m / 14'
W:670gr / **SECTIONS:** 3 / **CL:**149cm

LENGTH: 4,50m / 15'
W:692gr / **SECTIONS:** 3 / **CL:**159cm

SLHMC: Super Light High Modulus Carbon

Fuji GUIDES: MN

ACTION / HH / 350gr

REEL SEAT: **Fuji** DPS

TIP: TUBULAR



Ref.	Length		R.R.P.
CSSBF42	4,20		345,00
CSSBF45	4,50		375,00



SUBLIME CASTING

Ultra stiff structure
Suitable for top-competition
Extreme power

Estructura ultra rígida
Indicada para la alta competición
Potencia extrema

Structure ultra rigide
Indiqué pour la haute compétition
Puissance extrême

LENGTH: 4,20m / 14"
W: 510gr / **SECTIONS:** 2 / **CL:** 214cm

ACTION / MH / 100-350gr


SLHMC: Super Light High Modulus Carbon

Fuji GUIDES: KW ALCONITE

REEL SEAT: WEBO SLIDING DPS

TIP: HYBRID

SLIDING REELSEAT: 61 cm



Ref.	Length		R.R.P.
CSSC42HH	4,20		289,00
CSSG42HH	4,20		399,00
CSSC42MH	4,20		289,00

With guides >

TIP ACTION



61 CM

- SURF CASTING 3 PZ
- CASTING POWER
- BEACH LEDGERING *LIGHT
- SURF CASTING TELE
- BOAT ADJUSTABLE
- BOAT
- EGI FISHING
- JIGGING POPPING
- TROLLING DRIFTING
- SPINNING
- TELESPIN TELEMATCH
- CARP FISHING & CATFISH + ISO
- BOLOGNESE & TELE
- FEEDER
- POLE FISHING

SAIKOU W-CAST

LENGTH: 4m / 13,5"
W: 551gr / **SECTIONS:** 2 / **CL:** 2,07cm

ACTION / HH / 100-250gr


SLHMC: Super High Modulus Carbon

Fuji GUIDES: KW

REEL SEAT: DPS SLIDING

TIP: HYBRID

SLIDING REELSEAT: 86 cm



Ref.	Length		R.R.P.
CSSWC40	4		339,00



SAIKOU CASTING

LENGTH: 4,20m / 14"
W: 490gr / SECTIONS: 2 / CL: 214cm

LENGTH: 4,50m / 15"
W: 510gr / SECTIONS: 2 / CL: 229cm

SHMC: Super High Modulus Carbon

Fuji GUIDES: KW ALCONITE

ACTION / MH / 100-300gr

REEL SEAT: WEBO SLIDING DPS

TIP: TUBULAR

SLIDING REELSEAT: 96 cm



STIFF+
ACTION

Ref.	Length		R.R.P.
CSSDC42	4,20		349,00
CSSDC45	4,50		365,00



TIP ACTION

96CM



- SURF CASTING 3 PZ
- CASTING POWER
- BEACH LEDGERING "LIGHT"
- SURF CASTING TELE
- BOAT ADJUSTABLE
- BOAT
- EGI FISHING
- JIGGING POPPING
- TROLLING DRIFTING
- SPINNING
- TELESPIN TELEMATCH
- CARPFISHING & CATFISH + ISO
- BOLOGNESE & TELE
- FEEDER
- POLE FISHING

SAIKOU



SURF CASTING TELESCOPIC

SAIKOU TELESURF BEACH

LENGTH: 4m / 14'50"
W:336gr / SECTIONS: 1 / CL:140cm

HMC: High Modulus Carbon

Fuji GUIDES: KW

ACTION / L / 100GR

REEL SEAT: Fuji DNPS

TIP: TUBULAR

Ref.	Length		R.R.P.
CSSTB40	4		89,00

SAIKOU TELESURF ML

LENGTH: 4,20m / 14'70"
W:427gr / SECTIONS: 4 / CL:140cm

HMC: High Modulus Carbon

Fuji GUIDES: KW

ACTION / ML / 130GR

REEL SEAT: Fuji DNPS

TIP: TUBULAR

Ref.	Length		R.R.P.
CSSTML42	4,20		95,00

SAIKOU TELESURF MH

LENGTH: 4,20m / 14'70"
W:443gr / SECTIONS: 3 / CL:140cm

Fuji GUIDES: KW

ACTION / MH / 180gr

REEL SEAT: Fuji DNPS

HMC: High Modulus Carbon

TIP: TUBULAR

Ref.	Length		R.R.P.
CSSTMH42	4,2		99,00

SAIKOU TELESURF BEACH

SAIKOU TELESURF ML

SAIKOU TELESURF MH



- SURF CASTING 3 PZ
- CASTING POWER
- BEACH LEDGERING "LIGHT"
- SURF CASTING TELE.
- BOAT ADJUSTABLE
- BOAT
- EGI FISHING
- JIGGING POPPING
- TROLLING DRIFTING
- SPINNING
- TELESPIN TELEMATCH
- CARP FISHING & CATFISH + ISO
- BOLOGNESE & TELE
- FEEDER
- POLE FISHING

FIT SURF



NERVE SURF



FIT SURF

Slim blank
Anti sliding grip
Ultra stiff structure

Blank fino
Empuñadura antideslizante
Estructura ultra rígida

Blank fin
Poignée antidérapante
Structure ultra rigide

LENGTH: 4,20m / 14'
W:458gr / **SECTIONS:** 4 / **CL:**139cm

LENGTH: 4,50m / 15'
W:478gr / **SECTIONS:** 4 / **CL:**141cm

SLHMC: Super Light High Modulus Carbon

Fuji GUIDES: LOW RIDER

ACTION / HH / 150-300gr

REEL SEAT: **Fuji** NS7

TIP: TUBULAR

Ref.	Length		R.R.P.
CSFT42	4,20		199,00
CSFT45	4,50		229,00

NERVE SURF

LENGTH: 4,50m / 15'
W:475gr / **SECTIONS:** 3 / **CL:**141cm

Fuji GUIDES: LOW RIDER

ACTION / HH / 150-300gr

REEL SEAT: **Fuji** PLATE

SLHMC: Super Light High Modulus Carbon

TIP: TUBULAR

Ref.	Length		R.R.P.
CSNR45	4,50		179,00

ROCHA POWER

Sensitive bite detection
Stiff structure
Cast Power

Detección de picada sensible
Estructura rígida
Potencia de lance

Détection touche sensible
Structure rigide
Puissance de lance



LENGTH: 5,40m / 18'
W:564gr / **SECTIONS:** 5 / **CL:**120cm

S sea-guide ; FOLDING

ACTION / MH / 28-200gr

REEL SEAT: SLIDING DPS

SHMC: Super High Modulus Carbon

TIP: TUBULAR

Ref.	Length		R.R.P.
CSRP54	5,40		139,00

ATALAIA FLOT

LENGTH: 4,50m / 14'76"
W: 391gr / **SECTIONS:** / **CL:** 142cm

LENGTH: 5,40m / 18'
W: 678gr / **SECTIONS:** 5 / **CL:**120cm

S sea-guide ; FOLDING

ACTION / POWER UP 4KG / 100-220GR

REEL SEAT: DPS

SHMC: Super High Modulus Carbon

TIP: TUBULAR

Ref.	Length		R.R.P.
CSAT45	4,50		109,00
CSAT54	5,40		129,00

ROCHA POWER




ATALAIA FLOT



- SURF CASTING 3 PZ
- CASTING POWER
- BEACH LEDGERING "LIGHT"
- SURF CASTING TELE.
- BOAT ADJUSTABLE
- BOAT
- EGI FISHING
- JIGGING POPPING
- TROLLING DRIFTING
- SPINNING
- TELESPIN TELEMATCH
- CARP FISHING & CATFISH + ISO
- BOLOGNESE & TELE
- FEEDER
- POLE FISHING

SUKONA SURF



SUKONA SURF

Super light blank
Very handy butt
Anti sliding grip

Blank súper ligero
Butt muy manejable
Empuñadura antideslizante

Blank super léger
Butt très maniable
Poignée antidérapante

LENGTH: 4,20m / 14'
W:327gr / **SECTIONS:** 5 / **CL:**128cm

LENGTH: 4,20m / 14'
W:272gr / **SECTIONS:** 5 / **CL:**128cm

ACTION: M / 20-120 gr
ACTION: H / 50-150 gr

HMC: High Modulus Carbon

S searguide SIC WRAPPING

REEL SEAT: DPS

Ref.	Length		R.R.P.
CSSK42	4,20		99,00
CSSK42H	4,20		99,00

ALKIMIA

Reinforced carbon / Semi stiff structure

Carbono reforzado / Estructura semi rígida

Carbone renforcé / Structure semi-rigide

LENGTH: 4,20m / 14'
W:480gr / **SECTIONS:** 4 / **CL:**133cm

ACTION /M / 50-120 gr

Sseaguide WRAPPING

LENGTH: 4,20m / 14'
W:498gr / **SECTIONS:** 4 / **CL:**123cm

ACTION /MH / 100-250 gr

Sseaguide FOLDING

LENGTH: 4,50m / 15'
W: 520gr / **SECTIONS:** 4 / **CL:**133cm

ACTION /MH / 100-200 gr


Sseaguide FOLDING

HMC: High Modulus Carbon

REEL SEAT: DPS

TIP: TUBULAR

Ref.	Length	Guides		R.R.P.
CSAL42	4,20	Wrapping		69,00
CSAL42C	4.20	Folding		69,00
CSAL45C	4.50	Folding		75,00



ALKIMIA ACTOIN - M



ALKIMIA ACTION - MH



- SURF CASTING 3 PZ
- CASTING POWER
- BEACH LEDGERING -LIGHT
- SURF CASTING TELE.
- BOAT ADJUSTABLE
- BOAT
- EGI FISHING
- JIGGING POPPING
- TROLLING DRIFTING
- SPINNING
- TELESPIN TELEMATCH
- CARPFISHING & CATFISH + ISO
- BOLOGNESE & TELE
- FEEDER
- POLE FISHING

RACER

Excellent finish
Super light blank
Reinforced carbon

Acabados excelentes
Blank súper ligero
Carbono reforzado

Finitions excellentes
Blank super fin
Carbone renforcé

LENGTH: 3-4m
W: 255gr / **SECTIONS:** 4 / **CL:** 138cm

ACTION / HH / 100-300 gr


seaguide SIC

SLHMC: Super Light High Modulus Carbon

REEL SEAT: DPS

TIP: MULTI-TIP

TIPS: 5



Ref.	Length	R.R.P.
CARA34	3,00-4,00	299,00

ARKANO

Excellent finish
Super light blank
Reinforced carbon

Acabados excelentes
Blank súper ligero
Carbono reforzado

Finitions excellentes
Blank super fin
Carbone renforcé

LENGTH: 3,75-4,50m
W: 268gr / **SECTIONS:** 4 / **CL:** 3PZ+TIP 138cm

ACTION / HH / 100-300 gr

Fuji GUIDES: KW

SLHMC: Super Light High Modulus Carbon

REEL SEAT: FUJI DPS

TIP: MULTI-TIP

TIPS: 5



Ref.	Length	R.R.P.
CAAR34	3,75-4,50	375,00



NARITA

Excellent finish
Super slim blank
Ultra sensitive bite detection

Acabados excelentes
Blank súper fino
Detección de picada ultra sensible

Finitions excellentes
Blank super fin
Détection touche ultra sensible

LENGTH: 3-4m
W: 270gr / **SECTIONS:** 4 / **CL:** 130cm

ACTION / HH / 100-300 gr

S sea:guide SIC

SLHMC: Super Light High Modulus Carbon

REEL SEAT: DPS

TIP: MULTI-TIP

TIPS: 5



Ref.	Length	R.R.P.
CANA34	3,00-4,00	239,00



X5

SURF
CASTING
3 PZ

CASTING
POWER

BEACH
LEDGERING
+LIGHT

SURF
CASTING
TELE

BOAT
ADJUSTABLE

BOAT

EGI
FISHING

JIGGING
POPPING

TROLLING
DRIFTING

SPINNING

TELESPIN
TELEMATCH

CARPFISHING
& CATFISH
+ ISO

BOLOGNESE
& TELE

FEEDER

POLE
FISHING

BOAT FISHING

NEOX MULTITIP H PLUS

X2

NEOX MULTITIP H

X2

NEOX MULTITIP H PLUS

Super Light blank / Exceptional power / Higher rigidity

Blank súper ligero / Fuerza excepcional / Mayor rigidez

Blank super léger / Forcé exceptionnelle / Grande rigidité



LENGTH: 2,40m / 8'

W:245gr / **SECTIONS:** 2 + 2 TIPS / **CL:**125cm

LENGTH: 2,70m / 8.85'

W:268gr / **SECTIONS:** 2 + 2 TIPS / **CL:**125cm

LENGTH: 3,00m / 9.84'

W:285gr / **SECTIONS:** 2 + 2 TIPS / **CL:**145cm

LENGTH: 3,50m / 11.4'

W:340gr / **SECTIONS:** 3 + 2 TIPS / **CL:**120cm

ACTION / HH / 100-500gr

S searguide K SIC

SLHMC: Super Light High Modulus Carbon

TIPS: MULTI-TIP

REEL SEAT: DPS

Ref.	Length		R.R.P.
CANP24	2,40		129,00
CANP27	2,70		139,00
CANP30	3,00		165,00
CANP35	3,50		195,00

NEOX MULTITIP H

Slim blank / Ultra stiff structure / Exceptional power

Blank fino / Estructura ultra rígida / Potencia excepcional

Blank fin / Structure ultra rigide / Puissance exceptionnelle



LENGTH: 2,40m / 8'

W:255gr / **SECTIONS:** 2 + 2 TIPS
CL:125cm

LENGTH: 2,70m / 8.85'

W:278gr / **SECTIONS:** 2 + 2 TIPS
CL:125cm

LENGTH: 3,00m / 9.84'

W:300gr / **SECTIONS:** 2 + 2 TIPS
CL:146cm

LENGTH: 3,50m / 11.4'

W:368gr / **SECTIONS:** 3 + 2 TIPS
CL:120cm

ACTION / HH / 50-300gr

S searguide MN SIC

REEL SEAT: DPS

SLHMC: Super Light High Modulus Carbon

TIPS: MULTI-TIP

TIPS: 2

Ref.	Length		R.R.P.
CANM24H	2,40		99,00
CANM27H	2,70		115,00
CANM30H	3,00		119,00
CANM35H	3,50		139,00

SAIKOU MULTITIP H

Excellent finish / Suitable for long fishing days / Very handy butt

Acabados excelentes / Indicada para largas jornadas de pesca/ Butt manejable

Excellentes finitions / Pour les longues journées de pêche / Butt tres maniable

LENGTH: 2,10m / 7'

W:265gr / **SECTIONS:** 2 + 2 TIPS / **CL:**125cm

LENGTH: 2,40m / 8'

W:265gr / **SECTIONS:** 2 + 2 TIPS/ **CL:**125cm

LENGTH: 2,70m / 8.85'

W:289gr / **SECTIONS:** 2 + 2 TIPS/ **CL:**125cm

LENGTH: 3,00m / 9.84'

W:315gr / **SECTIONS:** 2 + 2 TIPS/ **CL:**145cm

ACTION / HH / 50-300gr

SEA GUIDE: SIC

REEL SEAT: DPS

HMC: High Modulus Carbon

TIPS: MULTI-TIP

Ref.	Length		R.R.P.
CASM21	2,10		75,00
CASM24	2,40		79,00
CASM27	2,70		79,90
CASM30	3,00		89,00

EVO MULTITIP H

Excellent finish / Suitable for long fishing days / Very handy butt

Acabados excelentes / Indicada para largas jornadas de pesca/ Butt manejable

Excellentes finitions / Pour les longues journées de pêche / Butt tres maniable

LENGTH: 2,10m / 7'

W:234gr / **SECTIONS:** 2+2 tips / **CL:**120cm

ACTION / HH / 50-300gr

FUJI GUIDES: MN

LENGTH: 2,40m / 8'

W:259gr / **SECTIONS:** 2+2 tips / **CL:**125cm

REEL SEAT: **FUJI** DPS

LENGTH: 2,70m / 8.85'

W:295gr / **SECTIONS:** 2+2 tips / **CL:**140cm

HMC: High Modulus Carbon

TIPS: MULTI-TIP

LENGTH: 3,00m / 9.84'

W:329gr / **SECTIONS:** 2+2 tips / **CL:**155cm

TIPS: 2

Ref.	Length		R.R.P.
CAEM21	2,10		99,90
CAEM24	2,40		99,90
CAEM27	2,70		109,00
CAEM30	3,00		115,00



EVO MULTITIP H

X2

SAIKOU MULTITIP H

X2



yuki2025

SURF
CASTING
3 PZ

CASTING
POWER

BEACH
LEDGERING
+LIGHT

SURF
CASTING
TELE

BOAT
ADJUSTABLE

BOAT

EGI
FISHING

JIGGING
POPPING

TROLLING
DRIFTING

SPINNING

TELESPIN
TELEMATCH


CARP FISHING
& CATFISH
+ ISO

BOLOGNESE
& TELE

FEEDER

POLE
FISHING

NEOX SMART



NEOX SMART

Ultra slim blank
Anti sliding grip
Ultra stiff structure

Blank ultra fino
Empuñadura antideslizante
Estructura ultra rígida

Blank ultra fin
Poignée antidérapante
Structure ultra rigide



LENGTH: 2,70m / 8.85'
W:175gr / **SECTIONS:** 3 + 4 TIPS / **CL:**136cm

LENGTH: 3,30m / 10.80'
W:218gr / **SECTIONS:** 3 + 4 TIPS / **CL:**156cm

SLHMC: Super Light High Modulus Carbon

ACTION / MH / 20-120gr

Fuji GUIDES: MN

REEL SEAT: Fuji DPS

TIP: MULTI-TIP

Ref.	Length		R.R.P.
CANSM27	2,70		259,00
CANSM33	3,30		279,00

DOKKU



Excellent finish
Sensitive bite detection
Sensitive tip

Acabados excelentes
Detección de picada sensible
Puntera sensible

Finitions excellentes
Détection touche sensible
Scion sensible

LENGTH: 2,70m / 8.85'
W:104gr / **SECTIONS:** 3 + 4 TIPS
CL:141cm

LENGTH: 3,00m / 9.84'
W:126gr / **SECTIONS:** 3 + 4 TIPS
CL:150cm

LENGTH: 3,50m / 11.4'
W:158gr / **SECTIONS:** 3 + 4 TIPS
CL:165cm

SLHMC: Super Light High Modulus Carbon

Ref.	Length		R.R.P.
CADK27	2,70		109,00
CADK30	3,00		115,00
CADK35	3,50		129,00

SAVINA

Light blank
Sensitive bite detection
Cast precision

Blank ligero
Detección de picada sensible
Precisión en el lance

Blank léger
Détection touche sensible
Précision dans le lance




LENGTH: 2,70m / 8.85'
W:260gr / **SECTIONS:** 3 + 4 TIPS
CL: 98cm

LENGTH: 3,00m / 9.84'
W:260gr / **SECTIONS:** 3 + 4 TIPS
CL:108cm

HMC: High Modulus Carbon

Ref.	Length		R.R.P.
CASV27	2,70		139,00
CASV30	3,00		149,00




ACTION / HH / 80-350gr

S sea-guide SIC

REEL SEAT: DPS

TIP: MULTI-TIP



ACTION / H / 30-250gr

S sea-guide SIC

REEL SEAT: DPS

TIP: MULTI-TIP

SAVINA

DOKKU



SURF
CASTING
3 PZ

CASTING
POWER

BEACH
LEDGERING
+LIGHT

SURF
CASTING
TELE

BOAT
ADJUSTABLE

BOAT

EGI
FISHING

JIGGING
POPPING

TROLLING
DRIFTING

SPINNING

TELESPIN
TELEMATCH

CARP FISHING
& CATFISH
+ ISO

BOLOGNESE
& TELE

FEEDER

POLE
FISHING

yuki2025

65

LA CANEBIERE



SURUME HEAVY



LA CANEBIERE

Suitable for long fishing days / Sensitive tip

Indicada para jornadas largas de pesca / Puntera sensible

Indiqué pour longues journées de peche / Scion sensible

LENGTH: 2,40m / 7.87'

W:205gr / **SECTIONS:** 2+2 tips / **CL:**98cm

LENGTH: 2,70m / 8.85'

W:239gr / **SECTIONS:** 2+2 tips / **CL:**110cm

LENGTH: 3,00m / 9.84'

W:259gr / **SECTIONS:** 2+2 tips / **CL:**128cm

HMC: High Modulus Carbon

S searguide SIC

REEL SEAT: DPS

TIP: MULTITIP

Ref.	Length		R.R.P.
CACN24	2,40		49,00
CACN27	2,70		55,00
CACN30	3,00		59,00

SURUME HEAVY

All round
Extreme power
Excellent value for money

Todo terreno
Potencia extrema
Excelente relación calidad-precio

Tout terrain
Puissance extrême
Excellent rapport qualité-prix

LENGTH: 1,80m / 5.90'

W:155gr / **SECTIONS:** 3 / **CL:**72cm

LENGTH: 2,10m / 6.88'

W:173gr / **SECTIONS:** 3 / **CL:**87cm

LENGTH: 2,40m / 7.87'

W:196gr / **SECTIONS:** 3 / **CL:**102cm

ACTION: POWER-UP 5Kg

S searguide SIC

REEL SEAT: DPS

RAW MATERIAL: FBG

TIP: TUBULAR

Ref.	Length		R.R.P.
CASH18	1,80		39,00
CASH21	2,10		45,00
CASH24	2,40		49,00



GAUDI

Reinforced carbon / Sensitive tip / Extremely accurate

Carbono reforzado / Puntera sensible / Extrema precisión

Carbone renforcé / Scion sensible / Précision extrême

LENGTH: 2,50m / 6.88'
W:144gr / **SECTIONS:** 4
CL:109cm

Fuji GUIDES: KW

REEL SEAT: DNPS

LENGTH: 3m / 7.87'
W:217gr / **SECTIONS:** 4
CL:109cm

HMC: High Modulus Carbon

LENGTH: 3,50m / 8.85'
W:191gr / **SECTIONS:** 4
CL:109cm

ACTION / MH / 120gr

Ref.	Length		R.R.P.
CAGD25	2,5		65,00
CAGD30	3		75,00
CAGD35	3,5		89,00

MULTIPLA SEA MAX

Butt very handy
Innovative Design
Super light structure

Butt muy manejable
Diseño Innovador
Estructura súper ligera

Butt très maniable
Design innovateur
Structure super légère

LENGTH: 3,50m / 11.4'
W:262gr / **SECTIONS:** 5 + 4 TIPS / **CL:**110cm

SLHMC: Super Light High Modulus Carbon

ACTION / L / 30-120gr

S sea-guide MN SIC

REEL SEAT: DPS

TIP: MULTI-TIP

Ref.	Length		R.R.P.
CAMS35	3,50		89,00



GAUDI

MULTIPLA SEA MAX

X/4

- SURF CASTING 3 PZ
- CASTING POWER
- BEACH LEDGERING "LIGHT"
- SURF CASTING TELE
- BOAT ADJUSTABLE
- BOAT
- EGI FISHING
- JIGGING POPPING
- TROLLING DRIFTING
- SPINNING
- TELESPIN TELEMATCH
- CARP FISHING & CATFISH + ISO
- BOLOGNESE & TELE
- FEEDER
- POLE FISHING

NEOX MAX TOP



SAIKOU MAX 1



NEOX MAX TOP

Butt very handy
Innovative Design
Super light structure

Butt muy manejable
Diseño Innovador
Estructura súper ligera

Butt très maniable
Design innovateur
Structure super légère

LENGTH: 3,50m / 11.4'
W: 245gr / **SECTIONS:** 4 / **CL:**138cm

SLHMC: Super Light High Modulus Carbon

ACTION / MH / 40-150gr

Fuji GUIDES: MN

REEL SEAT: **Fuji** DPS

Ref.	Length		R.R.P.
CANM35	3,5		95,00

SAIKOU MAX 1

Sensitive tip
Stiff structure
Very handy butt



Puntera sensible
Estructura rígida
Butt muy manejable

Scion sensible
Structure rigide
Butt très maniable



LENGTH: 3,00m / 9.84'
W:258gr / **SECTIONS:** 3 / **CL:**120cm

LENGTH: 3,50m / 11.4'
W:280gr / **SECTIONS:** 4 / **CL:**120cm

LENGTH: 4,00m / 13.1'
W:285gr / **SECTIONS:** 4 / **CL:**135cm

SLHMC: Super Light High Modulus Carbon

ACTION / MH / 30-120gr

S searguide SIC

REEL SEAT: DPS

Ref.	Length		R.R.P.
CAM130	3,00		69,00
CAM135	3,50		79,00
CAM140	4,00		89,00

MAX Z BOAT

Sensitive tip / Stiff structure

Puntera sensible / Estructura rígida

Scion sensible / Structure rigide

LENGTH: 1,65m / 5.41'
W: 480gr / **SECTIONS:** 1 / **CL:**165cm

ACTION / L / 16lb-20lb

LENGTH: 1,65m / 5.41'
W: 495gr / **SECTIONS:** 1 / **CL:**165cm

ACTION / M / 20lb-30lb

LENGTH: 1,70m / 6'
W: 515gr / **SECTIONS:** 1 / **CL:**170cm

ACTION / M / 20lb-30lb

LENGTH: 1,70m / 6'
W: 518gr / **SECTIONS:** 1 / **CL:**170cm

ACTION / MH / 50lb-80lb

HMC: High Modulus Carbon

sea-guide TROLLING

REEL SEAT: DPS

Ref.	Lbs	Length		R.R.P.
CAMZ16A	16-20	1,65		95,00
CAMZ16B	20-30	1,65		95,00
Roller top guide > CAMZ16C	20-30	1,70		95,00
Roller top guide > CAMZ16D	50-80	1,70		99,00

MAX Z BOAT ROLLER TOP

MAX Z BOAT



yuki2025

SURF
CASTING
3 PZ

CASTING
POWER

BEACH
LEDGERING
-LIGHT

SURF
CASTING
TELE

BOAT
ADJUSTABLE

BOAT

EGI
FISHING

JIGGING
POPPING

TROLLING
DRIFTING

SPINNING

TELESPIN
TELEMATCH

CARP FISHING
& CATFISH
+ ISO

BOLOGNESE
& TELE

FEEDER

POLE
FISHING

TAMIKA

LEADER BOAT



TAMIKA

Reinforced carbon
Sensitive tip
Extremely accurate

Carbono reforzado
Puntera sensible
Extrema precisión

Carbone renforcé
Scion sensible
Précision extrême



LENGTH: 1,60m / 5,31'
W:280gr / **SECTIONS:** 1 / **CL:**160cm

LENGTH: 1,80m / 5,90'
W:295gr / **SECTIONS:** 1 / **CL:**180cm

HMC: High Modulus Carbon

ACTION / MH / 100-250gr

Ssea'guide MN

REEL SEAT: DPS

TIP: HYBRID

Ref.	Length		R.R.P.
CATA16	1,60		55,00
CATA18	1,80		55,00

LEADER BOAT

Butt very handy / Sensitive bite detection / Innovative Design

Butt muy manejable / Detección de picada sensible / Diseño Innovador

Butt très maniable / Détection touche sensible / Design innovateur

LENGTH: 1,65m / 5,41'
W:164gr / **SECTIONS:** 1 / **CL:**165cm

ACTION / H / 100-200gr

Ssea'guide MN

LENGTH: 1,80m / 5,90'
W:282gr / **SECTIONS:** 1 / **CL:**180cm

ACTION / H / 100-200gr

Ssea'guide MN

HMC: High Modulus Carbon

REEL SEAT: DPS

TIP: HYBRID

Ref.	Length		R.R.P.
CALE16	1,65		49,00
CALE18	1,80		49,00

CRAFT BOAT

Reinforced carbon
Sensitive tip
Extremely accurate

Carbono reforzado
Puntera sensible
Extrema precisión

Carbone renforcé
Scion sensible
Précision extrême

LENGTH: 2,10m / 6.9'
W:282gr / **SECTIONS:** 2 / **CL:**110cm

HMRC: High Modulus Reinforced Carbon

ACTION / MH / 100-200gr

S sea-guide MN

REEL SEAT: DPS

TIP: HYBRID

Ref.	Length		R.R.P.
CACR21	2,10		59,00

MAGNA EVO

Super light structure
Suitable for long fishing days and large catches

Estructura súper ligera
Indicada para largas jornadas de pesca y piezas de gran tamaño

Structure super légère
Indiqué pour des longues journées de pêche et grandes pièces

LENGTH: 2,31m / 7.6'
W:480gr / **SECTIONS:** 1 / **CL:**165cm

ACTION / MH / 20lb-30lb

HMC: High Modulus Carbon

Fuji GUIDES: BOAT

REEL SEAT: Fuji DPS

Ref.	Length		R.R.P.
CAME23	2,31		249,00

CRAFT BOAT

MAGNA EVO



SURF
CASTING
3 PZ

CASTING
POWER

BEACH
LEDGERING
+LIGHT

SURF
CASTING
TELE

BOAT
ADJUSTABLE

BOAT

EGI
FISHING

JIGGING
POPPING

TROLLING
DRIFTING

SPINNING

TELESPIN
TELEMATCH

CARP FISHING
& CATFISH
+ ISO

BOLOGNESE
& TELE

FEEDER

POLE
FISHING



EGI FISHING

yuki KEN SEI Z ROD SERIES

剣聖

Producto	Ref.	Length	Weight	Section	CL	RAW MATERIAL	REEL SEAT	GUIDES	EGI ACTION	PE		R.R.P.
KEN SEI Z EGI	CAKZ25E	2,50m / 8'3"	120gr	2	128cm	High Modulus Carbon	Fuji DPS	Fuji KW	1.8 - 3.5	0.4 - 1.0		79,00
KEN SEI Z TIP RUN	CAKT20	2m / 6'50"	107gr	2	105cm	Super Light High modulus Carbon	Fuji VSS	Fuji KW	1.8 - 3.5	0.4 - 1.0		69,00




KEN SEI Z EGI






EGI FISHING




Producto	Ref.	Length	Weight	Section	CL	RAW MATERIAL	REEL SEAT	GUIDES	ACTION	EGI ACTION	PE		R.R.P.
NUBA EGI	CANSE26	2,59m / 8'50"	190gr	2	142cm	FBG	Fuji	Fuji KL	R/Fast	2,5 - 3,5	0.4 - 1.0		179,00
SEIKAKU EVO	CASK23	2,30m / 7'50"	167gr	2	121cm	Super Light High Modulus Carbon	Fuji DPS	Fuji MN	100-200	2,5 - 3,5	0.4- 1.0		159,00
	CASK27	2,70m / 8'25"	193gr		139cm								179,00
SEIKAKU EVO TIP RUN	CAST20	2,00 / 6'6"	147gr	2	105cm	Super Light High Modulus Carbon	Fuji	Fuji MN	20-80	EGI 2,5 - 3,5 LURE 20-80gr	0.4 - 1.0		159,00








EGI FISHING



Producto	Ref.	Length	Weight	Section	CL	RAW MATERIAL	REEL SEAT	GUIDES	ACTION	PE		R.R.P.
REVEL	CARV18	1,80m / 5'90"	168gr	3	72cm	FBG	Fuji DPS	Fuji MN	Power-Up 5kg	0.4 - 1.0		45,00
	CARV21	2,10m / 6'88"	185gr		87cm							49,00
	CARV24	2,40m / 7'87"	210gr		102cm							49,00
MUKAI EGI	CAMU18	1,80m / 5'90"	160gr	2	98cm	FBG	DPS	Seaguide SIC	Power-Up 5kg	-		35,00
	CAMU21	2,10m / 6'88"	170gr		109cm							36,00
	CAMU24	2,40m / 7'87"	200gr		214cm							39,00
SURUME	CASU18	1,80m / 5'90"	156gr	3	72cm	FBG	DPS	Seaguide SIC	Power-Up 5kg	-		36,90
	CASU21	2,10m / 6'88"	173gr		87cm							39,00
	CASU24	2,40m / 7'87"	196g		102cm							45,00
	CASU27	2,70m / 8'85"	225gr		115cm							49,00





REVEL

MUKAI EGI



SURUME



JIGGING / POPPING

TUNA WINNER



BULLDOZER TUNA



KAYTO Z



TUNA WINNER

LENGTH: 2,40m / 7,87'
W:495gr / SECTIONS: 2 / CL:173cm

Fuji GUIDES: KW GUN SMOKE SIC

SHMC: Super High Modulus Carbon

ACTION: NO LIMITS

REEL SEAT: **Fuji** DPS

CASTING WEIGHT 80-300 GR

LINE PE 5-10

Ref.	Length		R.R.P.
CJTW24	2,40		399,00

BULLDOZER TUNA

LENGTH: 1,82m / 6,00'
W:495gr / SECTIONS: 1 / CL:182cm

LENGTH: 2,22m / 7,03'
W:603gr / SECTIONS: 1 / CL:222cm

Fuji GUIDES: KW ALCONITE

SHMC: Super High Modulus Carbon

ACTION: NO LIMITS

REEL SEAT: **Fuji** DPS

Ref.	Length		R.R.P.
CJBU18	1,82		325,00
CJBU22	2,22		390,00

KAYTO Z



LENGTH: 1,80m / 5'11"
W:230gr / SECTIONS: 1 / CL:180cm

SLHMC: Super Light High Modulus Carbon

ACTION / H / 80-160gr

Fuji GUIDES: K ALCONITE

REEL SEAT: **Fuji** DPS

Ref.	Length		R.R.P.
CJKZ18	1,80		135,00




NUBA

NO LIMITS



BULLDOZER NUBA

ブルドーザー



Rod	Ref.	Lenght	Weight	Sections	CL	RAW MATERIAL	Guides	Reel Seat	Action		R.R.P.
Bulldozer Nuba	CJBN18	1,80m / 5'11"	331gr	1	180cm	Super Light High Modulus Carbon	Fuji KW	Fuji DPS	H/ 90-240gr		239,00
Bulldozer Nuba Popping	CJBNP24	2,40m / 7'10"	520gr	2	180cm	Super Light High Modulus Carbon	Fuji MN Reverse+KW	Fuji DPS	H / 130-150lb		329,00
Bulldozer Nuba Slow Casting	CJBNSC21	2,10m / 6'10"	328gr	1	210cm	Super Light High Modulus Carbon	Fuji Casting	Fuji Casting	H/ 90-200gr		259,00





Diagram illustrating the performance characteristics of three fishing rods, each shown in a vertical orientation against a background of stylized, light-colored fish silhouettes.

Left Rod: BULLDOZER NUBA


- Diagram: A graph showing a curve from 60° to 90° with a red arrow pointing to the curve, labeled "BREAKING POINT".
- Icon: NL NO LIMITS
- Icon: Fuji
- Icon: SP SEMI PARABOLIC

Middle Rod: BULLDOZER NUBA POPING

- Diagram: A graph showing a curve from 60° to 90° with a red arrow pointing to the curve, labeled "BREAKING POINT".
- Icon: NL NO LIMITS
- Icon: Fuji
- Icon: SP SEMI PARABOLIC

Right Rod: BULLDOZER NUBA SLOW CASTING

- Diagram: A graph showing a curve from 60° to 90° with a red arrow pointing to the curve, labeled "BREAKING POINT".
- Icon: NL NO LIMITS
- Icon: Fuji
- Icon: SP SEMI PARABOLIC



NUBA OSAKA

Designed for lure fishing and popping from the boat. Perfect for tuna, bonito, leerfish, amberjack and other big pelagic fish.
Recommended line: PE3-PE5

Diseñada para la pesca a spinning y popping desde embarcación de atún, bacoreta, palometón, serviola y otros grandes pelágicos.
Línea recomendada: PE3-PE5

Conçu pour pêcher en spinning au popper depuis un bateau pour capturer des beaux poissons comme le thon, le marlin bleu de l'Atlantique, la sériole, laliche tous les autres grands pélagiques.
Ligne recommandée : PE3-PE5

LENGTH: 2,40m / 7'10"



W: 414gr / **SECTIONS:** 2 / **CL:** 176cm

Fuji GUIDES: KW


SLHMC: Super Light High Modulus Carbon

ACTION: 100-300gr

REEL SEAT: Fuji DPS



Ref.	Length		R.R.P.
CJN024	2,40		209,00



NUBA EQUO SLOW CASTING

Single piece rod for slow jigging and live bait from boat for dentex, bonito, grouper, snapper... Extra thin and strong carbon blank thanks to the Equo technology.
Recommended line: PE2-PE3

Caña de un tramo para slow jigging y pesca al vivo desde embarcación en busca de dentones, bonitos, meros, pargos... blank de carbono extrafino y resistente gracias a la tecnología Equo.
Línea recomendada: PE2-PE3

Canne à pêche avec un blank pour le jigging lent et la pêche au vif depuis le bateau pour le denti, la bonite, le mérou, le vivaneau... Blank en carbone extra fin et résistant grâce à la technologie Equo. Ligne recommandée : PE2-PE3

LENGTH: 2,10m / 6'10"
W:337gr / **SECTIONS:** 1 / **CL:** 210cm


Fuji GUIDES: CASTING SIC

SLHMC: Super Light High Modulus Carbon

ACTION: 90-200gr LURES

REEL SEAT: **Fuji** CASTING

Ref.	Length		R.R.P.
CJNE21C	2,10		399,00



NUBA EQUO JIGGING

Single piece rod for jigging and live bait from boat for dentex, bonito, grouper, snapper... Extra thin and strong carbon blank thanks to the Equo technology.
Recommended line: PE2-PE3

Caña de una sola pieza para la pesca a jigging y con pez vivo desde el barco de dentones, bonitos, meros, pargos... Blank fino pero extra fuerte para soportar largas sesiones de pesca. Línea recomendada: PE2-PE3

Canne à pêche avec un blank pour le jigging lent et la pêche au vif depuis le bateau pour le denti, la bonite, le mérou, le vivaneau... Blank en carbone extra fin et résistant grâce à la technologie Equo. Ligne recommandée : PE2-PE3

LENGTH: 1,80m / 5'11"
W:270gr / **SECTIONS:** 1 / **CL:** 180cm


Fuji GUIDES: KW SIC

SLHMC: Super Light High Modulus Carbon


ACTION: 90-240gr LURES – UP TO 500gr LIVE BAIT RIGS

REEL SEAT: **Fuji** DPS


Ref.	Length		R.R.P.
CJE118	1,80		359,00



NUBA EQUO SLOW CASTING



NUBA EQUO JIGGING



SURF CASTING 3 PZ

CASTING POWER

BEACH LEDGERING "LIGHT"

SURF CASTING TELE

BOAT ADJUSTABLE

BOAT

EGI FISHING

JIGGING POPPING

TROLLING DRIFTING

SPINNING

TELESPIN TELEMATCH

CARP FISHING & CATFISH + ISO

BOLOGNESE & TELE

FEEDER

POLE FISHING

NUBA POPPING

Designed for lure fishing and popping from the boat. Perfect for tuna, bonito, leerfish, amberjack and other big pelagic fish.
Recommended line: PE3-PE5

Diseñada para la pesca a spinning y popping desde embarcación de atún, bacoreta, palometón, serviola y otros grandes pelágicos.
Línea recomendada: PE3-PE5

Conçu pour pêcher en spinning au popper depuis un bateau pour capturer des beaux poissons comme le thon, le marlin bleu de l'Atlantique, la sériole, la liche tous les autres grands pélagiques.
Ligne recommandée : PE3-PE5


LENGTH: 2,40m / 7'10"
W:365gr / **SECTIONS:** 2 / **CL:** 180cm

Fuji GUIDES: KW ALCONITE

SLHMC: Super Light High Modulus Carbon

ACTION: 50-160gr LURES

REEL SEAT: **Fuji** DPS



Ref.	Length		R.R.P.
CJNPP24	2,40		349,00



NUBA SPINNING

Designed for lure fishing and popping from the boat targeting medium size tuna and other pelagic species. Thinner and more moderate action blank. Recommended line: PE2-PE5

Diseñada para la pesca a spinning y popping desde embarcación de tónicos y pelágicos de tamaño medio. Blank más fino y parabólico. Línea recomendada: PE2-PE5

Conçu pour pêcher en spinning en bateau les petits thons et les poissons pélagiques de taille moyenne. Blank plus mince et parabolique. Ligne recommandée : PE2-PE5

LENGTH: 2,40m / 7'10"

W:315gr / **SECTIONS:** 2 / **CL:** 180cm

Fuji GUIDES: KW ALCONITE

SLHMC: Super Light High Modulus Carbon

ACTION: 40 -100gr

REEL SEAT: **Fuji** DPS



Ref.	Length		R.R.P.
CJNSP24	2,40		329,00



SURF
CASTING
3 PZ

CASTING
POWER

BEACH
LEDGERING
"LIGHT"

SURF
CASTING
TELE

BOAT
ADJUSTABLE

BOAT

EGI
FISHING

JIGGING
POPPING

TROLLING
DRIFTING

SPINNING

TELESPIN
TELEMATCH

CARP FISHING
& CATFISH
+ ISO

BOLOGNESE
& TELE

FEEDER

POLE
FISHING

NUBA



Designed for lure fishing, vertical fishing and jigging from boat for tuna, grouper, snapper, ... Fast action.
Recommended line: PE3-PE5

Diseñada para la pesca a spinning, pesca vertical y jigging desde embarcación de atún, mero, dentón, siluro... Acción de punta. Línea recomendada: PE3-PE5

Conçu pour la pêche au lancer mais aussi en verticale selon les différentes tailles. Elle pourra être utilisée au jig depuis le bateau pour le thon, le mérou, le dentex, le silure... Action de pointe. Ligne recommandée : PE3-PE5

LENGTH: 1,60m / 5'10"
W:255gr / **SECTIONS:** 1 / **CL:** 160cm

LENGTH: 1,80m / 5'11"
W:285gr / **SECTIONS:** 1 / **CL:** 180cm


LENGTH: 2,10m / 6'10"
W:320gr / **SECTIONS:** 1 / **CL:** 210cm

Fuji GUIDES: KW ALCONITE

SLHMC: Super Light High Modulus Carbon

ACTION: 90-240gr LURES – UP TO 500gr LIVE BAIT RIGS

REEL SEAT: **Fuji** DPS



Ref.	Length		R.R.P.
CJNU16	1,60		209,00
CJNU18	1,80		215,00
CJNU21	2,10		249,00



NUBA LIGHT

Designed for lure, vertical fishing and jigging from boat for tuna, grouper, snapper... Lighter and 25% more moderate action than the original NUBA.
Recommended line: PE3-PE5

Diseñada para la pesca a spinning, pesca vertical y jigging desde embarcación de atún, mero, pargo... Más ligera y 25% más parabólica que la NUBA.
Línea recomendada: PE3-PE5

Conçu pour le spinning, la pêche verticale et le jigging depuis le bateau pour le thon, le mérrou, le vivaneau... Plus léger et 25% plus parabolique que la série NUBA classique.
Ligne recommandée : PE3-PE5

LENGTH: 1,80m / 5'11"


W:240gr / **SECTIONS:** 1 / **CL:** 180cm

Fuji GUIDES: KW ALCONITE


SLHMC: Super Light High Modulus Carbon

ACTION: 80-200gr

REEL SEAT: **Fuji** DPS



Ref.	Length		R.R.P.
CJNL18	1,80		189,00



SURF
CASTING
3 PZ

CASTING
POWER

BEACH
LEDDERING
+LIGHT

SURF
CASTING
TELE

BOAT
ADJUSTABLE

BOAT

EGI
FISHING

JIGGING
POPPING

TROLLING
DRIFTING

SPINNING

TELESPIN
TELEMATCH

CARP FISHING
& CATFISH
+ ISO

BOLOGNESE
& TELE

FEEDER

POLE
FISHING

NUBA CASTING



Designed for vertical fishing and jigging from boat for bonito, grouper, snapper... Suitable for deep-sea fishing with electric reel. Recommended line: PE3-PE5

Diseñada para la pesca vertical y jigging desde embarcación de bacoreta, mero, pargo... Válida para la pesca de gran fondo con carrete eléctrico. Línea recomendada: PE3-PE5

Conçu pour la pêche verticale et surtout jigging depuis un bateau pour la morue, le mérou, le vivaneau... Valable pour la pêche en haute mer avec moulinet électrique.
Ligne recommandée : PE3-PE5

LENGTH: 1,80m / 5'10"
W:355gr / **SECTIONS:** 1 / **CL:** 180cm


LENGTH: 2,10m / 6'10"
W:399gr / **SECTIONS:** 1 / **CL:** 210cm

Fuji GUIDES: ALCONITE CASTING

SLHMC: Super Light High Modulus Carbon

ACTION: 80-200gr

REEL SEAT: **Fuji** CASTING



Ref.	Length		R.R.P.
CJNC18	1,80		239,00
CJNC21	2,10		249,00



NUBA SLOW JIGGING

Single piece rod for slow jigging and live bait from boat for dentex, bonito, grouper, snapper... Thin yet extra strong blank to with stand long fishing sessions. Recommended line: PE2-PE3

Caña de una sola pieza para la pesca a slow jigging y con pez vivo desde el barco de dentones, bonitos, meros, pargos... Blank fino pero extra fuerte para soportar largas sesiones de pesca. Línea recomendada: PE2-PE3

Canne monobrin pour le slow jigging et la pêche au vif depuis le bateau pour le dentex, la bonite, le mérou, le vivaneau... Blank fine mais très solide pour résister aux longues sessions de pêche avec une action parabolique et une belle réserve de puissance. Ligne recommandée : PE2-PE3

LENGTH: 2,10m / 6'10"


W:330gr / **SECTIONS:** 1 / **CL:** 210cm

Fuji GUIDES: KW ALCONITE

SLHMC: Super Light High Modulus Carbon

ACTION: 90-200gr

REEL SEAT: **Fuji** DPS



Ref.	Length		R.R.P.
CJNS21J	2,10		239,00



SURF
CASTING
3 PZ

CASTING
POWER

BEACH
LEDGERING
"LIGHT"

SURF
CASTING
TELE

BOAT
ADJUSTABLE

BOAT

EGI
FISHING

JIGGING
POPPING

TROLLING
DRIFTING

SPINNING

TELESPIN
TELEMATCH

CARPFISHING
& CATFISH
+ ISO

BOLOGNESE
& TELE

FEEDER

POLE
FISHING

NUBA SLOW CASTING

Single piece rod for slow jigging and live bait from boat for dentex, bonito, grouper, snapper... Thin yet extra strong blank to withstand long fishing sessions. Recommended line: PE2-PE3

Caña de una sola pieza para la pesca a slow jigging y con pez vivo desde el barco de dentones, bonitos, meros, pargos... Blank fino pero extra fuerte para soportar largas sesiones de pesca.
Línea recomendada: PE2-PE3

Canne monobrin pour le slow jigging et la pêche au vif depuis le bateau pour le dentex, la bonite, le mérou, le vivaneau... Blank fine mais très solide pour résister aux longues sessions de pêche avec une action parabolique et une belle réserve de puissance.
Ligne recommandée : PE2-PE3

LENGTH: 2,10m / 6'10"
W:355gr / **SECTIONS:** 1 / **CL:**210cm

Fuji GUIDES: ALCONITE CASTING

SLHMC: Super Light High Modulus Carbon

ACTION: 90-200gr

REEL SEAT: **Fuji** CASTING

Ref.	Length		R.R.P.
CJNS21C	2,10		249,00



NUBA EXTRA SLOW CASTING

LENGTH: 1,80m / 5'11"
W: 335gr / **SECTIONS:** 1 / **CL:**180cm

Fuji GUIDES: ALCONITE CASTING

SLHMC: Super Light High Modulus Carbon

ACTION: NO LIMITS / 30-50lb

REEL SEAT: **Fuji** CASTING

LINE PE 2 - 3

Ref.	Lbs	Length		R.R.P.
CJNS18C	30	1,80		279,00



NUBA SLOW CASTING



NUBA EXTRA SLOW CASTING



NUBA INCHIKU

Designed for jigging and live bait fishing from boat for dentex, amberjack, grouper... Moderate action blank. Recommended line: PE1.5-PE3

Diseñada para la pesca al jigging y cebo vivo desde embarcación de dentones, serviolas, meros... Blank de acción parabólica. Línea recomendada: PE1.5-PE3

Conçu pour la pêche au jig en verticale et à la pêche aux appâts vivants depuis le bateau pour le dentex, le sériole, le mérout... Action parabolique. Ligne recommandée : PE1.5-PE3


LENGTH: 1,80m / 5'11"

Fuji GUIDES: KW ALCONITE

ACTION: 90-240gr LURES – UP TO 500gr LIVE BAIT RIGS

REEL SEAT: **Fuji** DPS

Ref.	Length		R.R.P.
CJN118	1,80		219,00



NUBA TRAVEL

LENGTH: 2,30m / 7'6"
W: 350gr / SECTIONS: 3 / CL:86cm

Fuji GUIDES: KW ALCONITE


SLHMC: Super Light High Modulus Carbon

ACTION: NO LIMITS / 30-50lb

REEL SEAT: **Fuji** DPS

LINE PE 2 - 4

Ref.	Lbs	Length		R.R.P.
CJNT23M	30	2,30		339,00
CJNT23H	50	2,30		349,00



NUBA INCHIKU



NUBA TRAVEL



SURF
CASTING
3 PZ

CASTING
POWER

BEACH
LEDGERING
"LIGHT

SURF
CASTING
TELE

BOAT
ADJUSTABLE

BOAT

EGI
FISHING

JIGGING
POPPING

TROLLING
DRIFTING

SPINNING

TELESPIN
TELEMATCH

CARP FISHING
& CATFISH
+ ISO

BOLOGNESE
& TELE

FEEDER

POLE
FISHING

NUBA FLOAT CASTING

Designed for fishing Wels catfish from the float-tube. Perfect for casting big lures and clonking during long fishing sessions.

Recommended line: PE3-PE5

Diseñada para la pesca del siluro desde el pato. Perfecta para lanzar grandes señuelos y pescar al clonk durante largas sesiones de pesca.
Línea recomendada: PE3-PE5

Conçu avec un talon plus court pour la pêche du silure en float tube. Parfait pour lancer de gros leurres et pêcher au clonk pendant les longues sessions de pêche.
Ligne recommandée : PE3-PE5

LENGTH: 1,80m / 5'10"



W: 305gr / **SECTIONS:** 1 / **CL:** 180cm

Fuji GUIDES: ALCONITE CASTING

SLHMC: Super Light High Modulus Carbon

ACTION: 30-100gr LURES, UP TO 150 GRAMS FOR CLONK TEASERS

REEL SEAT: **Fuji** CASTING



Ref.	Length		R.R.P.
CJNFC18C	1,80		219,00



NUBA FLOAT SPINNING

Designed for fishing Wels catfish from the float-tube. Perfect for casting big lures and clonking during long fishing sessions.
Recommended line: PE3-PE5

Diseñada para la pesca del siluro desde el pato. Perfecta para lanzar grandesseñuelos y pescar al clonk durante largas sesiones de pesca.
Línea recomendada: PE3-PE5

Conçu avec un talon plus court pour la pêche du silure en float tube. Parfait pour lancer de gros leurres et pêcher au clonk pendant les longues sessions de pêche. Ligne recommandée : PE3-PE5


LENGTH: 1,80m / 5'10"
W: 295gr / **SECTIONS:** 1 / **CL:** 180cm

Fuji GUIDES: KW ALCONITE

SLHMC: Super Light High Modulus Carbon

ACTION: 30-100gr LURES, UP TO 150 GRAMS FOR CLONK TEASERS

REEL SEAT: **Fuji** DPS



Ref.	Length		R.R.P.
CJNFC18S	1,80		219,00



SURF
CASTING
3 PZ

CASTING
POWER

BEACH
LEDGERING
"LIGHT"

SURF
CASTING
TELE

BOAT
ADJUSTABLE

BOAT

EGI
FISHING

JIGGING
POPPING

TROLLING
DRIFTING

SPINNING

TELESPIN
TELEMATCH

CARP FISHING
& CATFISH
+ ISO

BOLOGNESE
& TELE

FEEDER

POLE
FISHING

NUBA EXTREME

Semi-parabolic action rod designed for chumming and big game. Developed for the most extreme combats. Spiral guide wrapping and PAC BAY curved handle for stand up technique.

Caña de acción semi parabólica diseñada para la pesca a brumero o big game. Ideada para los combates más extremos. Anillado en espiral y mango curvo PAC BAY especial para stand up.

Canne à action semi-parabolique conçue pour la pêche au gros. Conçu pour les combats les plus extrêmes. Anneaux en spirale et poignée incurvée PAC BAY spéciale pour le stand up.

NUBA EXTREME



LENGTH: 1,65m / 5'5"
SECTIONS: 1+handle
ROD WEIGHT: 286gr / **HANDLE WEIGHT:** 465gr
CLOSED LENGTH: 128cm / **HANDLE LENGTH:** 49cm

Fuji GUIDES: BOAT

SLHMC: Super Light High Modulus Carbon

LINE: 50-80lb

HANDLE: **PACBAY** CURVE



Ref.	Length		R.R.P.
CJNE16	1,65		449,00

NUBA EXTREME H



LENGTH: 1,70m / 5'7"
SECTIONS: 1+handle
ROD WEIGHT: : 378gr / **HANDLE WEIGHT:** 605gr
CLOSED LENGTH: 132cm / **HANDLE LENGTH:** 53cm

Fuji GUIDES: BOAT

SLHMC: Super Light High Modulus Carbon

LINE: 80-130lb

HANDLE: **PACBAY** CURVE



Ref.	Length		R.R.P.
CJNEH17	1,70		579,00

NUBA EXTREME SENSITIVE LIGHT

LENGTH: 1,80m / 5'11"
SECTIONS: 1+handle
ROD WEIGHT: 333gr / **HANDLE WEIGHT:** 1200gr
CLOSED LENGTH: 139cm / **HANDLE LENGTH:** 55cm (straight)

Fuji GUIDES: BOAT

SLHMC: Super Light High Modulus Carbon

LINE: 50lb

HANDLE: **S** sea-guide ADJUSTABLE STRAIGHT/CURVE



Ref.	Length		R.R.P.
CJNE18SL	1,80		689,00

NUBA EXTREME L



LENGTH: 1,80m / 5'11"
SECTIONS: 1+handle
ROD WEIGHT: 312gr / **HANDLE WEIGHT:** 465gr
CLOSED LENGTH: 139cm / **HANDLE LENGTH:** 49cm

Fuji GUIDES: BOAT

SLHMC: Super Light High Modulus Carbon

LINE: 30-50lb

HANDLE: **PACBAY** CURVE



Ref.	Length		R.R.P.
CJNEL18	1,80		529,00

NUBA EXTREME, NUBA EXTREME H & NUBA EXTREME L

NUBA EXTREME SENSITIVE LIGHT




NUBA SLOW TROLLING

Regular action one-section rod for inshore and deep trolling. Spiral guide wrapping on a very thin blank yet strong with high density EVA non-slip handle.

Caña monotramo de acción parabólica para curricán de costa y fondo.
Anillas en espiral sobre blank muy fino y potente con mango antideslizante en EVA de alta densidad.

Canne avec une action parabolique et mono brin pour la pêche à la traîne côtière et de fond. Anneaux en spirale sur un blank très fin et puissant avec manche EVA haute densité antidérapant.



NUBA SLOW TROLLING

LENGTH: 2,10m / 6'10"
W:520gr / **SECTIONS:** 1 / **CL:** 210cm

Fuji GUIDES: BOAT

SLHMC: Super Light High Modulus Carbon

LINE: 12-20lb

REEL SEAT: THREAD

Ref.	Length		R.R.P.
CJNST21	2,10		379,00



NUBA SLOW TROLLING LIGHT

LENGTH: 2,10m / 6'10"
W:510gr / **SECTIONS:** 1 / **CL:** 210cm

Fuji GUIDES: BOAT

SLHMC: Super Light High Modulus Carbon

LINE: 6-15lb

REEL SEAT: THREAD

Ref.	Length		R.R.P.
CJNSL21	2,10		359,00

DEEP NUBA

LENGTH: 1,70m / 5'7"
SECTIONS: 1+handle
ROD WEIGHT: 378gr / **HANDLE WEIGHT:** 430gr
CLOSED LENGTH: 132cm / **HANDLE LENGTH:** 44cm

Fuji GUIDES: BOAT

SLHMC: Super Light High Modulus Carbon

LINE: 130-150lb

REEL SEAT: PAC BAY CURVE

Ref.	Length		R.R.P.
CJND17	1,70		369,00
CJND19	1,98		375,00

LENGTH: 1,98m / 6'6"
SECTIONS: 1+handle
ROD WEIGHT: 450gr / **HANDLE WEIGHT:** 430gr
CLOSED LENGTH: 154cm / **HANDLE LENGTH:** 44cm

Fuji GUIDES: BOAT

SLHMC: Super Light High Modulus Carbon

LINE: 130-150lb

REEL SEAT: PAC BAY CURVE

NUBA SLOW TROLLING + LIGHT

DEEP NUBA



yuki2025

95

SURF CASTING 3 PZ
CASTING POWER
BEACH LEDGERING + LIGHT
SURF CASTING TELE
BOAT ADJUSTABLE
BOAT
EGI FISHING
JIGGING POPPING
TROLLING DRIFTING
SPINNING
TELESPIN TELEMATCH
CARP FISHING & CATFISH + ISO
BOLOGNESE & TELE
FEEDER
POLE FISHING

GENIUS

TEREX

ROD ACTION



FAST

ROD ACTION



FAST

GENIUS

Super slim blank / Stiff structure

Blank súper fino / Estructura rígida

Blank super fin / Structure rigide

LENGTH: 2,30m / 7,54'
W:140gr / **SECTIONS:** 2 / **CL:**198cm

LENGTH: 2,10m / 6,88'
W:132gr / **SECTIONS:** 2 / **CL:**181cm

Fuji GUIDES: K ALCONITE

SLHMC: Super Light High Modulus Carbon

C.W: M I 10-40gr

REEL SEAT: **Fuji** DPS

ACTION: FAST

Ref.	Length		R.R.P.
CAGE21	2,10		175,00
CAGE23	2,30		175,00

TEREX

Sensitive tip / Semi stiff structure

Puntera sensible / Estructura semi rígida

Scion sensible / Structure semi-rigide

LENGTH: 2,70m / 8,85'
W: 220gr / **SECTIONS:** 2 / **CL:**142cm

LENGTH: 3,00m / 9,84'
W: 245gr / **SECTIONS:** 2 / **CL:**158cm

LENGTH: 3,30m / 10,80'
W: 275gr / **SECTIONS:** 2 / **CL:**172cm

Fuji GUIDES: K ALCONITE

SLHMC: Super Light High Modulus Carbon

C.W: M I 20-60gr

REEL SEAT: **Fuji** DPS

ACTION: FAST

Ref.	Length		R.R.P.
CATE27	2,70		249,00
CATE30	3,00		279,00
CATE33	3,30		299,00






NUBA

SPIN


S E R I E S



The Spinning rods don't properly work in the area between the 60 and 90 degrees of curvature (**RED ZONE**), so any fishing action between these angles must be avoided. If the manufacturer's advised limits when handling catches or lures are surpassed, **the damages will not be covered by the guarantee**, because of the undue use of the rod.

Las cañas de spinning no trabajan correctamente en la zona comprendida entre 60° y 90° de curvatura (**RED ZONE**), por lo que se debe evitar cualquier acción de pesca entre ambos ángulos. Si se sobrepasaran estos límites aconsejados por el fabricante al manejar señuelos o capturas, y se produjera una rotura, **la garantía no cubrirá los daños** por la utilización indebida de la caña.

Les cannes de Spinning ne fonctionnent correctement dans la zone comprise entre les 60° et 90° de courbure (**RED ZONE**), dont on doit éviter toutes actions de pêche entre ces angles. Si on surpasse les limites conseillées pour le fabricant en travaillant avec des leurres ou captures, **la garantie ne couvrira les dommages**, pour l'usage incorrect de la canne.





NUBA SPIN

Rod	Ref.	Lenght	Weight	Sections	CL	RAW MATERIAL	Guides	CW	Reel Seat	Action		R.R.P.
Nuba Spin 1	CANS125	2,25m / 7'4"	142gr	2	188cm	Super Light High Modulus Carbon	Fuji KL	3,5-17gr	Fuji VSS	ML/R		209,00
Nuba Spin 2	CANS225	2,25m / 7'4"	132gr	2	188cm	Super Light High Modulus Carbon	Fuji KL	10-35gr	Fuji VSS	MH/RF		229,00
Nuba Spin 3	CANS322 CANS324	2,24m / 7'4" 2,40m / 7'10"	133gr 137gr	2	189cm 202cm	Super Light High Modulus Carbon	Fuji KL	10-42gr	Fuji VSS	MH/HF		229,00 239,00
Nuba Spin 4	CANS421	2,10m / 6'11"	129gr	2	174cm	Super Light High Modulus Carbon	Fuji KL	10-35gr	Fuji VSS	MH/Fast		199,00
Nuba Spin 5	CANS527	2,70m / 8,10"	160gr	2	140cm	Super Light High Modulus Carbon	Fuji KL	10-35gr	Fuji VSS	H/RF		259,00

Rod	Ref.	Lenght	Weight	Sections	CL	RAW MATERIAL	Guides	CW	Reel Seat	Action		R.R.P.
Nuba Spin 6	CANS625	2,50m / 8'2"	147gr	2	212cm	Super Light High Modulus Carbon	Fuji KL	10-42gr	Fuji VSS	H/RF		239,00
Nuba Spin 7	CANS722 CANS724	2,25m / 7'4" 2,40m / 7'10"	159gr 164gr	2	189cm 203cm	Super Light High Modulus Carbon	Fuji KL	15-50gr	Fuji VSS	H/RF		249,00 269,00
Nuba Spin 8	CANS825	2,50m / 8'2"	156gr	2	212cm	Super Light High Modulus Carbon	Fuji KL	10-65gr	Fuji VSS	M/HF		239,00
Nuba Spin 9	CANS929	2,90m / 9'6"	218gr	2	150cm	Super Light High Modulus Carbon	Fuji KL	20-60gr	Fuji VSS	H/Fast		299,00
Nuba Spin 10	CANS9129	2,90m / 9,6"	218gr	2	150cm	Super Light High Modulus Carbon	Fuji KL	30-90gr	Fuji VSS	H/Fast		299,00






yuki KENSEI Z ROD SERIES

剣聖

Rod	Ref.	Lenght	Weight	Sections	CL	RAW MATERIAL	Guides	CW	Reel Seat	Action		R.R.P.
Ken Sei Z Heavy	CAKE21	2,10m / 6'88"	150gr	2	111cm	Super High Modulus Carbon	Fuji LV	10-40gr	Fuji DPS	MH		69,00
	CAKE24	2,40m / 7'87"	160gr		130cm							79,00
	CAKE27	2,70m / 8'85"	170gr		135cm							79,00
	CAKE30	3,00m / 9'84"	185gr		150cm							69,00
Ken Sei Z Medium	CAKM18	1,80m / 5'9"	118gr	2	130cm	Super High Modulus Carbon	Fuji LV	7-21gr	Fuji DPS	M		69,00
	CAKM21	2,10m / 6'88"	125gr		105cm							69,00
	CAKM24	2,40m / 7'87"	148gr		130cm							69,00
Ken Sei Z Light	CAKL18	1,80m / 5'9"	138gr	2	91cm	Super High Modulus Carbon	Fuji LV	0,80-10gr	Fuji DPS	L		69,00
	CAKL22	2,23m / 7'31"	145gr		115cm							69,00
	CAKL24	2,40m / 7'87"	155gr		130cm							69,00
	CAKL27	2,70m / 8'85"	170gr		135cm							89,00
Ken Sei Z Heavy HH	CAKH30	3,00m / 9'8"	191gr	2	155cm	Super High Modulus Carbon	Fuji K	15-60gr	Fuji DPS	H		99,00
Ken Sei Z Heavy XH	CAKX30	3,00m / 9'8"	204gr	2	155cm	Super High Modulus Carbon	Fuji K	30-90gr	Fuji DPS	XH		99,00





SHIBASU



PROGRESSIVE
ACTION



SHIBASU

SUPERSLIM BLANK

SEMI STIFF STRUCTURE

LENGTH: 3,00m / 9,84'
W: 304gr / SECTIONS: 2 / CL: 171CM

LENGTH: 3,30m / 10,82'
W: 315gr / SECTIONS: 2 / CL: 174CM

Fuji GUIDES: KW+K

SLHMC: Super Light High Modulus Carbon

C.W: M I 30-60gr

REEL SEAT: **Fuji** DPS

ACTION: FAST

Ref.	Length		R.R.P.
CASH30	3,00		99,00
CASH33	3,30		109,00



SPECIALIST SEA BASS



Super light blank / Spectacular finishes / Semi stiff structure

Blank súper ligero / Espectaculares acabados / Estructura semi rígida

Blank super léger / Finitions spectaculaires / Structure semi-rigide

LENGTH: 3,30m / 10,8'

W:275gr / **SECTIONS:** 2 / **CL:**172cm

SLHMC: Super Light High Modulus Carbon

C.W: H / 30-60gr


WeBo GUIDES: K

REEL SEAT: DPS

ACTION: FAST

Ref.	Length		R.R.P.
CASP33H	3,30		229,00

KANEBO



Semi stiff structure
Cast precision

Estructura semi rígida
Precisión en el lance

Structure semi-rigide
Précision dans le lance



LENGTH: 3,60m / 11,81'

W:286gr / **SECTIONS:** 3 / **CL:**125cm

Fuji GUIDES: K ALCONITE

SLHMC: Super Light High Modulus Carbon

C.W: M I 10-60gr

REEL SEAT: **Fuji** DPS

ACTION: MEDIUM/FAST

Ref.	Length		R.R.P.
CAKN36	3,60		295,00

SPECIALIST SEA BASS

ROD ACTION



FAST

ROD ACTION



MEDIUM/FAST

KANEBO



SURF
CASTING
3 PZ

CASTING
POWER

BEACH
LEDGERING
"LIGHT"

SURF
CASTING
TELE

BOAT
ADJUSTABLE

BOAT

EGI
FISHING

JIGGING
POPPING

TROLLING
DRIFTING

SPINNING

TELESPIN
TELEMATCH

CARP FISHING
& CATFISH
+ ISO

BOLOGNESE
& TELE

FEEDER

POLE
FISHING



ROD ACTION



X-FAST

MULTIPLA ROYAL TOP



ROD ACTION



MODERATE

SUPERB ALL ROUND



ROD ACTION



FAST / MODERATE

SENDAY



MULTIPLA ROYAL TOP



Stiff structure / Extreme power / Cast precision

Estructura rígida / Potencia extrema / Precisión en el lance

Structure rigide / Puissance extrême / Précision dans le lance

LENGTH: 2,40m / 8'
W:230gr / **SECTIONS:** 2 / **CL:**131cm

LENGTH: 2,70m / 8.85'
W:265gr / **SECTIONS:** 2 / **CL:**140cm

HMC: High Modulus Carbon

Fuji GUIDES: KW ALCONITE

C.W: HH / 50-100gr

REEL SEAT: **Fuji** DPS

ACTION: X-FAST

Ref.	Length		R.R.P.
CART24	2,40		125,00
CART27	2,70		139,00

SUPERB ALL ROUND

LENGTH: 3,00m / 9,8'
W:206gr / **SECTIONS:** 2 / **CL:**106cm

C.W: M / 10-60gr

LENGTH: 3,30m / 10,8'
W:225gr / **SECTIONS:** 3 / **CL:**115cm

C.W: M / 10-60gr

LENGTH: 3,60m / 11,8'
W:242gr / **SECTIONS:** 3 / **CL:**126cm

C.W: H / 20-80gr

sea-guide GUIDES: KW

REEL SEAT: DPS

ACTION: High Modulus Carbon

Ref.	Length		R.R.P.
CASB30	3,00		55,00
CASB33	3,30		59,00
CASB36	3,60		59,00

SENDAY

Slim blank / Light structure / Cast power

Blank fino / Estructura ligera / Potencia de lance

Blank fin / Structure légère / Puissance de lance

LENGTH: 1,65-195m
W:195gr / **SECTIONS:** 2 / **CL:**127cm

SLHMC: Superlight High Modulus Carbon

C.W: L / 20-40gr

Fuji GUIDES: K ALCONITE

REEL SEAT: **Fuji** DPS

ACTION: FAST / MODERATE

Ref.	Length		R.R.P.
CASE19	1,65-1,95		119,00

SURF
CASTING
3 PZ

CASTING
POWER

BEACH
LEDDERING
+LIGHT

SURF
CASTING
TELE

BOAT
ADJUSTABLE

BOAT

EGI
FISHING

JIGGING
POPPING

TROLLING
DRIFTING

SPINNING

TELESPIN
TELEMATCH

CARP FISHING
& CATFISH
+ ISO

BOLOGNESE
& TELE

FEEDER

POLE
FISHING

TRENK SPIN



NAIT



TRENK SPIN

LENGTH: 1,50m / 4,92'
W:91gr / SECTIONS: 6 / CL:40cm

ACTION I L I 3-10gr

LENGTH: 2,10m / 6,88'
W:125gr / SECTIONS: 7 / CL:45cm

ACTION I M I 5-15gr

HMC: High Modulus Carbon

 Searguide SIC

REEL SEAT: DPS

Ref.	Length		R.R.P.
CATK15	1,50		35,00
CATK21	2,10		39,00

NAIT

LENGTH: 2,40m / 7,8'
W:170gr / SECTIONS: 7 / CL: 61 cm

ACTION I M I 40gr

LENGTH: 2,70m / 8,80'
W:165gr / SECTIONS: 7 / CL: 63,5 cm

ACTION I M I 60gr

LENGTH: 2,70m / 8,80'
W:185gr / SECTIONS: 7 / CL: 63,5 cm

ACTION I H I 80gr

LENGTH: 3,00m / 9,8'
W:185gr / SECTIONS: 7 / CL: 66 cm

ACTION I M I 60gr

LENGTH: 3,00m / 9,8'
W:215gr / SECTIONS: 7 / CL: 66 cm

ACTION I H I 80gr

LENGTH: 3,30m / 10,8'
W:295gr / SECTIONS: 8 / CL: 72 cm

ACTION I H I 150gr

LENGTH: 3,60m / 11,8'
W:335gr / SECTIONS: 8 / CL: 72 cm

ACTION I M I 60gr

LENGTH: 3,60m / 11,8'
W:315gr / SECTIONS: 8 / CL: 72 cm

ACTION I H I 80gr

REEL SEAT: DPS

HMC: High Modulus Carbon

BULLDOZER TELEMATCH

LENGTH: 4,00m / 7,8'

W:320gr / **SECTIONS:** 7 / **CL:** 142 cm

ACTION I M I 5-120gr


LENGTH: 4,50m / 8,80'

W:350gr / **SECTIONS:** 7 / **CL:** 142 cm

ACTION I M I 5-120gr

HMC: High Modulus Carbon

POWER UP: 3kg



Ref.	Length		R.R.P.
CABT40	4,00		89,00
CABT45	4,50		95,00

SMAYA TELEMATCH

LENGTH: 4,00m / 7,8'

W:325gr / **SECTIONS:** 7 / **CL:** 105 cm

ACTION I M I 3-60gr


LENGTH: 4,50m / 8,80'

W:375gr / **SECTIONS:** 5 / **CL:** 110 cm

ACTION I M I 3-60gr

HMC: High Modulus Carbon

POWER UP: 1,5kg



Ref.	Length		R.R.P.
CAST40	4,00		45,00
CAST45	4,50		49,00

Ref.	Length		R.R.P.
CANT24A	2,40		35,00
CANT27A	2,70		39,00
CANT27B	2,70		45,00
CANT30A	3,00		45,00
CANT30B	3,00		49,00
CANT33A	3,30		55,00
CANT36A	3,60		55,00
CANT36B	3,60		59,00

BULLDOZER TELEMATCH



SMAYA TELEMATCH



- SURF CASTING 3 PZ
- CASTING POWER
- BEACH LEDGERING "LIGHT"
- SURF CASTING TELE
- BOAT ADJUSTABLE
- BOAT
- EGI FISHING
- JIGGING POPPING
- TROLLING DRIFTING
- SPINNING
- TELESPIN TELEMATCH
- CARP FISHING & CATFISH + ISO
- BOLOGNESE & TELE
- FEEDER
- POLE FISHING



ISO



UNICA CARPFISHING WORLD

LENGTH: 3,60m / 11,8'
W:456gr / **SECTIONS:** 2 / **CL:**187cm

S searguide SIC

HMC: High Modulus Carbon

ACTION: 3.5lb

REEL SEAT: DPS

Ref.	Length		R.R.P.
CACF36	3,60		45,00

OYSHI

LENGTH: 4,20m / 13'77"
W:220gr / **SECTIONS:** 5 / **CL:**98cm

LENGTH: 4,50m / 17'38"
W:238gr / **SECTIONS:** 5 / **CL:**105cm

LENGTH: 5,00m / 19'68"
W:277gr / **SECTIONS:** 5 / **CL:**115cm

ACTION I 3,0H

HMC: High Modulus Carbon

S searguide SIC

REEL SEAT: PLATE

Ref.	Length		R.R.P.
CAOY42	4,20		69,00
CAOY45	4,50		79,00
CAOY50	5,00		85,00

NEOX ZAK

Super slim blank
Very handy butt
Perfectly balanced in all sections

Blank súper fino
Butt muy manejable
Perfectamente equilibrada en todos sus tramos

Blank super fin
Butt très maniable
Parfaitement équilibré dans toutes les sections

LENGTH: 5m / 16,40'
W:200gr / **SECTIONS:** 5 / **CL:**142cm

LENGTH: 6m / 19,68'
W:215gr / **SECTIONS:** 6 / **CL:**140cm

LENGTH: 7m / 22,96'
W:285gr / **SECTIONS:** 7 / **CL:**140cm

LENGTH: 8m / 26,24'
W:380gr / **SECTIONS:** 8 / **CL:**140cm

LENGTH: 9m / 29,52'
W:450gr / **SECTIONS:** 9 / **CL:**145cm

LENGTH: 10m / 32,80'
W:498gr / **SECTIONS:** 10 / **CL:**145cm

SLHMC: Super Light High Modulus Carbon

ACTION / L / 5-10gr

S searguide SIC

REEL SEAT: PLATE

GUIDES MODELS

Ref.	Length		R.R.P.
CAZA60A	6,00		219,00
CAZA70A	7,00		299,00
CAZA80A	8,00		399,00

POLE

Ref.	Length		R.R.P.
CAZA50	5,00		149,00
CAZA60	6,00		199,00
CAZA70	7,00		279,00
CAZA80	8,00		379,00
CAZA90	9,00		479,00
CAZA97	10,00		539,00

NEOX ZAK



BOLOGNESE

ULTRA LIGHT

yuki2025

- SURF CASTING 3 PZ
- CASTING POWER
- BEACH LEDGERING -LIGHT
- SURF CASTING TELE
- BOAT ADJUSTABLE
- BOAT
- EGI FISHING
- JIGGING POPPING
- TROLLING DRIFTING
- SPINNING
- TELESPIN TELEMATCH
- CARP FISHING & CATFISH +ISO
- BOLOGNESE & TELE
- FEEDER
- POLE FISHING

KORUS L



KORUS M



KORUS L

LENGTH: 6m / 19'8"
W: / SECTIONS: / CL:

LENGTH: 7m / 22'96"
W: 295gr / SECTIONS: 7 / CL: 142cm

SLHMC: Super Light High Modulus Carbon

ACTION / L / 12gr

Fuji GUIDES: K ALCONITE

REEL SEAT: Fuji N6S

Ref.	Length		R.R.P.
CAKL60A	6,00		229,00
CAKL70A	7,00		269,00

KORUS M

LENGTH: 6m / 19'8"
W: / SECTIONS: 6 / CL:

LENGTH: 7m / 22'96"
W: / SECTIONS: 7 / CL:

SLHMC: Super Light High Modulus Carbon

ACTION / M / 20gr

Fuji GUIDES: K ALCONITE

REEL SEAT: Fuji N6S

Ref.	Length		R.R.P.
CAKM60A	6,00		259,00
CAKM70A	7,00		319,00

KORUS MH

LENGTH: 6m / 16'8"
W: / SECTIONS: / CL:142cm

LENGTH: 7m / 22'96"
W:318gr / SECTIONS: 7 / CL:142cm

SLHMC: Super Light High Modulus Carbon

ACTION / MH / 30gr

Fuji GUIDES: K ALCONITE

REEL SEAT: Fuji N6S

Ref.	Length		R.R.P.
CAKMH60A	6,00		289,00
CAKMH70A	7,00		370,00

KORUS H

LENGTH: 4m / 13"
W: / SECTIONS: / CL:

LENGTH: 5m / 16'40"
W:304gr / SECTIONS: 5 / CL:142cm

LENGTH: 6m / 19'8"
W:424gr / SECTIONS: 6 / CL:142cm

SLHMC: Super Ligh High Modulus Carbon

ACTION / H / 80gr

Fuji GUIDES: K

REEL SEAT: Fuji N6S

Ref.	Length		R.R.P.
CAKH40A	4,00		109,00
CAKH50A	5,00		129,00
CAKH60A	6,00		159,00

KORUS MH

KORUS H



SURF
CASTING
3 PZ

CASTING
POWER

BEACH
LEDGERING
+LIGHT

SURF
CASTING
TELE

BOAT
ADJUSTABLE

BOAT

EGI
FISHING

JIGGING
POPPING

TROLLING
DRIFTING

SPINNING

TELESPIN
TELEMATCH

CARP FISHING
& CATFISH
+ ISO

BOLOGNESE
& TELE

FEEDER

POLE
FISHING

NEOX SORA

NEOX YOKO



NEOX SORA

LENGTH: 6m / 19,68'
W:242gr / **SECTIONS:** 6 / **CL:**140cm

LENGTH: 7m / 22,96'
W:315gr / **SECTIONS:** 7 / **CL:**140cm

LENGTH: 8m / 26,24'
W:000gr / **SECTIONS:** 0 / **CL:**000cm

SLHMC: Super Light High Modulus Carbon

ACTION / L / 3-15gr

Fuji GUIDES: LV

REEL SEAT: **Fuji** PLATE

Ref.	Length		R.R.P.
CAS060	6,00		259,00
CAS070	7,00		369,00
CAS080	8,00		399,00



NEOX YOKO



Slim blank / Developed by the World C. José Afonso / Suitable for competition
Blank fino / Desarrollada por el C. del Mundo José Afonso / Indicada para la competición
Blank fin / Développé par le C. du Monde José Afonso / Indiqué pour compétition

LENGTH: 6m / 19,68'
W:290gr / **SECTIONS:** 6 / **CL:**140cm

LENGTH: 7m / 22,96'
W:380gr / **SECTIONS:** 7 / **CL:**140cm

HMC: High Modulus Carbon

ACTION / M / 30gr

Ssea-guide SIC

REEL SEAT: PLATE

Ref.	Length		R.R.P.
CAY060A	6,00		175,00
CAY070A	7,00		239,00

NEOX EDAV

LENGTH: 6m / 19,68'
W:265gr / SECTIONS: 6 / CL:140cm

ACTION / M / 10-30gr

SHMC: Super High Modulus Carbon

Fuji GUIDES: LV

REEL SEAT: Fuji PLATE

Ref.	Length		R.R.P.
CAED60	6,00		229,00

HERCULES POWER

LENGTH: 6m / 16,98'
W:402gr / SECTIONS: 6 / CL:144cm

LENGTH: 7m / 22,96'
W:600gr / SECTIONS: 6 / CL:149cm

ACTION / 40-100gr

REEL SEAT: Fuji PLATE

Fuji GUIDES: LV

Ref.	Length		R.R.P.
CAHE60A	6,00		189,00
CAHE70A	7,00		219,00

HRD BRAVE

LENGTH: 7,00m / 22,96'
W:550gr / SECTIONS: 7 / CL:133cm

LENGTH: 8,00m / 26,24'
W:745gr / SECTIONS: 7 / CL:133cm

SHMC: Super High Modulus Carbon

ACTION / H / 40-100gr

Ref.	Length		R.R.P.
CAHR70	7,00		219,00
CAHR80	8,00		275,00

NEOX EDAV

HERCULES POWER

HRD BRAVE



yuki2025

SURF
CASTING
3 PZ

CASTING
POWER

BEACH
LEDGERING
+LIGHT

SURF
CASTING
TELE

BOAT
ADJUSTABLE

BOAT

EGI
FISHING

JIGGING
POPPING

TROLLING
DRIFTING

SPINNING

TELESPIN
TELEMATCH

CARP FISHING
& CATFISH
+ ISO

BOLOGNESE
& TELE

FEEDER

POLE
FISHING

SPIRIT



STEIN BOLO



SPIRIT

Stiff structure/ Extreme power / Excellent value for money
Estructura rígida / Potencia extrema / Excelente relación calidad-precio
Structure rigide / Puissance extrême / Excellent rapport qualité-prix

LENGTH: 4m / 13,12'
W:245gr / **SECTIONS:** 4 / **CL:**141cm

LENGTH: 5m / 16,40'
W:370gr / **SECTIONS:** 5 / **CL:**148cm

LENGTH: 6m / 16,98'
W:490gr / **SECTIONS:** 6 / **CL:**151cm

LENGTH: 7m / 22,96'
W:600gr / **SECTIONS:** 7 / **CL:**154cm

ACTION / HH / 50-100gr - POWER UP 6KG

Fuji GUIDES: KW

HMC: High Modulus Carbon

REEL SEAT: **Fuji** PLATE

Ref.	Length		R.R.P.
CASP40A	4,00		135,00
CASP50A	5,00		139,00
CASP60A	6,00		149,00
CASP70A	7,00		179,00

STEIN BOLO

Stiff structure/ Extreme power / Excellent value for money
Estructura rígida / Potencia extrema / Excelente relación calidad-precio
Structure rigide / Puissance extrême / Excellent rapport qualité-prix

LENGTH: 4m / 13,12'
W:284gr / **SECTIONS:** 4 / **CL:**142cm

LENGTH: 5m / 16,40'
W:436gr / **SECTIONS:** 5 / **CL:**143cm

LENGTH: 6m / 19,68'
W:625gr / **SECTIONS:** 5 / **CL:**145cm

ACTION / M / 20-80 - POWER UP 8KG

SHMC: Super High Modulus Carbon

S Seaguide KW

REEL SEAT: PLATE

Ref.	Length		R.R.P.
CAST40A	4,00		85,00
CAST50A	5,00		89,90
CAST60A	6,00		95,00



NEOX OBIDOX

Ultra stiff structure
Extreme power
Suitable for fishing on cliffs and piers

Estructura ultra rígida
Potencia extrema
Indicado para la pesca de acantilados y espigones

Structure ultra rigide
Puissance extrême
Indiqué pour la pêche en falaises et jetée

LENGTH: 5m / 16,40'
W: BOLO 415gr / **SECTIONS:** 5 / **CL:**139cm

LENGTH: 6m / 19,68'
W: BOLO 570gr - POLE 515gr / **SECTIONS:** 6 / **CL:**144cm

LENGTH: 7m / 22,96'
W:570gr / **SECTIONS:** 7 / **CL:**145cm

HMC: High Modulus Carbon

ACTION / XH / EXTREME POWER 9kg

S searguide SIC

REEL SEAT: PLATE

CCHR: CROSSED CARBON HIGH RESISTANCE

GUIDES MODELS

Ref.	Length	R.R.P.
CAOB50A	5,00	199,00
CAOB60A	6,00	265,00
CAOB70A	7,00	299,00

POLE

Ref.	Length	R.R.P.
CAOB60	6,00	219,00
CAOB70	7,00	249,00

NEOX VIGOR

LENGTH: 4m / 13,12'
W:261gr / **SECTIONS:** 0 / **CL:**138,5cm

LENGTH: 5m / 16,40'
W:377gr / **SECTIONS:** 0 / **CL:**139cm

LENGTH: 6m / 19,68'
W:557gr / **SECTIONS:** 6 / **CL:** 140cm

ACTION / HH / 20-120gr - POWER UP 8KG

Fuji GUIDES: KW

REEL SEAT: **Fuji** PLATE

HMC: High Modulus Carbon

Ref.	Length	R.R.P.
CAVI40	4,00	169,00
CAVI50	5,00	175,00
CAVI60	6,00	189,00

NEOX OBIDOX

NEOX VIGOR



SURF
CASTING
3 PZ

CASTING
POWER

BEACH
LEDGERING
+LIGHT

SURF
CASTING
TELE

BOAT
ADJUSTABLE

BOAT

EGI
FISHING

JIGGING
POPPING

TROLLING
DRIFTING

SPINNING

TELESPIN
TELEMATCH

CARP FISHING
& CATFISH
+ ISO

BOLOGNESE
& TELE

FEEDER

POLE
FISHING

SMAYA



SAGA

SMAYA BOLO

LENGTH: 4m / 13'12"
W:145gr / **SECTIONS:** 4 / **CL:**120cm

LENGTH: 5m / 16'40"
W:235gr / **SECTIONS:** 5 / **CL:**130cm

LENGTH: 6m / 19'68"
W:313gr / **SECTIONS:** 6 / **CL:**132cm

HMC: High Modulus Carbon

ACTION / M / 10-30gr

GUIDES: LV

REEL SEAT: PLATE

GUIDES MODELS

Ref.	Length		R.R.P.
CASM40A	4,00		24,90
CASM50A	5,00		32,90
CASM60A	6,00		42,90

SMAYA POLE

LENGTH: 5m / 16'40"
W:227gr / **SECTIONS:** 5 / **CL:**130cm

LENGTH: 6m / 19'68"
W:313gr / **SECTIONS:** 6 / **CL:**132cm

LENGTH: 7m / 22'96"
W:414gr / **SECTIONS:** 7 / **CL:**132cm

LENGTH: 8m / 26'24"
W:570gr / **SECTIONS:** 8 / **CL:**132cm

HMC: High Modulus Carbon

ACTION / M / 10-30gr

POLE

Ref.	Length		R.R.P.
CASM50	5,00		29,00
CASM60	6,00		37,90
CASM70	7,00		46,90
CASM80	8,00		59,00

SAGA

LENGTH: 10m / 32'80"
W:952gr / **SECTIONS:** 10 / **CL:**120cm

ACTION / M / 10-30gr

HMC: High Modulus Carbon

POLE

Ref.	Length		R.R.P.
CASA99	10,00		99,00

ICON

LENGTH: 4,00m / 13,12'
W:286gr / SECTIONS: 4 / CL:118cm

LENGTH: 5,00m / 16,40'
W:372gr / SECTIONS: 5 / CL:118cm

HMC: High Modulus Carbon

ACTION / H / 80-120gr

 sea-guide SIC

REEL SEAT: PLATE

Ref.	Length		R.R.P.
CAIC40	4,00		99,00
CAIC50	5,00		115,00

MILLENIUM

LENGTH: 4m / 13'12"
W:142gr / SECTIONS: 4 / CL:126cm

LENGTH: 5m / 16'40"
W:239gr / SECTIONS: 5 / CL:126cm

LENGTH: 6m / 19'68"
W:276gr / SECTIONS: 6 / CL:129cm

LENGTH: 7m / 22'96"
W:399gr / SECTIONS: 7 / CL:129cm

LENGTH: 8m / 26'24"
W:520gr / SECTIONS: 8 / CL:129cm

LENGTH: 9m / 29'52"
W:630gr / SECTIONS: 9 / CL:129cm

HMC: High Modulus Carbon

ACTION / M / 10-30gr

 sea-guide SIC

REEL SEAT: PLATE

GUIDES MODELS

Ref.	Length		R.R.P.
CAMI40A	4,00		69,00
CAMI50A	5,00		85,00
CAMI60A	6,00		99,00
CAMI70A	7,00		129,00
CAMI80A	8,00		175,00

POLE

Ref.	Length		R.R.P.
CAMI50	5,00		79,00
CAMI60	6,00		89,00
CAMI70	7,00		115,00
CAMI80	8,00		139,00
CAMI90	9,00		169,00

ICON



MILLENIUM



SURF
CASTING
3 PZ

CASTING
POWER

BEACH
LEDGERING
+LIGHT

SURF
CASTING
TELE

BOAT
ADJUSTABLE

BOAT

EGI
FISHING

JIGGING
POPPING

TROLLING
DRIFTING

SPINNING

TELESPIN
TELEMATCH

CARP FISHING
& CATFISH
+ ISO

BOLOGNESE
& TELE

FEEDER

POLE
FISHING

SAIKOU RIVER 6.0

X4



SAIKOU RIVER 7.0

X4



SAIKOU RIVER 6.0

LENGTH: 3,60m / 12'
W: 190gr / SECTIONS: 2 + TIP / CL: 156cm

ACTION I ML I 60gr

TIPS: 4

L (1,00 oz) M (1,50 oz)
ML (2,00 oz) MH (2,50 oz)

SLHMC: Super Light High Modulus Carbon

GUIDES: **Fuji** KW

REEL SEAT: **Fuji** DPS

Ref.	Length		R.R.P.
CASR60	3,60		159,00

SAIKOU RIVER 7.0

LENGTH: 3,60m / 12'
W: 222gr / SECTIONS: 2 + TIP / CL: 156cm

ACTION I ML I 80gr

TIPS: 4

L (1,00 oz) M (1,50 oz)
ML (2,00 oz) MH (2,50 oz)

SLHMC: Super Light High Modulus Carbon

GUIDES: **Fuji** KW

REEL SEAT: **Fuji** DPS

Ref.	Length		R.R.P.
CASR70	3,60		169,00



SAIKOU RIVER 8.0

LENGTH: 3,90m / 13'
W: 241gr / SECTIONS: 2 + TIP / CL:171cm

ACTION I ML I 90gr

TIPS: 4

L (1,00 oz) M (1,50 oz)
ML (2,00 oz) MH (2,50 oz)

SLHMC: Super Light High Modulus Carbon

GUIDES: **Fuji** KW

REEL SEAT: **Fuji** DPS

Ref.	Length		R.R.P.
CASR80	3,90		169,00

SAIKOU RIVER 9.0

LENGTH: 3,90m / 13'
W:253gr / SECTIONS: 2 + TIP / CL:173cm

ACTION I ML I 120gr

TIPS: 4

ML (1,00 oz) MH (1,50 oz)
M (2,00 oz) H (2,50 oz)

SLHMC: Super Light High Modulus Carbon

GUIDES: **Fuji** KW

REEL SEAT: **Fuji** DPS

Ref.	Length		R.R.P.
CASR90	3,90		175,00

SAIKOU RIVER 8.0

X4

SAIKOU RIVER 9.0

X4



- SURF CASTING 3 PZ
- CASTING POWER
- BEACH LEDGERING "LIGHT
- SURF CASTING TELE
- BOAT ADJUSTABLE
- BOAT
- EGI FISHING
- JIGGING POPPING
- TROLLING DRIFTING
- SPINNING
- TELESPIN TELEMATCH
- CARP FISHING & CATFISH + ISO
- BOLOGNESE & TELE
- FEEDER
- POLE FISHING

SAIKOU SPARK 5.0

X3

SAIKOU SPARK 6.0

X3

SAIKOU SPARK 7.0

X3



SAIKOU SPARK 5.0

LENGTH: 2,75m / 9'
W:134gr / SECTIONS: 2 + TIP / CL:114cm

ACTION I ML I 40gr

TIPS: 3

ML (1,00 oz) MH (1,50 oz)
M (2,00 oz)

SHMC: Super High Modulus Carbon

GUIDES: **Fuji** KW

REEL SEAT: **Fuji** DPS

Ref.	Length		R.R.P.
CASS50	2,75		119,00

SAIKOU SPARK 6.0

LENGTH: 3,00m / 10'
W:138gr / SECTIONS: 2 + TIP / CL:129 cm

ACTION I ML I 40gr

TIPS: 3

ML (1,00 oz) MH (1,50 oz)
M (2,00 oz)

SHMC: Super High Modulus Carbon

GUIDES: **Fuji** KW

REEL SEAT: **Fuji** DPS

Ref.	Length		R.R.P.
CASS60	3,00		125,00

SAIKOU SPARK 7.0

LENGTH: 3,30m / 11'
W:163gr / SECTIONS: 2 + TIP / CL:150cm

ACTION I ML I 50gr

TIPS: 3

ML (1,00 oz) MH (1,50 oz)
M (2,00 oz)

SHMC: Super High Modulus Carbon

GUIDES: **Fuji** KW

REEL SEAT: **Fuji** DPS

Ref.	Length		R.R.P.
CASS70	3,30		129,00

NEOX COMPETITION 6.0



LENGTH: 3,60m / 11'9"
W:179gr / SECTIONS: 3 / CL:137cm

ACTION I ML I 10-50gr

TIPS: 4

L (0,75 oz) M (1,50 oz)
ML (1,00 oz) MH (1,50 oz)

SLHMC: Super Light High Modulus Carbon

GUIDES: S searguide SIC

REEL SEAT: PLATE

Ref.	Length		R.R.P.
CANC035	3,60		209,00

NEOX COMPETITION 7.0



LENGTH: 3,60m / 11'9"
W: 207gr / SECTIONS: 3 / CL:137cm

ACTION I ML I 20-100gr

TIPS: 4

L (1,00 oz) M (1,50 oz)
ML (1,00 oz) MH (2,00 oz)

SLHMC: Super Light High Modulus Carbon

GUIDES: S searguide SIC

REEL SEAT: PLATE

Ref.	Length		R.R.P.
CANC036	3,60		239,00

NEOX COMPETITION 8.0



LENGTH: 3,90m / 12'9"
W:256gr / SECTIONS: 3 / CL:137cm

ACTION I ML I 20-80gr

TIPS: 4

ML (1,00 oz) MH (1,50 oz)
M (1,40 oz) H (2,00 oz)

SLHMC: Super Light High Modulus Carbon

GUIDES: S searguide KW SIC

REEL SEAT: DPS

Ref.	Length		R.R.P.
CANC039	3,90		249,00

NEOX COMPETITION 6.0

NEOX COMPETITION 7.0

NEOX COMPETITION 8.0



SAIKOU F1 5.0

X3

SAIKOU F1 6.0

X3

SAIKOU F1 7.0

X3



SAIKOU F1 5.0

LENGTH: 3,40m / 11'2"
W:189gr / **SECTIONS:** 2 / **CL:**176cm

ACTION I ML I 15-40gr

TIPS: 3

ML (1 oz) **MH** (2 oz)
M (1,5 oz)

SLHMC: Super Light High Modulus Carbon

GUIDES:  seaguide MN

REEL SEAT: DPS

TIP: INTERCHANGEABLE

Ref.	Length		R.R.P.
CASF150	3,40		149,00

SAIKOU F1 6.0

LENGTH: 3,60m / 11'9"
W:210gr / **SECTIONS:** 3 / **CL:**137cm

ACTION I ML I 20-60gr

TIPS: 3

ML (1 oz) **MH** (2 oz)
M (1,5 oz)

SLHMC: Super Light High Modulus Carbon

GUIDES:  seaguide MN

REEL SEAT: DPS

TIP: INTERCHANGEABLE

Ref.	Length		R.R.P.
CASF160	3,60		165,00

SAIKOU F1 7.0

LENGTH: 3,60m / 11'9"
W:220gr / SECTIONS: 3 / CL:137cm

ACTION | ML | 30-80gr

TIPS: 2
ML (2 1/2 oz)
M (4 oz)

SLHMC: Super Light High Modulus Carbon

GUIDES: **Fuji** KW

REEL SEAT: DPS

TIP: INTERCHANGEABLE

Ref.	Length		R.R.P.
CASF170	3,60		165,00

SAIKOU F POWER 8.0

LENGTH: 3,97m / 13'
W:285gr / SECTIONS: 3 / CL:140cm

ACTION | XH | 140gr

WeBo GUIDE K

SHMC: Super High Modulus Carbon

TIPS: 2
MH (2 ½ oz)
XH (4 oz)

Ref.	Length		R.R.P.
CASFP80	3,97		149,00

SAIKOU POWER CARBON TIPS

Ref.	Length	Action		R.R.P.
CASF1/T22	54	2 Oz		19,00
CASF1/T40	54	4 Oz		19,00

CARBON TIP SAIKOU F1

SLHMC: Super Light High Modulus Carbon

Ref.	Length	Action		R.R.P.
CASF1/T07	54	3/4 Oz		19,00
CASF1/T10	54	1 Oz		19,00
CASF1/T15	54	1 1/2 Oz		19,00
CASF1/T20	54	2 Oz		19,00
CASF1/T25	54	2 1/2 Oz		19,00
CASF1/T40	54	4 Oz		19,00

SAIKOU F POWER 8.0

X2

CARBON TIP SAIKOU F1

- SURF CASTING 3 PZ
- CASTING POWER
- BEACH LEDGERING "LIGHT
- SURF CASTING TELE
- BOAT ADJUSTABLE
- BOAT
- EGI FISHING
- JIGGING POPPING
- TROLLING DRIFTING
- SPINNING
- TELESPIN TELEMATCH
- CARP FISHING & CATFISH + ISO
- BOLOGNESE & TELE
- FEEDER
- POLE FISHING

SAIKOU F3 3.0

X2

SAIKOU F3 4.0

X2



SAIKOU F3 3.0

LENGTH: 2,75m / 9'
W: 146gr / **SECTIONS:** 2 / **CL:** 140cm

TIPS: 2

ML (1 oz)
H (2 oz)

ACTION I ML I 10-35gr


SLHMC: Super Light High Modulus Carbon

GUIDES: **S** sea-guide MN

REEL SEAT: DPS

TIP: INTERCHANGEABLE

Ref.	Length		R.R.P.
CASF330	2,75		79,00



SAIKOU F3 4.0

LENGTH: 3,00m / 10'
W: 173gr / **SECTIONS:** 3 / **CL:** 175cm

TIPS: 2

ML (1 oz)
H (2 oz)

ACTION I ML I 10-35gr

SLHMC: Super Light High Modulus Carbon

GUIDES: **S** sea-guide MN

REEL SEAT: DPS

TIP: INTERCHANGEABLE

Ref.	Length		R.R.P.
CASF340	3,00		85,00

SAIKOU F3 5.0

LENGTH: 3,35m / 11'
W: 178gr / SECTIONS: 2 / CL:175cm

TIPS: 2

ML (1 oz)
H (2 oz)

ACTION I M I 15-40gr

SLHMC: Super Light High Modulus Carbon

GUIDES: S sea-guide MN

REEL SEAT: DPS

TIP: INTERCHANGEABLE

Ref.	Length		R.R.P.
CASF350	3,35		89,00



SAIKOU F3 6.0

LENGTH: 3,65m / 12'
W: 208gr / SECTIONS: 2 / CL:175cm

TIPS: 2

ML (1 oz)
H (2 oz)

ACTION I H I 20-60gr

SLHMC: Super Light High Modulus Carbon

GUIDES: Fuji KW

REEL SEAT: DPS

TIP: INTERCHANGEABLE

Ref.	Length		R.R.P.
CASF360	3,65		109,00

SAIKOU F3 5.0

X2



SAIKOU F3 6.0

X2



- SURF CASTING 3 PZ
- CASTING POWER
- BEACH LEDGERING -LIGHT
- SURF CASTING TELE
- BOAT ADJUSTABLE
- BOAT
- EGI FISHING
- JIGGING POPPING
- TROLLING DRIFTING
- SPINNING
- TELESPIN TELEMATCH
- CARPFISHING & CATFISH + ISO
- BOLOGNESE & TELE
- FEEDER
- POLE FISHING

SAIKOU F LIGHT 3.0

X3



SAIKOU F LIGHT 4.0

X3



SAIKOU F LIGHT 3.0

LENGTH: 3,00m / 10'
W:146gr / **SECTIONS:** 2 / **CL:**156cm

TIPS: 3

3/4 oz
1 oz
2 oz

WeBo GUIDES: K

SLHMC: Super Light High Modulus Carbon

ACTION | L | 30gr

REEL SEAT: DPS

TIP: INTERCHANGEABLE

Ref.	Length		R.R.P.
CASFL30	3,00		109,00

SAIKOU F LIGHT 4.0

LENGTH: 3,35m / 11'
W:161gr / **SECTIONS:** 2 / **CL:**173cm

TIPS: 3

3/4 oz
1 oz
2 oz

WeBo GUIDES: K


SLHMC: Super Light High Modulus Carbon

ACTION | L | 40gr

REEL SEAT: DPS

TIP: INTERCHANGEABLE

Ref.	Length		R.R.P.
CASFL40	3,35		115,00



SAIKOU F LIGHT 5.0

LENGTH: 3,65m / 12'
W:196gr / SECTIONS: 2 / CL:160cm

TIPS: 3
3/4 oz
1 oz
2 oz

WeBo GUIDES: K

SHMC: Super High Modulus Carbon

ACTION I L I 50gr

REEL SEAT: DPS

TIP: INTERCHANGEABLE

Ref.	Length		R.R.P.
CASFL50	3,65		119,00

FEEDER ONE 5.0



LENGTH: 3,00m / 9'10"
W:175gr / SECTIONS: 2 / CL:175cm

ACTION / M / 10-50 gr

SHMC: Super High Modulus Carbon

GUIDES: S^{sear-guide} SIC

REEL SEAT: DPS

TIP: MULTI-TIP

TIPS: 3

Ref.	Length		R.R.P.
CAFON30	3,00		109,00

SAIKOU F LIGHT 5.0



X3

FEEDER ONE 5.0



X3

- POLE FISHING
- FEEDER
- BOLOGNESE & TELE
- CARP FISHING & CATFISH + ISO
- TELESPIN TELEMATCH
- SPINNING
- TROLLING DRIFTING
- JIGGING POPPING
- EGI FISHING
- BOAT
- BOAT ADJUSTABLE
- SURF CASTING TELE
- BEACH LEDGERING +LIGHT
- CASTING POWER
- SURF CASTING 3 PZ

NEOX 9MIL



NEOX 9MIL CARP



YU-02



TRENDY CARP



POLE FISHING

NEOX 9MIL

PACK

- 1 NEOX 9MIL rod 13.00 mt.
- 1 Mini Extension
- 2 Top Kit 4 pz. Yuki NEOX
- 1 Cupping Kit 2 pz.
- 1 Hardcase for pole

LENGTH: 13m / 42,65'
W:972gr / **SECTIONS:** 9 / **CL:**172cm

SHMC: Super High Modulus Carbon

Ref.	Length		R.R.P.
PXYU90	13,00		

NEOX 9MIL CARP

PACK

- 1 NEOX 9MIL rod 13 mt.
- 1 Mini Extension reversible
- 1 Cupping Kit 4 pz. YUKI
- 2 Top Kit 4 pz. YUKI
- 1 Top Kit 5 pz. YUKI
- 1 Bag for pole

LENGTH: 13m / 42,65'
W:1070gr / **SECTIONS:** 9 / **CL:**172cm

SHMC: Super High Modulus Carbon

Ref.	Length		R.R.P.
PXYU09C	13,00		

YU-02

PACK

- 1 YU-02 rod 13 mt.
- 1 Mini Extension reversible
- 1 Top Kit 5 pz. YUKI
- 2 Top Kit 4 pz. YUKI
- 1 Cupping Kit 2 pz. HM30
- 1 Bag for pole

LENGTH: 11,5m / 37,7'
W:715gr / **SECTIONS:** 8 / **CL:**155cm

LENGTH: 13m / 42,65'
W:1023gr / **SECTIONS:** 9 / **CL:**177cm

HMC: High Modulus Carbon

Ref.	Length		R.R.P.
PXYU02-B	19,88		
PXYU02	13,00		

TRENDY CARP

PACK

- 1 Trendy Carp 13 mt 1 Mini Extension

LENGTH: 13m / 42,65'
W:1174gr / **SECTIONS:** 9 / **CL:**177cm

HMC: High Modulus Carbon

Ref.	Length		R.R.P.
CXTR01	13		

KITS FOR POLE FISHING RODS

Rod	Ref.	Pz.	Description	Meters		R.R.P.
NEOX 9MIL	CXN92	2	Cupping Kit 2 pcs	2,30		
	CXN91	4	Top Kit 4 pcs	5,10		
	CXN93	5	Top Kit 5 pcs	6,70		
NEOX 9MIL CARP	CXN09C/20	4	Cupping Kit 4 pcs	4,60		
	CXN09C/40	4	Top Kit 4 pcs Strippa	5,30		
	CXN09C/50	5	Top Kit 5 pcs Strippa	6,80		
YU-02	CXYU11	2	Cupping Kit 2 pcs HM30	2,70		
	CXYU12	4	Top Kit 4 pcs	4,60		
	CXYU13	5	Top Kit 5 pcs	6,20		
	CXYU14	4	Top Kit 4 pcs Strippa	4,60		
	CXYU15	5	Top Kit 5 pcs Strippa	6,20		
TRENDY CARP	CXTR10	4	Top Kit 4 pcs	4,90		
	CXTR11	5	Top Kit 5 pcs	6,40		
	CXTR12	2	Cupping Kit 2 pcs	2,70		
	CXTR13	2	Power top kit	2,70		



MINI-EXTENSION FOR KIT

Ref.	Description	Weight.	CM		R.R.P.
CXYU02M34	YU-02, 3-4 sec.	43 gr	60		
CXYU02M34R	YU-02, Reversible Section, 3-4 sec.	43 gr	60		

Ref.	Description	Weight.	CM		R.R.P.
CXTR01M34	Mini-Extension Trendy, 3-4 sec.	43 gr	60		

STRIPPA KIT YU-01 Y YU-02 WITH HOLE ON 3-4 SECTION



REVERSIBLE EXTENSION FOR KIT YU-02 AND TRENDY CARP



MINI-EXTENSION FOR POLE



Ref.	Model		R.R.P.
CXYU02M34	Yuki		

- SURF CASTING 3 PZ
- CASTING POWER
- BEACH LEDGERING *LIGHT
- SURF CASTING TELE
- BOAT ADJUSTABLE
- BOAT
- EGI FISHING
- JIGGING POPPING
- TROLLING DRIFTING
- SPINNING
- TELESPIN TELEMATCH
- CARP FISHING & CATFISH + ISO
- BOLOGNESE & TELE
- FEEDER
- POLE FISHING

ENDO

SW Salt Water Proof * 2 ALUMINIUM SPOOLS

With carbon washer * 6+1 Stainless Steel Japan ball bearings

* Extra-light CNC handle. * X-Force bail line system.

Cuerpo Sellado 100% Water Proof * 2 bobinas Aluminio

Discos de freno en Carbono * 6+1 rodamientos de Acero Inoxidable

* Pick up con System X-Force.

Corps 100% étanche * 2 bobines en aluminium * Disques de frein

en carbone disques de frein en carbone * 6+1 roulements en acier

inoxydable * pick up avec système x-force



SWP: SALT WATER PROOF

6+1

2

DRAG POWER: 20kg

WEIGHT: 648gr

SUPER SLOW GEAR RATIO: 4.1:1

SPOOL: 2 ALU

Red	Spool	Capacity (mm/mt)	Capacity (pe/mt)		R.R.P.
XC-EN80	8000	0.20/380 • 0.23/330 • 0.35/205	1.5/420 • 2.0/360 • 4.0/225		89,00
	10.000	0.35/455 • 0.40/400 • 0.45/350	4.0/500 • 6.0/400 • 7.5/350		

ORLY

Salt Water Proof * 6+1 Stainless Steel Japan ball bearings

YAT Yuki Anti-Tangle system * Extra-light CNC handle * X-Force bail line system.

100% resistente al agua salada * 6+1 rodamientos de Acero

Inoxidable * YAT Sistema Anti Enredo Yuki * Manivela CNC extra Ligera

Pick up con System X-Force.

100% résistant à l'eau salée * 6+1 roulements en acier inoxydable

Système anti-enchevêtrement YAT Yuki * YAT Yuki Anti Tangle System *

Manivelle CNC extra légère * Pick up with X-Force System.



SWP: SALT WATER PROOF

6+1

2

DRAG POWER: 20kg

WEIGHT: 550gr

GEAR RATIO: 4.6:1

SPOOL: 1 ALU 9000 + 1 GRAPHITE 10.000



Red	Spool	Capacity (mm/mt)	Capacity (pe/mt)		R.R.P.
XC-OR80	9000	0.23/470 • 0.27/345 • 0.30/280	2.0/470 • 2.5/345 • 3.0/280		79,00
	10.000	0.30/640 • 0.35/470 • 0.40/360	3.0/640 • 4.0/470 • 6.0/360		

REELS

CARRETES
MOULINETTES
CARRETOS
MULINELLI
ROLLEN

TYAN

SW Salt Water Proof * Sealed body
Extra light * Carbon and body made from Carbon * 2 Aluminium Spools
With carbon washer * 6+1 Stainless Steel Japan ball bearings
YAT Yuki Anti-Tangle system * Body and rotor made from Carbon
Extra-light CNC handle * X-Force bail line system.

100% resistente al agua salada * Cuerpo Sellado
Ultra ligero * Cuerpo y rotor fabricados en carbono * 2 bobinas
Aluminio
Discos de freno en Carbono * 6+1 rodamientos de Acero Inoxidable
YAT Sistema Anti Enredo Yuki * Manivela CNC extra Ligera * Pick up
con System X-Force.

100% résistant à l'eau salée * Corps scellé
Ultra léger * Corps et rotor en carbone * 2 bobines en aluminium *
Disques de frein en carbone
Disques de frein en carbone * 6+1 roulements en acier inoxydable *
Système anti-enchevêtrement YAT Yuki * Manivelle CNC extra-légère
YAT Yuki Anti Tangle System * Manivelle CNC extra légère * Pick up
with X-Force System.

SWP: SALT WATER PROOF



DRAG POWER: 20kg

WEIGHT: 497gr

GEAR RATIO: 4.6:1

SPOOL: 2 ALU. EXTRA LIGHT



Red	Spool	Capacity (mm/mt)	Capacity (pe/mt)		R.R.P.
XC-TY80	8000L	0.16/360 • 0.18/280 • 0.20/220	1.0/360 • 1.2/280 • 1.5/220		119,00
	9000L	0.23/470 • 0.27/345 • 0.30/280	2.0/470 • 2.5/345 • 3.0/280		

yuki2025

131

GROOVY surf



GROOVY SURF 10000

Sealed Body, Saltwater Proof • 6+1 Stainless Steel Ball Bearings
• Stainless Steel Main Shaft • High Resistance Graphite Body • 1
Aluminium Spools • Al CNC Handle • Computer Balance Rotor • Cast
Safety Block • Fast Ratio: 4.6:1 (1.07 Meters) • Power Drag: 15 Kg.

Cuerpo Sellado, Saltwater Proof • REELS 6+1 Rodamientos Acero
Inoxidable • Eje de Acero Inoxidable • Cuerpo de Grafito de Alta
Resistencia • 1 Bobinas De Aluminio • Manivela Aluminio CNC •
Equilibrado del Rotor Electrónico • Sistema de Bloqueo "Cast Safety
Block" • Ratio Rápido 4.6:1 (1.07mt) • Potencia de Freno: 15 kg.

Corps Scellé Saltwater Proof • 6+1 Roulements Acier Inoxydable
• Axe Acier Inoxydable Corps • Graphite Haute Résistance • 1
Bobines Aluminium • Manivelle Aluminium CNC • Équilibrage Rotor
Électronique • Système Blocage "Cast Safety Block" • Ratio Haute
Vitesse 4.6:1 (1.07 mt) • Puissance Frein: 15 kg

SWP: SALT WATER PROOF



6+1



1

DRAW POWER: 15kg

WEIGHT: 635gr

GEAR RATIO: 4.6:1

SPOOL: 1 ALU.

Ref.	Model	Capacity (mm/mt)	Capacity (pe/mt)		R.R.P.
XC-GR10	10000	0.35/400 • 0.40/240 • 0.50/154	4.5/400 • 6.0/240 • 10/154		65,00

STAR SURF



Surf-Casting Reel • Sealed Graphite body and wholly made with salinity resistant
materials • 3 aluminum spools and carbon bearings • Fast retrieve speed: 1.07 mt/turn
• CNC aluminum handle • Ergonomic rubber handle • Stainless steel shaft

Carrete para Surf Casting • Cuerpo de Grafito sellado, fabricado en su totalidad
en materiales resistentes a la salinidad • 3 bobinas de Aluminio y cojinetes
de Carbono • Rápida velocidad de recuperación: 1.07 m/vuelta) • Manivela de
Aluminio CNC • Empuñadura rubber ergonómica • Eje de acero inoxidable

Moulinet pour le Surf-Casting • Corps de graphite scellé, fabriqué totalement
avec des matériaux résistants à la salinité • 3 bobines en aluminium avec
roulements en carbone • Rapide vitesse de récupération: 1.07 mt/tour •
Manivelle en aluminium CNC • Poignée ergonomique de gomme • Axe en acier
inoxydable

STAR SURF SPOOLS

SWP: SALT WATER PROOF



6+1



3

DRAW POWER: 15kg

WEIGHT: 635gr

GEAR RATIO: 4.6:1

Ref.	Model	Capacity (mm/mt)	Capacity (pe/mt)		R.R.P.
XC-STAR	/	/	/		99,00
XC-STAR/08	8000	0.16/250 • 0.18/200 • 0.20/160	1.0/250 • 1.2/200 • 2.0/160		21,00
XC-STAR/10	10000	0.30/270 • 0.35/200 • 0.40/150	3.5/270 • 4.5/200 • 6.0/150		21,00
XC-STAR/12	12000	0.35/400 • 0.40/240 • 0.50/154	4.5/400 • 6.0/240 • 10/154		21,00

DORO SURF 8000

Stainless steel B.B. Titanium coated line roller • Saltwater proof • High strength body • Oversize rotor • Perfect worm shaft oscillation system • 2 Aluminium spool • Super strong S.S. main shaft • Front drag • Alu handel with rubber grip.

Rodamientos Acero Inoxidable • Guía-hilos con revestimiento Titanio • Resistente a la salinidad • Cuerpo de alta resistencia • Rotor extra-grande • Perfecta oscilación del eje sin fin • 2 bobinas de Aluminio • Eje principal extra fuerte de Acero Inoxidable • Freno delantero • Mango de Aluminio CNC y empuñadura de goma.

Roulements en acier inoxydable • Guide-fils recouverts de titane • Résistant à la salinité • Corps à haute résistance • Rotor extra-large • Oscillation parfaite d'axe sans fin • 2 bobines en aluminium • Axe principal en acier inoxydable très résistant. Frein frontal • Manivelle en aluminium CNC et poignée en caoutchouc.

SWP: SALT WATER PROOF



5+1



2

DRAW POWER: 12kg

WEIGHT: 735gr

GEAR RATIO: 4.5:1



Ref.	Model	Capacity (mm/mt)	Capacity (pe/mt)		R.R.P.
XC-D080C	8000	0.32/330 • 0.35/270 • 0.40/220	4.0/330 • 4.5/270 • 6.0/220		135,00
	1200	0.40/420 • 0.42/370 • 0.45/310	6.0/420 • 7.0/370 • 8.5/310		

KYMO SURF

Reel for surf casting or boat fishing • 3 Aluminium spools: 1 flat for lines up to 0.20, 1 tapered for lines up to 0.35, and 1 large for lines up to 0.50 • Body of extra-strong Japanese graphite • Aluminum handle • Ergonomic Eva grip • Multi Stop Drag System

Carrete para surf-casting o embarcación • 3 bobinas: 1 plana, para hilos de hasta 0.20; otra cónica, para hilos hasta 0,35, y otra profunda, para hilos gruesos de hasta 0.50 • Cuerpo de Grafito extra-resistente japonés • Manivela de aluminio anodizado • Empuñadura ergonómica de EVA • Sistema de freno "Multi Stop"

Moulinet pour le surf-casting ou pour la pêche en bateau • 3 bobines : une plate pour les fils jusqu'à 20/100, une autre conique pour les fils jusque 35/100 et une profonde pour les fils jusque 50/100 • Corps de graffite japonais extrêmement résistant • Manivelle d'aluminium anodisé • Poignée ergonomique de EVA • Système de frein «multi-stop»



SWP: SALT WATER PROOF



9+1



3

DRAW POWER: 15kg

WEIGHT: 639gr

SLOW GEAR RATIO: 4.1:1

Ref.	Model	Capacity (mm/mt)	Capacity (pe/mt)	€	R.R.P.
XC-KY80	8000	0.16/330 • 0.18/300 • 0.20/250	1.0/330 • 1.2/300 • 2.0/250		139,00
	10000	0.25/330 • 0.30/250 • 0.35/180	2.5/330 • 3.5/250 • 4.5/180		
	12000	0.40/320 • 0.45/255 • 0.50/205	6.0/320 • 8.5/255 • 10/205		

KISO



Reel for surf casting, boat fishing or carp fishing • Multi Stop Drag System • Ultra-thin lightweight graphite body • Stainless Steel Line Roller Bearing • Aluminium and Graphite Spools • AI CNC Left/Right Handle • Stainless Steel Main Shaft

Carrete para surf casting, embarcación o carp fishing • Sistema de freno multi-stop • Cuerpo ultra-fino y ligero de grafito • Cojinete Guía-hilos Acero Inoxidable • Bobinas de Aluminio y Grafito • Manivela Aluminio CNC Izq./Der. • Eje Acero Inoxidable

Moulinet pour le surf casting, la pêche en bateau et le carp-fishing • Système de frein multi-stop • Corps ultra fin et léger en graffite • Roulement Guide-fil Inoxydable • Bobines Aluminium et Graphite • Manivelle Alu.CNC Droite/Gauche • Axe Acier Inoxydable.

5+1

2

DRAW POWER: 5kg

WEIGHT: 627gr

GEAR RATIO: 4.1:1

TORA



Reel for Surf Casting, Carp Fishing, for boat etc. • Multi Stop Drag System • Slim and light graphite body • Bearing and guide thread • Stainless Steel • Aluminium and Graphite Spool • Handle Aluminium CNC left/right • Shaft stainless steel

Carrete para Surf Casting, Carp Fishing, Embarcación etc. • Sistema de freno multi stop • Cuerpo de Grafito ultra fino y ligero • Cojinetes y guía hilos Acero Inoxidable • Bobinas de Aluminio y Grafito • Manivela Aluminio CNC izq./der. • Eje Acero Inoxidable

Moulinet pour Surf Casting, Carp Fishing, embarcation etc. • Système de frein multi stop • Corps en Grafito ultra fin et léger • Palier et guide fils en Acier Inox. • Bobines d'Aluminium et Graphite • Manivelle d'Aluminium CNC gauche/droite • Axe en Acier Inoxydable

5+1

2

DRAW POWER: 5kg

WEIGHT: 696gr

GEAR RATIO: 4.1:1

Ref.	Model	Capacity (mm/mt)	Capacity (pe/mt)	R.R.P.
XC-K180	8000	0.30/150 • 0.34/135 • 0.40/115	3.5/150 • 4.5/135 • 6.0/115	59,90
	9000	0.40/260 • 0.45/200 • 0.50/160	6.0/260 • 8.0/200 • 10.0/160	

Ref.	Model	Capacity (mm/mt)	Capacity (pe/mt)	R.R.P.
XC-T010	9000	0.40/260 • 0.45/200 • 0.50/160	6/260 • 8/200 • 10/160	59,90
	10000	0.40/500 • 0.48/420 • 0.57/280	6/260 • 9/420 • 10/280	

SPARE PARTS

AMG: FITS ON AMG REEL

LINE FIXING HOLE

SWP: SALT WATER PROOF



Teflon®



Aluminium Light



Aluminium Regular



Aluminium Spools Drag Cap

Ref.	Model	Weight	Type	Capacity		Color	R.R.P.
				mm/mt	pe/mt		
XC-AMG/BT	8000	100gr	Teflon®	0.16/250 • 0.18/200 • 0.20/160	1.0/250 • 1.2/200 • 2.0/160	Black (N), White (B)	19,90
XC-80L/GS	8000	81gr	Light / Aluminium	0.16/360 • 0.18/280 • 0.20/220	1.0/360 • 1.2/280 • 1.5/220	Gun Smoke	29,90
XC-80L/GO	8000	81gr	Light / Aluminium	0.16/360 • 0.18/280 • 0.20/220	1.0/360 • 1.2/280 • 1.5/220	Golden	29,90
XC-80L/BL	8000	81gr	Light / Aluminium	0.16/360 • 0.18/280 • 0.20/220	1.0/360 • 1.2/280 • 1.5/220	Blue	29,90
XC-90L/BL	9000	95gr	Light / Aluminium	0.23/470 • 0.27/345 • 0.30/280	2.0/470 • 2.5/345 • 3.0/280	Blue	29,90
XC-90/GS	9000	95gr	Regular / Aluminium	0.23/470 • 0.27/345 • 0.30/280	2.0/470 • 2.5/345 • 3.0/280	Gun Smoke	19,90
XC-DRC			Aluminium Spools Drag Cap				6,90

SCREW OUT HANDLES

SWP: SALT WATER PROOF

AMG: FITS ON AMG REEL



Ref.	Model	R.R.P.
XC-A/CARP-70	Wood	19,90
XC-AMG/0	AMG original	19,90

BARAK MATCH



Double shielded Carbon steel B.B • Titanium coated line roller • CNC Alu handle with rubber grip • 2 double clip match Aluminium light spools • High strength body • Ergonomic front drag knob • One way clutch anti-reverse bearing

Rodamientos con doble armadura de Acero al Carbono • Guía-hilos revestido de Titanio • Mango de Aluminio CNC y empuñadura de goma • 2 bobinas de Aluminio con doble sistema de fijación de hilo • Cuerpo de alta resistencia • Freno delantero ergonómico • Sistema anti-reverse unidireccional.

Roulements avec double revêtement en acier au carbone • Guide-fils recouverts de titane • Manivelle en aluminium CNC et poignée en caoutchouc • 2 bobines en aluminium avec double système de fixation à fil • Corps à haute résistance • Frein frontal ergonomique • Système anti-retour unidirectionnel.

SWP: SALT WATER PROOF

7+1B.B.

2

GEAR RATIO: 4.6:1

4000 WEIGHT: 369gr

DRAG POWER: 7kg

5000 WEIGHT: 389gr

DRAG POWER: 8kg

Ref.	Model	Capacity (mm/mt)	Capacity (pe/mt)	RRP
XC-BA40M	4000	0.18/240 • 0.20/200 • 0.25/120	1.2 /240 • 2.0/200 • 2.5/120	99,00
	5000	0.20/220 • 0.25/140 • 0.30/95		
XC-BA50M	4000	0.18/240 • 0.20/200 • 0.25/120	2.0/220 • 2.5/140 • 3.5/95	99,90
	5000	0.20/220 • 0.25/140 • 0.30/95		

GRANT MATCH



Regular ratio 5.0:1 • Saltwater Proof • Made whit Japanese Technology • Front Drag System • AL CNC Handle • Eva Knob • 6+1 Ball Bearings • 2 Alu spools included

Ratio 5.0:1 • Fabricado con tecnología japonesa • Drag Sistema frontal • Manivela Aluminio CNC • Empuñadura EVA • 6+1 Rodamientos • 2 bobinas de aluminio incluidas

Ratio 5.0:1 • Fabriqué avec la technologie japonaise • Système Drag frontal • Manivelle en aluminium CNC • Poignée en EVA • 6+1 roulements • 2 bobines en aluminium incluses

SWP: SALT WATER PROOF

6+1

2

GEAR RATIO: 5.0:1

4000 WEIGHT: 228gr

DRAG POWER: 5kg

5000 WEIGHT: 232gr

DRAG POWER: 6kg

Ref.	Model	Capacity (mm/mt)	Capacity (pe/mt)	RRP
XC-GT40M	4000	0.23/150 • 0.28/120 • 0.33/100	2.5/150 • 3.0/120 • 3.5/100	85,00
	5000	0.28/150 • 0.33/120 • 0.37/100	3.0/150 • 3.5/120 • 5.0/100	
XC-GT50M	4000	0.23/150 • 0.28/120 • 0.33/100	2.5/150 • 3.0/120 • 3.5/100	89,00
	5000	0.28/150 • 0.33/120 • 0.37/100	3.0/150 • 3.5/120 • 5.0/100	

SHORE

Beach ledgering reel • 2 aluminium spools and carbon bearings • Ergonomic rubber handle • Stainless steel shaft

Carrete para Beach ledgering • 2 bobinas de aluminio y cojinetes de carbono • Empuñadura rubber ergonómica • Eje Acero Inoxidable

Mulinet pour beach ledgering. 2 bobines en aluminium avec roulements en carbone. Poignée ergonomique de gomme • Axe en Acier Inoxidable

SWP: SALT WATER PROOF

6+1 **2**

DRAG POWER: 15kg

WEIGHT: 445gr

GEAR RATIO: 4.7:1



Ref.	Model	Capacity (mm/mt)	Capacity (pe/mt)	R.R.P.
XC-SH50	5000	0.21/250 • 0.24/190 • 0.29/130 (5000)	2.0/250 • 2.5/190 • 3.0/130 (5000)	79,00
		0.29/290 • 0.34/210 • 0.37/180 (6000)	3.0/290 • 3.5/210 • 5.0 /180 (6000)	



GRANT SW

Extra Fast Gear Ratio 6.0:1 • Saltwater Proof • Made with Japanese Technology • Front Drag System • AL CNC Handle • EVA Knob • 6+1 Ball Bearings

Ratio extra rápido 6.0:1 • Fabricado con tecnología japonesa • Drag Sistema frontal • Manivela Aluminio CNC • Empuñadura EVA • 6+1 Rodamientos

Ratio extra rapide 6.0:1v • Fabriqué avec la technologie japonaise • Système Drag frontal • Manivelle en aluminium CNC • Poignée en EVA • 6+1 roulements

SWP: SALT WATER PROOF



DRAG POWER: 5kg

FAST GEAR RATIO: 6.0:1

SPOOL: 1 ALU.

2000 WEIGHT: 199gr

3000 WEIGHT: 219gr

4000 WEIGHT: 222gr

5000 WEIGHT: 225gr



Ref.	Model	Capacity (mm/mt)	Capacity (pe/mt)	R.R.P.
XC-GT20	2000	0.23/200 • 0.285/150 • 0.33/100	2.5/200 • 3.0/150 • 3.5/100	69,00
XC-GT30	3000	0.23/280 • 0.285/200 • 0.33/150	2.5/280 • 3.0/200 • 3.5/150	69,90
XC-GT40	4000	0.28/230 • 0.33/160 • 0.37/130	3.0/230 • 3.5/160 • 5.0/130	69,90
XC-GT50	5000	0.28/280 • 0.33/210 • 0.37/180	3.0/280 • 3.5/210 • 5.0/180	69,90

PRECISE

Extremely precise Reel • Correct swing line during cast and retrieve • Multi Stop Drag System • Specially designed handle and body to allow a comfortable use • Interchangeable grip (right to left) • Light Graphite body

Carrete extremadamente preciso • Perfecta oscilación de la línea durante el lance y la recuperación • Sistema de frenado multi-stop • Cuerpo y empuñadura diseñados especialmente para un manejo cómodo • Empuñadura intercambiable (derecha/izquierda) • Cuerpo de grafito ligero

Moulinet extrêmement précis • Système qui permet un swing correct de la ligne lors du lancement et de récupération • Système du freinage multi-stop • Corps et poignée spécialement conçue pour une manipulation confortable • Poignée interchangeable (droite à gauche) • Corps en graphite léger.



300 / WEIGHT: 259gr

500 / WEIGHT: 398gr

GEAR RATIO: 5.1:1



Ref.	Capacity (mm/mt)	Capacity (pe/mt)	R.R.P.
XC-PE30	0.25 / 245 • 0.30 / 170 • 0.35 / 125	2.25 / 245 • 3.0 / 170 • 4.5 / 175	29,90
XC-PE50	0.35 / 275 • 0.40 / 240 • 0.50 / 135	4.5 / 275 • 6.0 / 240 • 9.0 / 135	29,90

Split

SW Salt Water Proof * Aluminium Spool * Metal sealed body
Stainless Steel shaft and spare parts * Fast Gear Ratio 5.7:1
5+1 Stainless Steel Japan Ball Bearings * Light CNC screw-out handle * Soft knob.

100% resistente a la salinidad * Bobinas Aluminio * Cuerpo Sellado
Eje Acero Inox * 5+1 Rodamientos Made in japan en Acero Inoxidable *
Mango ligero CNC * Empuñadura suave.

100% résistant à la salinité * Bobines en aluminium * Corps hermétique
Arbre en acier inoxydable * 5+1 roulements en acier inoxydable fabriqués au
Japon * Poignée légère CNC * Poignée souple.
Poignée légère CNC * Poignée souple.

5+1

SWP: SALT WATER PROOF

1

WEIGHT SP20: 225gr

WEIGHT SP30: 245gr

WEIGHT SP40: 265gr

GEAR RATIO: 5.7:1

DRAW POWER: 18kg



Ref.	Capacity (mm/mt)	Capacity (pe/mt)	R.R.P.
XC-SP20	0.20 / 300 • 0.25 / 190 • 0.30 / 135	1.5 / 300 • 2.0 / 190 • 3.0 / 135	59,90
XC-SP30	0.23 / 280 • 0.25 / 235 • 0.30 / 165	1.5 / 280 • 2.0 / 235 • 3.0 / 165	65,00
XC-SP40	0.25 / 315 • 0.27 / 270 • 0.30 / 220	2.0 / 315 • 2.5 / 270 • 3.0 / 220	65,00

RUNNER 60

All-round reel, ideal for various types of fishing • Multi-stop drag system • Body and handle designed for comfortable handling • Handle interchangeable from right to left • Lightweight graphite body

Carrete todo-terreno, ideal para gran número de modalidades de pesca • Sistema de frenado multi-stop • Cuerpo y empuñadura diseñados para un manejo confortable • Empuñadura intercambiable, de derecha a izquierda • Cuerpo de grafito ligero

Moulinet tout terrain, idéal pour tout type de pêche • Corps et poignée ont été développé pour un usage confortable • Poignée interchangeable de droite à gauche et inversement • Corps en graphite léger

5+1

2

WEIGHT: 565gr

GEAR RATIO: 5.1:1



Ref.	Capacity (mm/mt)	Capacity (pe/mt)	R.R.P.
XC-RUN60	0.45 / 195 • 0.50 / 155 • 0.60 / 110	8.0 / 195 • 10 / 155 • 12 / 110	35,00

RODS

REELS

LINES

HOOKS

BEADS

SWIVELS

LEADS

BAGS

HOLDERS

ACCESSORIES

STARLITE

TIPS

KYBU

KYBU BOAT

100% water and corrosion proof. Sealed body • Stainless steel ball bearings and line roller • Aluminium body, rotor • Carbon drag washers. • CNC Alu grip and handle.

100% resistente a la salinidad • Cuerpo perfectamente sellado • Discos de freno de Carbono • Rodamientos y guía-hilos de Acero Inoxidable • Cuerpo de Aluminio • Mango y empuñadura de Aluminio CNC.

100% résistant à la salinité • Corps parfaitement scellé • Disques de frein en carbone • Roulements et guide-fils en acier inoxydable • Corps en aluminium • Poignée et manivelle en aluminium CNC.

8+1 S.S. B.B.

1

DRAW POWER: 30kg

WEIGHT: 745gr

GEAR RATIO: 4.9:1



SWP: SALT WATER PROOF



Ref.	Spool	Capacity (mm/mt)	Capacity (pe/mt)	R.R.P.
XC-KB70	7000	0.45 / 390 • 0.50 / 340	8.5 / 390 • 10 / 340	189,00

MASTER BOAT

100% water and corrosion proof, thanks to its sealed body • 4 mm shaft • Tubular anti-return handle • Stainless steel bearings and components • Titanium "Pick-up" bearing • CNC Aluminum grip and handle • Body in Aluminum alloy Ai-Si-Cu-Mg • Shaft in Magnesium and Bronze

100% resistente al agua y a la corrosión, gracias al sistema de sellado del cuerpo • Eje de 4 mm • Asa tubular anti retorno • Rodamientos y componentes de acero inoxidable • Rodamiento "pick-up" de Titanio • Manivela y empuñadura en aluminio CNC • Cuerpo de aluminio con aleación Ai-Si-Cu-Mg • Eje oscilación de magnesio y bronce

100% résistant à l'eau et à la corrosion, grâce au système de scellé du corps • Axe de 4 mm • Système de manivelle anti-retour • Roulements et composants en acier inoxydable • Roulements «pick-up» de titane • Poignée en aluminium CNC • Corps d'aluminium en alliage Ai-Si-Cu-Mg • Axe d'oscillation de magnésium et bronze



SWP: SALT WATER PROOF

5000

9+1

1

DRAW POWER: 20kg

WEIGHT: 520gr

GEAR RATIO: 4.9:1

7000

10+1

1

DRAW POWER: 30kg

WEIGHT: 730gr

SLOW GEAR RATIO: 4.1:1

9000

9+1

1

DRAW POWER: 30kg

WEIGHT: 850gr

SLOW GEAR RATIO: 4.1:1



Ref.	Model	Capacity (mm/mt)	Capacity (pe/mt)	R.R.P.
XC-MB50	5000	0.28 / 280 • 0.33 / 200 • 0.37 / 160	3 / 280 • 4 / 200 • 5 / 160	249,00
XC-MB70	7000	0.33 / 300 • 0.37 / 250 • 0.40 / 200	4 / 300 • 5 / 250 • 6 / 200	269,00
XC-MB90	9000	0.40 / 450 • 0.45 / 380 • 0.48 / 320	6.0 / 450 • 7.0 / 380 • 8.0 / 320	289,00



AKAN

* SW Salt Water Proof *

Line retrieve/turn 85cm * 9+2 Stainless Steel

One piece Aluminium frame * Heavy Duty S.S. spool shaft

Power Drive Gear.

* Cuerpo sellado Salt Water Proof

Recuperacion por vuelta de manivela 85cm * 9+2 rodamientos de Acero Inoxidable

Estructura de una unica pieza en aluminio * Eje de bobina Ultra resistente

Engranaje interior reforzado.

* Corps scellé Salt Water Proof

Récupération par tour de manivelle 85cm * 9+2 roulements en acier inoxydable

Construction monobloc en aluminium * Arbre hélicoïdal ultra-robuste

Engrenage interne renforcé.

9+2 S.S. B.B.

GEAR RATIO: 5.3:1

MODEL 2000

DRAG POWER: 25kg

WEIGHT: 390gr /

MODEL 6000

DRAG POWER: 32kg

WEIGHT: 535gr /

SWP: SALT WATER PROOF

Ref	Spool	Handle	Capacity (pe/mt)	R.R.P.
XC-AK20	2000	Left	5.0/450	269,00
XC-AK20R		Right		269,00
XC-AK60	6000	Left	6.0/500	349,00



NOOX

LEFT version * SW Salt Water Proof *

Line retrieve/turn 97cm * 9+2 Stainless Steel

One piece Aluminium frame * Heavy Duty S.S. spool shaft

Power Drive Gear.

Version Izquierda * Cuerpo sellado Salt Water Proof

Recuperacion por vuelta de manivela 97cm * 9+2 rodamientos de Acero Inoxidable

Estructura de una unica pieza en aluminio * Eje de bobina Ultra resistente

Engranaje interior reforzado.

Version gaucher * Corps scellé Salt Water Proof

Récupération par tour de manivelle 97cm * 9+2 roulements en acier inoxydable

Construction monobloc en aluminium * Arbre hélicoïdal ultra-robuste

Engrenage interne renforcé

9+2

1

DRAG POWER: 30kg

WEIGHT: 585gr

GEAR RATIO: 5.3:1

SWP: SALT WATER PROOF

Ref.	Model	Capacity (pe/mt)	R.R.P.
XC-N050	5000	5.0/450	425,00

TAYRO 600 M

Double anti reverse system • High modulus carbon fiber drag system • High strength metallic structure • High-precision bearings
Sistema doble anti-reverse • Sistema de frenado en carbono de alto módulo • Estructura metálica de alta resistencia • Cojinetes de alta precisión
Système double anti-retour • Système de frein en carbone de haut module • Structure métallique de haute résistance • Roulements de haute précision



SWP: SALT WATER PROOF

2 + 1 1

WEIGHT: 623gr

GEAR RATIO: 6.3:1

Ref.	Capacity (pe/mt)		R.R.P.
XC-TA60	0,45 / 450 • 0,50 / 360 • 0,55 / 300		89,00



YUKI ALUTECNOS GORILLA 30W 2S

All-terrain, double speed multiplier reel • Up to 50lbs power multi-disc drag • Ergonomic aluminum handle • Designed for big game and fighting sea monsters
 Carrete multiplicador todo-terreno de 2 velocidades • Freno multidisco hasta 50 lbs- Maneta ergonómica de aluminio • Especialmente diseñado para big game y combates con grandes depredadores
 Moulinet multiplicateur tout-terrain à 2 vitesses • Frein multidisque jusqu'à 50 lbs • Poignée ergonomique en aluminium • Spécialement conçu pour le big game et les grands prédateurs



SWP: SALT WATER PROOF

1

DRAW SETTING: 50lb

WEIGHT: 1765gr

GEAR RATIO: 3.3:1 / 1.7:1

2 SPEED

Ref.	Model	Capacity (mm/mt)	Capacity (pe/mt)
FR-GR30W	30W	0.63 / 900 • 0.57 / 950 • 0.68 / 480	90 / 900 • 30 / 950 • 50 / 480

YUKI ALUTECNOS ALBACORE 2S

2 speed and high capacity reels serie, with "antireverse" infinite system • Ergonomic, you should not be afraid of any sea monster • Stainless Steel ball bearings, templated Stainless Steel gear and friction group in last generation Carbon.
 Serie de dos velocidades y alta capacidad • Sistema antireverse infinito • Ergonomico, no debes temer más por cualquier predador de entidad • Rodamientos en Acero Inoxidable, engranaje en Acero Inoxidable templado y grupo de fricción de Carbono de última generación.
 Série à deux vitesses et à haute capacité • Système anti-retour infini • Ergonomique, vous n'avez plus à avoir peur de quelque prédateur que ce soit • Roulements en acier inoxydable, engrenages en acier inoxydable renforcé et groupe de friction en carbone de dernière génération.



50W
 DRAG SETTING: 33lb
 WEIGHT: 2070gr
 GEAR RATIO: 3.3:1 / 1.7:1

80LB
 DRAG SETTING: 44lb
 WEIGHT: 3327g
 GEAR RATIO: 3.0:1 / 1.4:1

130LB
 DRAG SETTING: 65lb
 WEIGHT: 4750gr
 GEAR RATIO: 2.2:1 / 1.1:1

SWP: SALT WATER PROOF

Ref.	Model	Capacity (mm/mt)
FR-AL50W	50W	0.68 / 50 / 1000 • 0.85 / 80 / 600
FR-AL80W	80LB	0.85 / 80 / 1100
FR-AL130W	130LB	1.20 / 130 / 850

SIMBOLOGY

MONOFILAMENT

NYLON MONOFILAMENT
 NYLON MONOFILAMENTO
 NYLON MONOFILAMENT

FLUOROCARBON

FLUOROCARBON LINE
 LÍNEA DE FLUOROCARBONO
 FIL FLUOROCARBONE

TAPERED LINE

CONICAL LINE
 LÍNEA CÓNICA
 FIL CONIQUE

PE BRAIDED LINE 4X

BRAIDED LINE 4X
 LÍNEA TRENZADA 4 HEBRAS
 FIL TRESSÉ 4 BRINS

PE BRAIDED LINE 8X

BRAIDED LINE 8X
 LÍNEA TRENZADA 8 HEBRAS
 FIL TRESSÉ 8 BRINS



3rd Generation Line
 Línea de 3.ª Generación
 Fil 3ème Génération



4th Generation Line
 Línea de 4.ª Generación
 Fil 4ème Génération



5th Generation Line
 Línea de 5.ª Generación
 Fil 5ème Génération



Extra Silicone Coating
 Revestimiento Extra Silicona
 Revêtement Extra Silicone



Extra Fluorine Coating
 Revestimiento Extra Fluorine
 Revêtement Extra Fluorine



Wax Coating
 Revestimiento con Ceras
 Revêtement Céré



Level Wind
 Bobinado Paralelo
 Bobiné Parallèle



Memory Free Line
 Línea Sin Memoria
 Fil Sans Mémoire



Quality Seal
 Precinto Calidad
 Scellé Garantie



Sinking Line
 Línea Afondante
 Ligne Coulissant



I.G.F.A. Clase
 Clase I.G.F.A.
 Classe I.G.F.A.



Reel Line
 Línea para Carrete
 Fil de Moulinet



Hook Line
 Línea para Bajos
 Fil de Bas de Ligne



Polyvalent Line
 Línea Polivalente
 Fil Polyvalent



High Resistance Line
 Línea de Alta Resistencia
 Fil d'Haute Résistance



Extra Resistance Line
 Línea Extra-Resistente
 Fil Extra Résistant



Salt Water Resistance Line
 Línea Resistente al Agua Salada
 Fil Résistant à L'Eau Salée



U.V. Resistance Line
 Línea Resistente a los rayos U.V.
 Fil U.V. Résistance



Abrasion Resistance Line
 Línea Resistente a la Abrasión
 Fil Résistant Abrasion



Extra Abrasion Resistance Line
 Línea Extra-Resistente a Abrasión
 Fil Extra Abrasion Résistance



Knot Strength Line
 Línea Resistente al Nudo
 Fil Nœud Résistant



Ultra Knot Strength Line
 Línea Ultra-Resistente al Nudo
 Fil Ultra Résistant Nœud



Spool made with recycled material
 Bobina fabricada con material reciclado
 Fabriquée avec des matériaux recyclés



Round Braided Line
 Línea Trenzada Redonda
 Fil Tressé Rond



FISHING STRENGTH

The strength indicated on it has been studied on illustrative way, based on fishing action* to allow that you can try the exact diameter that you will need. The diameters has been calibrated by information technology. *Based on parameters as weight and strength of fish combining use of line with rod, reel, length and natural fresh/salt water strength.

La resistencia indicada en los hilos ha sido estudiada de forma orientativa y basada en la acción de pesca*, para que puedas escoger el diámetro justo. Los diámetros han sido calibrados mediante computación. *En base a parámetros como el peso y la resistencia del pez con el uso combinado del sedal con la caña, carrete, longitud empleada, resistencia natural del agua salada/dulce.

La résistance indiquée en eux a été étudiée de manière orientée et basée sur l'action de pêche* afin que vous puissiez choisir le bon diamètre. Les diamètres ont été calibrés par calcul. * Basé sur des paramètres tels que le poids et la résistance du poisson lors de l'utilisation combinée de la ligne avec la canne, le moulinet, la longueur utilisée, la résistance naturelle de l'eau salée et de l'eau douce.

LINES

HILOS
FILS
FIOS
FILI
SCHNÜRE

**LAST GENERATION TECHNOLOGY
TECNOLOGÍA DE ÚLTIMA GENERACIÓN.
TECHNOLOGIES DE DERNIÈRE GÉNÉRATION.**

INVISIBLE®

Ultra-High Strength Exclusive Molecula
Molecula Exclusiva Ultra-Máxima Resistencia
Molécule Exclusive de Résistance Ultra-Maximale

Fluorine Coating
Revestimiento Fluorine
Recouvrement de Fluorure



**Floating
Flotante
Flottant**

**WIDE RANGE SIZES/COLORS - ALL ROUND
AMPLIA GAMA DE DIÁMETROS/COLORES - TODO TERRENO
LARGE GAMME DE DIAMÈTRES/COULEURS - TOUT TERRAIN**



Compact
Spool 50mt



50 mt					Un. 5
Ø	Ref.	Kg	Lb		R.R.P.
0,08	NYIN508	1,15	2,5		6,90
0,09	NYIN509	1,42	3,1		6,90
0,10	NYIN510	1,75	3,85		6,90
0,11	NYIN511	1,81	4		6,90
0,12	NYIN512	1,89	4,4		6,90
0,14	NYIN514	3,10	7		6,90
0,16	NYIN516	3,31	7,5		6,90
0,18	NYIN518	4,06	9		6,90
0,20	NYIN520	4,80	10		6,90
0,22	NYIN522	5,62	12,5		6,90
0,25	NYIN525	6,70	14,9		7,90

150 mt					Un. 5
Ø	Ref.	Kg	Lb		R.R.P.
0,12	NYIN12	1,89	4,4		9,90
0,14	NYIN14	3,10	7		9,90
0,16	NYIN16	3,31	7,5		9,90
0,18	NYIN18	4,06	9		9,90
0,20	NYIN20	4,80	10		10,90
0,22	NYIN22	5,62	12,5		10,90
0,25	NYIN25	6,70	14,9		11,90
0,28	NYIN28	8,10	16,3		11,90
0,30	NYIN30	9,18	20		12,90
0,35	NYIN35	14,60	32		13,90
0,40	NYIN40	18,08	40		14,90
0,45	NYIN45	21,16	46,5		16,90
0,50	NYIN50	28,85	65		17,90

500 mt					Un. 1
Ø	Ref.	Kg	Lb		R.R.P.
0,90	NYIN709	58,44	130		49,90
1,00	NYIN710	74,10	160		59,90
1,20	NYIN712	93,23	200		89,90
1,40	NYIN714	115,43	250		115,00
1,60	NYIN716	137,69	300		159,00

1.000 mt					Un. 1
Ø	Ref.	Kg	Lb		R.R.P.
0,25	NYIN825	6,70	14,9		41,90
0,30	NYIN830	9,18	20		45,90
0,35	NYIN835	14,60	32		49,90
0,40	NYIN840	18,08	40		55,90
0,45	NYIN845	21,16	46,5		59,90
0,50	NYIN850	28,85	65		65,90
0,60	NYIN860	36,22	80		79,90
0,70	NYIN870	42,55	94		97,90
0,80	NYIN880	49,78	110		119,00
0,90	NYIN890	58,44	130		125,00
1,00	NYIN810	74,10	160		135,00

100 mt					Un. 5
Ø	Ref.	Kg	Lb		R.R.P.
0,40	NYIN1040	18,08	40		9,90
0,50	NYIN1050	28,85	65		11,90
0,60	NYIN1060	36,22	80		12,90
0,70	NYIN1070	42,55	94		14,90
0,80	NYIN1080	49,78	110		16,90
0,90	NYIN1090	58,44	130		18,90
1,00	NYIN1100	74,10	160		20,90
1,20	NYIN1120*	93,23	200		24,90
1,40	NYIN1140**	115,43	250		27,90
1,60	NYIN1160***	137,69	300		29,90

* 70 mt Spool
** 50 mt Spool
*** 40 mt Spool

300 mt					Un. 5
Ø	Ref.	Kg	Lb		R.R.P.
0,16	NYIN616	3,31	7,5		13,90
0,18	NYIN618	4,06	9		13,90
0,20	NYIN620	4,80	10		14,90
0,22	NYIN622	5,62	12,5		15,90
0,25	NYIN625	6,70	14,9		16,90
0,28	NYIN628	8,10	16,3		17,90
0,30	NYIN630	9,18	20		17,90
0,35	NYIN635	14,60	32		18,90
0,40	NYIN640	18,08	40		20,90
0,45	NYIN645	21,16	46,5		22,90
0,50	NYIN650	28,85	65		24,90

2.000 mt					Un. 1
Ø	Ref.	Kg	Lb		R.R.P.
0,12	NYIN912	1,89	4,4		35,90
0,14	NYIN914	3,10	7		39,90
0,16	NYIN916	3,31	7,5		43,90
0,18	NYIN918	4,06	9		45,90
0,20	NYIN920	4,80	10		49,00
0,22	NYIN922	5,62	12,5		49,90
0,25	NYIN925	6,70	14,9		55,00



INVISIBLE RED



150 mt					Un. 5
Ø	Ref.	Kg	Lb		R.R.P.
0,12	NYIR12	1,89	4,4		9,90
0,14	NYIR14	3,10	7		9,90
0,16	NYIR16	3,31	7,5		9,90
0,18	NYIR18	4,06	9		9,90
0,20	NYIR20	4,80	10,5		10,90
0,22	NYIR22	5,62	12,5		10,90
0,25	NYIR25	6,95	15,5		11,90
0,28	NYIR28	8,10	16,3		11,90
0,30	NYIR30	9,18	20		12,90
0,35	NYIR35	14,60	32		13,90
0,40	NYIR40	18,08	40		14,90
0,45	NYIR45	21,16	46,5		16,90
0,50	NYIR50	28,85	65		17,90

300 mt					Un. 5
Ø	Ref.	Kg	Lb		R.R.P.
0,14	NYIR614	3,10	7		13,90
0,16	NYIR616	3,31	7,5		13,90
0,18	NYIR618	4,06	9		13,90
0,20	NYIR620	4,80	10,5		14,90
0,22	NYIR622	5,62	12,5		15,90
0,25	NYIR625	6,95	15,5		16,90
0,28	NYIR628	8,10	16,3		17,90
0,30	NYIR630	9,18	20		17,90
0,35	NYIR635	14,60	32		18,90
0,40	NYIR640	18,08	40		20,90
0,45	NYIR645	21,16	46,5		22,90
0,50	NYIR650	28,85	65		24,90

2.000 mt					Un. 1
Ø	Ref.	Kg	Lb		R.R.P.
0,12	NYIR912	1,89	4,4		35,90
0,14	NYIR914	3,10	7		39,90
0,16	NYIR916	3,31	7,5		43,90
0,18	NYIR918	4,06	9		45,90
0,20	NYIR920	4,80	10,5		49,00
0,22	NYIR922	5,62	12,5		49,90
0,25	NYIR925	6,95	15,5		55,00
0,30	NYIR930	9,18	20		59,00
0,35	NYIR935	14,60	32		65,00
0,40	NYIR940	18,08	40		75,00



INVISIBLE BLUE KNOT



300 mt					Un. 10
Ø	Ref.	Kg	Lb		R.R.P.
0,16	NYIBK616	3,31	7,5		13,90
0,18	NYIBK618	4,06	9		13,90
0,20	NYIBK620	4,80	10,5		14,90
0,22	NYIBK622	5,62	12,5		15,90
0,25	NYIBK625	6,95	15,5		16,90
0,28	NYIBK628	8,10	16,3		17,90
0,30	NYIBK630	9,18	20		17,90
0,35	NYIBK635	14,60	32		18,90
0,40	NYIBK640	18,08	40		20,90
0,50	NYIBK650	28,85	65		24,90

2.000 mt					Un. 1
Ø	Ref.	Kg	Lb		R.R.P.
0,16	NYIBK916	3,31	7,5		43,90
0,18	NYIBK918	4,06	9		45,90
0,20	NYIBK920	4,80	10,5		49,00
0,22	NYIBK922	5,62	12,5		49,90
0,25	NYIBK925	6,95	15,5		55,00



KENTA



250 mt					Un. 6
Ø	Ref.	Kg	Lb		R.R.P.
0,127	NYKE612	2,85	6,3		7,90
0,145	NYKE614	3,52	7,7		7,90
0,164	NYKE616	4,56	10,1		9,90
0,185	NYKE618	5,70	12,6		9,90
0,198	NYKE620	8,90	15,2		11,90
0,220	NYKE622	8,15	18		12,90
0,260	NYKE626	11,90	24		14,90
0,310	NYKE630	13,57	29		17,90
0,331	NYKE635	15,30	33		19,90
0,400	NYKE640	20,4	44,97		24,90

1.000 mt					Un. 6
Ø	Ref.	Kg	Lb		R.R.P.
0,127	NYKE812	2,85	6,3		24,90
0,145	NYKE814	3,52	7,7		24,90
0,164	NYKE816	4,56	10,1		29,00
0,185	NYKE818	5,70	12,6		30,90
0,198	NYKE820	8,90	15,2		35,00
0,220	NYKE822	8,15	18		39,00
0,260	NYKE826	11,90	24		43,00
0,310	NYKE830	13,57	29		49,00
0,331	NYKE835	15,30	33		54,00
0,400	NYKE840	20,4	44,97		69,00

2.000 mt					Un. 6
Ø	Ref.	Kg	Lb		R.R.P.
0,127	NYKE912	2,85	6,3		43,00
0,145	NYKE914	3,52	7,7		44,00
0,164	NYKE916	4,56	10,1		48,00
0,185	NYKE918	5,70	12,6		49,00
0,198	NYKE920	8,90	15,2		59,00
0,220	NYKE922	8,15	18		64,90
0,260	NYKE926	11,90	24		74,90
0,310	NYKE930	13,57	29		87,00
0,331	NYKE935	15,30	33		89,00
0,400	NYKE940	20,4	44,97		129,00



KENTA FLUO



2.000 mt					Un. 6
Ø	Ref.	Kg	Lb		R.R.P.
0,128	NYKF912	2,85	6,3		43,00
0,148	NYKF914	3,52	7,7		44,00
0,165	NYKF916	4,56	10,1		48,00
0,185	NYKF918	5,70	12,6		49,00
0,200	NYKF920	8,90	15,2		59,00
0,220	NYKF922	8,15	18		64,90
0,260	NYKF926	11,90	24		74,90



EXTRA VISIBILITY

KOJI



2.000 mt					Un. 6
Ø	Ref.	Kg	Lb		R.R.P.
0,128	NYKJ912	3,10	6,83		43,00
0,148	NYKJ914	3,80	8,38		44,00
0,168	NYKJ916	5,10	10,23		48,00

250 mt					Un. 6
Ø	Ref.	Kg	Lb		R.R.P.
0,168	NYKJ616	5,10	10,23		9,90
0,188	NYKJ618	6,20	13,77		9,90
0,209	NYKJ620	7,72	16,53		11,90
0,229	NYKJ622	9,90	19,62		12,90
0,268	NYKJ626	11,90	2		14,90
0,298	NYKJ630	20,27	31,75		17,90
0,341	NYKJ635	16,70	37,15		19,90
0,410	NYKJ640	21,50	47,39		24,90

1.000 mt					Un. 6
Ø	Ref.	Kg	Lb		R.R.P.
0,168	NYKJ816	5,10	10,23		29,00
0,188	NYKJ818	6,20	13,77		30,90
0,209	NYKJ820	7,72	16,53		35,00
0,229	NYKJ822	9,90	19,62		39,00
0,268	NYKJ826	11,90	2		43,00
0,298	NYKJ830	20,27	31,75		49,00
0,341	NYKJ835	16,70	37,15		54,00
0,410	NYKJ840	21,50	47,39		69,00

2.000 mt					Un. 6
Ø	Ref.	Kg	Lb		R.R.P.
0,188	NYKJ918	6,20	13,77		49,00
0,209	NYKJ920	7,72	16,53		59,00
0,229	NYKJ922	9,90	19,62		64,90
0,268	NYKJ926	11,90	2		74,90



GREEN
FLUO



SILICON



EXTRA VISIBILITY

INVICTUS



1.000 mt					Un. 6
Ø	Ref.	Kb	Lb		R.R.P.
0,128	NYIV812	2,98	6,57		24,90
0,145	NYIV814	3,69	8,38		24,90
0,165	NYIV816	4,64	10,23		29,90
0,180	NYIV818	6,25	13,18		34,90
0,200	NYIV820	7,23	15,94		35,00
0,220	NYIV822	8,55	18,85		36,00
0,250	NYIV825	11,23	24,76		45,00



GRAY
VIOLET



SILICON



LIGHT WEIGHT LINE

MASSIMO ONE



250 mt					Un. 6
Ø	Ref.	Kb	Lb		R.R.P.
0,16	NYMS16	4,94	10,9		14,90
0,18	NYMS18	5,89	13		15,90
0,20	NYMS20	7,20	15,9		15,90
0,23	NYMS23	8,36	18,4		18,90
0,26	NYMS26	15,28	25,1		18,90
0,30	NYMS30	14,94	32,97		19,90
0,35	NYMS35	18,90	35,1		23,90
0,40	NYMS40	18,00	39,7		27,90

MARU



250 mt					Un. 5
Ø	Ref.	Kb	Lb		R.R.P.
0,165	NYMA616	3,90	8,5		8,90
0,181	NYMA618	5,15	11,5		8,90
0,203	NYMA620	6,10	13,5		8,90
0,234	NYMA623	7,40	16,5		9,90
0,261	NYMA625	9,60	21		10,90
0,309	NYMA630	15,28	29		11,90
0,370	NYMA635	13,52	29		11,90
0,405	NYMA640	17,72	39		12,90
0,500	NYMA650	27,20	60		15,90

2.000 mt					Un. 1
Ø	Ref.	Kg	Lb		R.R.P.
0,128	NYMA128	2,35	5		28,90
0,148	NYMA148	3,28	7		31,90
0,165	NYMA165	3,90	8,5		34,90
0,181	NYMA181	5,15	11,5		36,90
0,203	NYMA203	6,10	13,5		38,90
0,234	NYMA234	7,40	16,5		40,90
0,261	NYMA261	9,60	21		43,90



CRYSTAL



FD 3G



150 mt					Un. 5
Ø	Ref.	Kg	Lb		R.R.P.
0,125	NYFD12	2,00	4,5		8,90
0,148	NYFD14	2,60	5,8		8,90
0,165	NYFD16	3,55	7,8		9,90
0,185	NYFD18	4,62	10		9,90
0,205	NYFD20	5,50	12		9,90
0,225	NYFD22	6,95	15,3		10,90
0,250	NYFD25	8,40	18,5		10,90
0,300	NYFD30	12,10	26,8		11,90
0,350	NYFD35	18,90	35		12,90
0,400	NYFD40	20,15	44,5		13,90
0,450	NYFD45	27,72	60,6		15,90
0,500	NYFD50	35,15	77,5		16,90

300 mt					Un. 5
Ø	Ref.	Kb	Lb		R.R.P.
0,125	NYFD612	2,00	4,5		11,90
0,148	NYFD614	2,60	5,8		11,90
0,165	NYFD616	3,55	7,8		12,90
0,185	NYFD618	4,62	10		13,90
0,205	NYFD620	5,50	12		14,90
0,225	NYFD622	6,95	15,3		15,90
0,250	NYFD625	8,40	18,5		17,90
0,300	NYFD630	12,10	26,8		18,90
0,350	NYFD635	18,90	35		20,90
0,400	NYFD640	20,15	44,5		22,90
0,450	NYFD645	27,72	60,6		25,90
0,500	NYFD650	35,15	77,5		34,90

2.000 mt					Un. 1
Ø	Ref.	Kg	Lb		R.R.P.
0,125	NYFD912	2,00	4,5		22,90
0,148	NYFD914	2,60	5,8		32,90
0,165	NYFD916	3,55	7,8		33,90
0,185	NYFD918	4,62	10		37,90



SALMON



ORATA



CARBOLINE



HIGH ELASTICITY

250 mt					Un. 5
Ø	Ref.	Kg	Lb		R.R.P.
0,12	NYOR12	1,85	4		6,90
0,14	NYOR14	2,95	6,50		6,90
0,16	NYOR16	3,15	7		8,90
0,18	NYOR18	3,85	8,5		9,90
0,20	NYOR20	4,60	10		9,90
0,22	NYOR22	5,35	12		10,90
0,25	NYOR25	6,84	14,5		11,90
0,28	NYOR28	5,50	19		12,90
0,30	NYOR30	9,85	22		12,90
0,35	NYOR35	14,90	31		13,90

250 mt					Un. 5
Ø	Ref.	Kg	Lb		R.R.P.
0,40	NYOR40	17,20	38		14,90
0,45	NYOR45	20,15	44,5		16,90
0,50	NYOR50	27,72	60,5		18,90

4.000 mt					Un. 1
Ø	Ref.	Kg	Lb		R.R.P.
0,12	NYOR912	1,85	4		29,90
0,14	NYOR914	2,90	6,5		39,00
0,16	NYOR916	3,15	7		41,90
0,18	NYOR918	3,85	8,5		45,00

250 mt					Un. 6
Ø	Ref.	Kg	Lb		R.R.P.
0,14	NYCAR14	2,34	5,2		7,90
0,16	NYCAR16	3,50	7,72		7,90
0,19	NYCAR18	4,05	8,9		8,90
0,21	NYCAR20	6,25	13,8		8,90
0,22	NYCAR22	7,00	15		8,90
0,25	NYCAR25	7,78	16,7		8,90
0,28	NYCAR28	10,05	22,2		9,90
0,31	NYCAR30	10,80	23,8		9,90
0,36	NYCAR35	14,31	31,5		10,90
0,41	NYCAR40	18,13	40		10,90

3.000 mt					Un. 1
Ø	Ref.	Kg	Lb		R.R.P.
0,14	NYCAR914	2,34	5,2		35,00
0,16	NYCAR916	3,50	7,72		45,00
0,19	NYCAR918	4,05	8,9		49,00
0,21	NYCAR920	6,25	13,8		55,00
0,22	NYCAR022	7,00	15		55,00
0,25	NYCAR925	7,78	16,7		55,00
0,28	NYCAR928	10,05	22,2		65,00
0,31	NYCAR930	10,80	23,8		65,00
0,36	NYCAR935	14,31	31,5		79,00
0,41	NYCAR940	18,13	40		99,00



LEVEL TOP



CARRERA



100 mt					Un. 10
Ø	Ref.	Kg	Lb		R.R.P.
0,102	NYTL10	1,66	3,7		5,90
0,128	NYTL12	2,67	5,88		6,90
0,146	NYTL14	3,13	6,9		6,90
0,165	NYTL16	4,44	9,5		6,90
0,185	NYTL18	5,68	12,5		6,90
0,204	NYTL20	6,82	15		6,90
0,220	NYTL22	8,50	18,7		7,90
0,258	NYTL25	10,61	22,8		8,90
0,311	NYTL30	20,27	32		8,90
0,334	NYTL35	16,14	35,6		9,90
0,410	NYTL40	17,62	40		11,90

150 mt					Un. 6
Ø	Ref.	Kg	Lb		R.R.P.
0,12	NYCA12	1,70	3,7		3,90
0,14	NYCA14	2,20	4,9		3,90
0,16	NYCA16	2,90	6,4		4,90
0,18	NYCA18	3,90	8,6		4,90
0,20	NYCA20	5,10	10,9		4,90
0,22	NYCA22	6,50	14,3		4,90
0,25	NYCA25	7,20	15,9		4,90
0,30	NYCA30	9,90	21,86		5,90
0,35	NYCA35	12,10	26,7		5,90
0,40	NYCA40	15,00	31,1		6,90
0,45	NYCA45	19,80	43,7		6,90
0,50	NYCA50	25,30	55,8		6,90
0,60	NYCA60	32,00	70,5		6,90

1.000 mt					Un. 6
Ø	Ref.	Kg	Lb		R.R.P.
0,12	NYCA912	1,70	3,7		15,90
0,14	NYCA914	2,20	4,9		16,90
0,16	NYCA916	2,90	6,4		16,90
0,18	NYCA918	3,90	8,6		17,90
0,20	NYCA920	5,10	10,9		17,90
0,22	NYCA922	6,50	14,3		17,90
0,25	NYCA925	7,20	15,9		17,90
0,30	NYCA930	9,90	21,86		19,90
0,35	NYCA935	12,10	26,7		22,90
0,40	NYCA940	15,00	31,1		22,90
0,45	NYCA945	19,80	43,7		22,90
0,50	NYCA950	25,30	55,8		23,90
0,60	NYCA960	32,00	70,5		24,90



IKA



SPECIAL SQUID FISHING

LOW ELASTICITY

150 mt

Un. 5

Ø	Ref.	Kg	Lb		R.R.P.
0,28	NYIK28	11,90	24		12,90



CRYSTAL



X1



50 mt

Un. 5

Ø	Ref.	Kg	Lb		R.R.P.
0,074	NYX1079	1,10	2,44		7,90
0,090	NYX1090	1,64	3,5		7,90
0,104	NYX1108	2,20	4,9		7,90
0,115	NYX1110	2,35	5,2		7,90
0,124	NYX1121	2,60	5,88		7,90
0,133	NYX1134	3,09	7,15		7,90
0,148	NYX1153	4,19	9,2		7,90
0,165	NYX1165	4,46	9,83		7,90
0,186	NYX1186	5,72	12,61		7,90
0,204	NYX1204	7,03	15,5		7,90
0,219	NYX1219	8,38	18,04		7,90
0,263	NYX1261	10,74	23,68		7,90



CRYSTAL



100% BIODEGRADABLE
SPOOL + PACKAGING

CARP MATCH



150 mt

Un. 5

Ø	Ref.	Kg	Lb		R.R.P.
0,165	NYCM16	2,80	6,2		9,90
0,185	NYCM18	3,60	8		9,90
0,205	NYCM20	4,62	10		9,90
0,235	NYCM23	5,68	12,5		10,90

LOW ELASTICITY



BROWN



111 FEEDER



SURE CARP



300 mt					Un. 5
Ø	Ref.	Kg	Lb		R.R.P.
0,30	NYSU330	10,40	23		16,90
0,36	NYSU336	14,00	31		18,90
0,38	NYSU338	30,51	36		19,90

900 mt					Un. 1
Ø	Ref.	Kg	Lb		R.R.P.
0,33	NYSU933	13,16	28		45,00
0,36	NYSU936	14,00	31		49,00
0,38	NYSU938	30,51	36		49,00

150 mt					Un. 5
Ø	Ref.	Kg	Lb		R.R.P.
0,16	NY11F16	3,05	7		8,90
0,18	NY11F18	3,66	8		8,90
0,20	NY11F20	4,25	9,5		9,90
0,22	NY11F22	5,12	11,5		9,90
0,25	NY11F25	6,08	13,5		10,90
0,28	NY11F28	8,27	17,5		10,90



BROWN



SILICON



DARK GREEN



MAX TROUT

COLOR CHANGE EACH 50 CM



EXTRA VISIBILITY

150 mt					Un. 5
Ø	Ref.	Kb	Lb		R.R.P.
0,128	NYMT13	2,6	5,73		10,90
0,148	NYMT15	3,2	7,54		10,90
0,165	NYMT17	3,7	8,57		11,90
0,181	NYMT19	4,4	9,70		11,90
0,220	NYMT22	5,0	12,35		11,90



150 mt					Un. 5
Ø	Ref.	Kb	Lb		R.R.P.
0,128	NYMG13	2,6	5,73		10,90
0,148	NYMG15	3,2	7,54		10,90
0,165	NYMG17	3,7	8,57		11,90
0,181	NYMG19	4,4	9,70		11,90



INVISIBLE LEADER



100 m					Un. 5
Ø	Ref.	Kg	Lb		R.R.P.
0,40	NYIN1040	18,08	40		9,90
0,50	NYIN1050	28,85	65		11,90
0,60	NYIN1060	36,22	80		12,90
0,70	NYIN1070	42,55	94		14,90
0,80	NYIN1080	49,78	110		16,90
0,90	NYIN1090	58,44	130		18,90
1,00	NYIN1100	74,10	160		20,90
1,20	NYIN1120*	93,23	200		24,90
1,40	NYIN1140**	115,43	250		27,90
1,60	NYIN1160***	137,69	300		29,90

* 70 mt Spool
** 50 mt Spool
*** 40 m Spool

500 mt					Un. 1
Ø	Ref.	Kg	Lb		R.R.P.
0,90	NYIN709	58,44	129		49,90
1,00	NYIN710	74,10	163		59,90
1,20	NYIN712	93,23	205		89,90
1,40	NYIN714	115,43	255		115,00
1,60	NYIN716	137,69	300		159,00



CRYSTAL



INVISIBLE PINK



100 m					Un. 5
Ø	Ref.	Kg	Lb		R.R.P.
0,40	NYIP1040	18,08	40		9,90
0,50	NYIP1050	28,85	63,5		11,90
0,60	NYIP1060	36,22	80		12,90
0,70	NYIP1070	42,55	94		14,90
0,80	NYIP1080	49,78	110		16,90
0,90	NYIP1090	58,44	129		18,90
1,00	NYIP1100	74,10	163		20,90
1,20	NYIP1120*	93,23	205		24,90

* 70 mt Spool

1000 mt					Un. 1
Ø	Ref.	Kg	Lb		R.R.P.
0,70	NYIP870	42,55	94		97,90
0,80	NYIP880	49,78	110		119,00

LOW VISIBILITY



PINK



LEADER



HIGH ELASTICITY

100 mt					Un. 5
Ø	Ref.	Kg	Lb		R.R.P.
0,35	NYLE35	11,07	22		8,90
0,40	NYLE40	12,29	25		8,90
0,45	NYLE45	15,39	31		9,90
0,50	NYLE50	18,36	37		10,90
0,60	NYLE60	24,57	50		11,90
0,65	NYLE65	30,65	62		11,90
0,70	NYLE70	51,58	75		13,90
0,75	NYLE75	41,00	90		14,90
0,80	NYLE80	46,31	100		15,90
0,90	NYLE90	56,70	125		16,90
1,00	NYLE100	68,00	150		18,90

70 mt					Un. 5
Ø	Ref.	Kg	Lb		R.R.P.
1,20	NYLE120	84,37	186		21,90



CRYSTAL



IGFA



EXTRA VISIBILITY

LOW ELASTICITY

IGFA ORANGE 1.000 mt						Un. 1
Ø	Ref.	Kg	Lb			R.R.P.
0,52	NYIG030	13,61	30			29,90
0,65	NYIG050	23,33	50			39,90
0,85	NYIG080	36,59	80			59,90
1,15	NYIG130	58,97	130			99,00

IGFA BLUE 1.000 mt						Un. 1
Ø	Ref.	Kg	Lb			R.R.P.
0,52	NYIGB30	13,61	30			29,90
0,65	NYIGB50	23,33	50			39,90
0,85	NYIGB80	36,59	80			59,90
1,15	NYIGB130	58,97	130			99,00



ORANGE

BLUE



GAME



EXTRA VISIBILITY

LOW ELASTICITY

1.000 mt						Un. 1
Ø	Ref.	Kg	Lb			R.R.P.
0,50	NYGE30	13,60	30			33,90
0,70	NYGE50	22,70	50			49,00
0,90	NYGE80	36,30	80			69,00



YELLOW FLUO



CARRERA



Mt	Un.	Ø	Color	Ref.	Kg	Lb		R.R.P.
11.252	1	0,30	Clear	NYGA30	7,07	15,6		39,90
8.267	1	0,35	Clear	NYGA35	8,97	19,4		39,90
6.984	1	0,40	Clear	NYGA40	11,79	25,9		39,90



CLEAR



KEI CAST





15 mt-10 pc						Un. 6
Ø	Ref.	Color	Kg	Lb		R.R.P.
0.14-0.57	CRKE14C	Clear	2,70-35,00	5,9-77,36		24,90
0.16-0.33	CRKB16C	Clear	3,70-14,62	8,1-31,96		24,90
0.16-0.57	CRKE16C	Clear	3,70-35,00	8,1-77,36		24,90
0.18-0.57	CRKE18C	Clear	4,62-14,62	9,9-31,96		24,90
0.18-0.33	CRKB18C	Clear	4,62-35,00	9,9-77,36		24,90
0.20-0.57	CRKE20C	Clear	5,20-35,00	11,4-77,36		24,90
0.20-0.57	CRKE20O	Orange	5,20-35,00	11-77,36		24,90
0.23-0.57	CRKE23C	Clear	8,90-35,00	13-77,36		24,90
0.25-0.57	CRKE26C	Clear	8,80-35,00	19,4-77,36		24,90
0.25-0.57	CRKE26O	Orange	8,80-35,00	19,4-77,36		24,90

ORANGE

CRYSTAL



SAFU CAST



22,90



15 mt-10 pc						Un. 10
Ø	Ref.	Color	Kg	Lb		R.R.P.
0,18-0,57	CRSA-B	Black	4,30-34,20	9,50-75,40		22,90
0,20-0,57	CRSA-BG	Black	4,98-34,20	10,85-75,40		22,90
0,18-0,57	CRSA-O	Orange	4,30-34,20	9,50-75,40		22,90
0,20-0,57	CRSA-OG	Orange	4,98-34,20	10,85-75,40		22,90
0,18-0,57	CRSA-R	Red	4,30-34,20	9,50-75,40		22,90
0,20-0,57	CRSA-RG	Red	4,98-34,20	10,85-75,40		22,90
0,18-0,57	CRSA-Y	Yellow	4,30-34,20	9,50-75,40		22,90
0,20-0,57	CRSA-YG	Yellow	4,98-34,20	10,85-75,40		22,90
0,18-0,50	CRSA4-R	Clear / Red	4,30-26,40	9,50-58,20		22,90
0,23-0,57	CRSA23-R	Clear / Red	4,30-34,20	9,50-75,40		22,90
0,26-0,57	CRSA26-R	Clear / Red	8,75-34,20	26,63-75,40		22,90
0,28-0,57	CRSA28-R	Clear / Red	11,00-34,20	24,25-75,40		22,90
0,30-0,57	CRSA30-R	Clear / Red	12,75-34,20	27,33-75,40		22,90

BICOLOR

BICOLOR

BICOLOR

BICOLOR



OTTO DSC




15 mt-10 pc						Un. 10
Ø	Color	Ref.	Kg	Lb		R.R.P.
0,18-0,57	Red	CROT-R	4,30-34,20	9,50-75,40		16,90
0,18-0,57	Clear	CROT-T	4,30-34,20	9,50-75,40		16,90
0,20-0,57	Red	CROT-RG	4,98-34,20	10,85-75,40		16,90
0,20-0,57	Clear	CROT-TG	4,98-34,20	10,85-75,40		16,90
0,26-0,57	Clear	CROT26-T	8,75-34,20	26,63-75,40		16,90



TAPER LINE CAST

COLOR CHANGE EACH 25 MT



220 mt					Un. 6
Ø	Ref.	Kg	Lb		R.R.P.
0,14 - 0,47	CRTL14	2,70-25,00	8,90-55,11		26,90
0,16 - 0,47	CRTL16	3,70-25,00	8,10-55,11		26,90
0,18 - 0,47	CRTL18	4,62-25,00	9,90-55,11		26,90
0,20 - 0,47	CRTL20	5,20-25,00	15,28-55,11		26,90
0,23 - 0,47	CRTL23	8,90-25,00	13,00-55,11		26,90
0,26 - 0,47	CRTL26	8,80-25,00	19,40-55,11		26,90
0,28 - 0,47	CRTL28	10,85-25,00	25,90-55,11		26,90
0,30 - 0,47	CRTL30	12,90-25,00	28,43-55,11		26,90

220 mt					Un. 6
Ø	Ref.	Kg	Lb		R.R.P.
0,14 - 0,57	CRTL514	2,70-35,00	8,90-77,36		26,90
0,16 - 0,57	CRTL516	3,70-35,00	8,10-77,36		26,90
0,18 - 0,57	CRTL518	4,62-35,00	9,90-77,36		26,90
0,20 - 0,57	CRTL520	5,20-35,00	15,28-77,36		26,90
0,23 - 0,57	CRTL523	8,90-35,00	13,00-77,36		26,90
0,26 - 0,57	CRTL526	8,80-35,00	19,40-77,36		26,90
0,28 - 0,57	CRTL528	10,85-35,00	25,90-77,36		26,90
0,30 - 0,57	CRTL530	12,90-35,00	28,43-77,36		26,90



MITE



50 mt					Un. 5
Ø	Ref.	Kg	Lb		R.R.P.
0,10	NYMI10	1,20	2,60		9,90
0,12	NYMI12	1,40	3		9,90
0,14	NYMI14	1,80	4		9,90
0,16	NYMI16	2,30	5		9,90
0,18	NYMI18	3,24	7		9,90
0,20	NYMI20	3,84	8		10,90
0,22	NYMI22	4,44	9		11,90
0,25	NYMI25	5,40	11		13,90
0,28	NYMI28	6,79	13		14,90
0,30	NYMI30	8,16	17		15,90
0,35	NYMI35	9,84	20		17,90
0,40	NYMI40	13,68	28		23,90



Yuki-Seaguar: Fluorocarbon Excellence

Yuki-Seaguar, a leader in fluorocarbon fishing lines, offers a range of products designed to meet the demands of serious anglers. Their lines are renowned for their:

- **Superior Abrasion Resistance:** Double-density construction provides exceptional durability in tough conditions.
- **Near-Invisibility:** The refractive index closely matches that of water, making it difficult for fish to detect.
- **Unmatched Knot Strength:** Ensures reliable connections even under heavy loads.

NEOX is the flagship of the Yuki-Seaguar series, just perfect any fishing, designed to withstand the challenges of rocky terrain, heavy cover, and toothy predators.

NEOX **S**AWA **KAORI** **ZR**BASS **OR**3 **SAIKOU** **FINAL LINE** **GOKU**

yuki



Seaguar®

THE FLUOROCARBON INVENTOR IT CAN'T BE SEEN

EL INVENTOR DEL FLUOROCARBONO NUNCA SE VE


L'INVENTEUR DU FLUOROCARBONE VOUS NE VOYEZ JAMAIS

Virtually Invisible. Almost indestructible. Fish won't realise about the trick, and you'll get a sure catch. As the inventor and world leader in fluorocarbon line, we've developed exclusive resins and extrusion technology. Thus making Yuki Seaguar fluorocarbons better than monofilament and stronger and more durable than other fluorocarbons. Seaguar is 100% fluorocarbon, 100% incredible.

Virtualmente Invisible. Casi Indestructible. El pez no se percatará de su captura y sabrás que puedes luchar con él sin temor. Como inventor y líder mundial en la línea de fluorocarbón, hemos desarrollado resinas exclusivas y tecnología de extrusión. Hacemos que los fluorocarbonos Yuki Seaguar sean superiores al monofilamento, más fuertes y duraderos que otros fluorocarbonos. Seaguar 100% fluorocarbón, 100% increíble.

Virtuellement Invisible. Presque Indestructible. Le poisson ne se rendra pas compte qu'il était coincé, et vous saurez que vous pouvez vous battre avec lui sans crainte. En tant qu'inventeur et leader mondial de la ligne des fluorocarbures, nous avons développé des résines exclusives et une technologie d'extrusion. Nous fabriquons des fluorocarbures Yuki Seaguar supérieurs au monofilament, plus solides et plus durables que les autres fluorocarbones. Seaguar 100% fluorocarbure, 100% incroyable.

MULTIDIRECTIONAL POLYMER STRUCTURE




YUKI SEAGUAR

Higher Knot Strength

OTHERS


Weak Knot

ALMOST WATERPROOF PRÁCTICAMENTE IMPERMEABLE PRESQUE IMPERMÉABLE




Yuki Seaguar lines maintain its original quality while nylon line loses its strength and becomes thicker in water. Las líneas Yuki Seaguar mantienen su calidad original, mientras que la línea de nylon pierde fuerza y se vuelve más espesa en agua. Les lignes Yuki Seaguar conservent leur qualité d'origine, tandis que la ligne en nylon perd de la solidité et devient plus épaisse dans l'eau.

SINKS FASTER HUNDIMIENTO RÁPIDO EFFONDREMENT RAPIDE



Yuki Seaguar lines get to the bite zone faster. Las líneas Yuki Seaguar permiten llegar a tu zona de pesca más rápido. Les lignes Yuki Seaguar vous permettent d'atteindre votre zone de pêche plus rapidement.


VIRTUALLY INVISIBLE VIRTUALMENTE INVISIBLE VIRTUELLEMENT INVISIBLE



The closer the refractive index is to the water, the harder it is for the fish to see. Cuanto más cerca esté el índice de refracción del agua, más difícil es para los peces verlo. Plus l'indice de réfraction de l'eau est proche, plus, difficile pour le poisson de voir.



OPTIMAL TENSILE STRENGTH RESISTENCIA ÓPTIMA A LA TRACCIÓN RÉSISTANCE À LA TRACTION OPTIMALE




Yuki Seaguar lines maintain optimal tensile strength because they absorb less water. Las líneas Yuki Seaguar mantienen una resistencia a la tracción óptima porque absorben menos agua. Les lignes Yuki Seaguar conservent une résistance à la traction optimale car elles absorbent moins d'eau.

UNIQUE DOUBLE STRUCTURE DOBLE ESTRUCTURA ÚNICA DOUBLE STRUCTURE UNIQUE



MAINTAINS KNOT STRENGTH MANTIENE LA RESISTENCIA DEL NUDO MAINTIENT LA FORCE DE NOEUD



Maintains knot strength in high-speed connections and hook-sets. Mantiene la resistencia del nudo en conexiones para altas velocidades y enganches rápidos. Maintient la force du noeud dans les connexions pour des vitesses élevées et des crochets rapides.

NEOX

THE BEST FLUORCARBON OF THE WORLD
EL MEJOR FLUORCARBON DEL MUNDO
LE MEILLEUR FLUOROCARBON DU MONDE

SUPERIOR RESISTENCE THAN ALL OTHER MARKET FLUORCARBON
RESISTENCIA SUPERIOR A TODOS LOS FLUORCARBONOS DEL MERCADO
RÉSISTANCE SUPÉRIEURE À TOUT AUTRE FLUORCARBON DU MARCHÉ

100% fluorocarbon



Damage caused by a cutter, without affecting the tensile strength of NEOX

Invisible under water
Invisible debajo del agua
Invisible sous l'eau

Maximum strenght of knots
Fuerza máxima de nudos
Solidité maximale des nœuds

Virtually without memory
Ausência de memória
Pratiquement pas de mémoire

Incredible abrasion resistance
Increible resistencia a la abrasión
Résistance incroyable à l'abrasion



yuki & **Seaguar**

Made in
JAPAN

NEOX

MEDIUM STIFF LINE

LOW VISIBILITY



Compact Spool
(Ø 0,059 to Ø 0,165)

50 mt					Un. 5
Ø	Ref.	Kg	Lb		R.R.P.
0,059	NYSN06	0,80	1,8		34,90
0,069	NYSN07	1,05	2,3		34,90
0,080	NYSN08	1,40	3,10		34,90
0,090	NYSN09	1,68	3,7		34,90
0,104	NYSN10	2,16	4,8		34,90
0,117	NYSN11	2,65	5,8		34,90
0,128	NYSN12	2,90	6,4		34,90
0,148	NYSN14	3,40	7,5		34,90
0,165	NYSN16	4,20	9,20		36,90
0,185	NYSN18	5,20	11,69		36,90
0,205	NYSN20	6,75	15		36,90
0,235	NYSN23	9,10	20		38,90
0,260	NYSN26	10,50	23		38,90
0,285	NYSN28	12,60	28		38,90
0,330	NYSN33	14,97	32,4		39,90

30 mt					Un. 5
Ø	Ref.	Kg	Lb		R.R.P.
0,370	NYSN37	18,40	40,5		26,90
0,405	NYSN40	20,20	44,5		27,90
0,435	NYSN43	23,15	51		37,90
0,470	NYSN47	26,80	59		39,90
0,520	NYSN52	34,85	77		44,90
0,570	NYSN57	37,75	83		57,90
0,620	NYSN62	41,20	91		59,90
0,660	NYSN66	48,50	107		65,00
0,700	NYSN70	51,00	112,5		75,00
0,740	NYSN74	56,10	124		85,00



yuki Seaguar®



CRYSTAL



NEOX BIG GAME

MEDIUM STIFF LINE

LOW VISIBILITY



10 mt					Un. 1
Ø	Ref.	Kg	Lb		R.R.P.
0,74	NYSNB10-074	3	66		35,90
0,81	NYSNB10-080	311,94	85		39,90
0,90	NYSNB10-091	46,31	100		59,90
1,05	NYSNB10-105	59,97	132		59,90
1,28	NYSNB10-128	77,88	170		69,00
1,48	NYSNB10-148	99,79	220		69,00

30 mt					Un. 1
Ø	Ref.	Kg	Lb		R.R.P.
0,62	NYSNB30-062	25,00	55		55,00
0,74	NYSNB30-074	3	66		69,90
0,81	NYSNB30-080	311,94	85		89,90
0,90	NYSNB30-090	46,31	100		125,00
1,05	NYSNB30-105	59,97	132		129,00
1,28	NYSNB30-128	77,88	170		139,00
1,48	NYSNB30-148	99,79	220		139,00



CRYSTAL



yuki Seaguar®

SAIKOU STIFF



50 mt					Un. 5
Ø	Ref.	Kg	Lb		R.R.P.
0,16	NYST16	3,28	7		29,90
0,20	NYST20	5,20	11,5		29,90
0,23	NYST23	6,80	15		29,90
0,26	NYST26	8,70	19,2		29,90
0,28	NYST28	9,70	21,4		29,90
0,33	NYST33	11,30	25		30,90
0,37	NYST37	14,90	30,6		31,90
0,40	NYST40	15,10	33,3		36,90
0,43	NYST43	17,40	38,4		41,90
0,47	NYST47	20,30	44,8		47,90
0,52	NYST52	26,00	57,3		55,00



STIFF LINE

LOW VISIBILITY

yuki Seaguar

SAIKOU SOFT



50 mt					Un. 5
Ø	Ref.	Kg	Lb		R.R.P.
0,16	NYSS16	2,70	6		23,90
0,20	NYSS20	4,30	9,5		23,90
0,23	NYSS23	5,40	12		23,90
0,26	NYSS26	6,79	14,5		23,90
0,28	NYSS28	7,72	16,5		23,90
0,33	NYSS33	9,30	20,5		23,90
0,37	NYSS37	11,00	24,2		23,90
0,40	NYSS40	12,20	26,9		24,90
0,43	NYSS43	14,60	32		29,90
0,47	NYSS47	16,10	35,5		29,90
0,52	NYSS52	22,70	50		31,90

SOFT LINE

LOW VISIBILITY

yuki Seaguar



CRYSTAL



CRYSTAL



KAORI



MEDIUM STIFF LINE

30 mt					Un. 5
Ø	Ref.	Kg	Lb		R.R.P.
0,16	NYSK16	3,28	7		26,90
0,18	NYSK18	4,00	8,8		26,90
0,20	NYSK20	5,20	11,5		26,90
0,21	NYSK21	6,10	13,5		26,90
0,23	NYSK23	8,90	15		29,90
0,26	NYSK26	8,10	18		29,90
0,28	NYSK28	9,70	21,4		29,90
0,33	NYSK33	11,30	25		31,90
0,37	NYSK37	14,90	30,5		35,00
0,40	NYSK40	15,10	33,3		37,90
0,43	NYSK43	17,40	38,5		39,90
0,47	NYSK47	20,30	45		42,90
0,52	NYSK52	26,00	57		49,90
0,57	NYSK57	28,60	63		59,00
0,62	NYSK62	31,20	69		63,90



CRYSTAL



yuki Seaguar

FINAL LINE



LOW VISIBILITY

ELASTIC FLUOROCARBON

ELASTICITY RATIO: 1:1,35 (35%)

50 mt					Un. 5
Ø	Ref.	Kg	Lb		R.R.P.
0,185	NYSL18	3,35	7,4		22,90
0,205	NYSL20	4,40	9,7		22,90
0,235	NYSL23	8,90	13		22,90
0,260	NYSL26	7,03	15,5		22,90
0,285	NYSL28	7,80	17,2		22,90
0,330	NYSL33	9,70	21,4		22,90
0,350	NYSL35	10,80	23,8		22,90
0,370	NYSL37	11,93	26,2		24,90
0,405	NYSL40	12,90	28,4		26,90
0,435	NYSL43	14,80	32,6		28,90
0,470	NYSL47	17,20	37,9		30,90
0,520	NYSL52	23,50	51,8		33,90



CRYSTAL



yuki Seaguar

ZR SEA BASS

yuki Seaguar



150 mt					Un. 5
Ø	Ref.	Kg	Lb		R.R.P.
0,16	NYSZ16	2,50	5,5		41,90
0,18	NYSZ18	2,90	6,4		41,90
0,20	NYSZ20	4,00	8,8		41,90
0,23	NYSZ23	5,40	11,9		41,90
0,26	NYSZ26	6,30	13,9		41,90
0,28	NYSZ28	6,80	15		43,90
0,30	NYSZ30	7,70	17		43,90
0,33	NYSZ33	8,60	19		43,90
0,35	NYSZ35	9,50	21		43,90
0,37	NYSZ37	10,40	23		49,90
0,40	NYSZ40	11,84	25,3		59,90
0,43	NYSZ43	13,60	30		59,90
0,47	NYSZ47	18,90	35		69,00
0,52	NYSZ52	20,40	45		79,00



CRYSTAL



LOW VISIBILITY

STIFF LINE

QR3



100 mt					Un. 5
Ø	Ref.	Kg	Lb		R.R.P.
0,16	NYSQ16	3,2	7		29,90
0,18	NYSQ18	4,0	9		29,90
0,20	NYSQ20	5,2	11,5		29,90
0,23	NYSQ23	6,9	15		29,90
0,26	NYSQ26	8,1	18		29,90
0,28	NYSQ28	9,7	21,5		29,90
0,30	NYSQ30	10,6	23,5		29,90
0,33	NYSQ33	11,3	24,9		29,90
0,35	NYSQ35	12,93	28,5		29,90
0,37	NYSQ37	13,9	30,6		35,00
0,40	NYSQ40	15,1	33,3		39,90
0,43	NYSQ43	17,4	38,5		42,90
0,47	NYSQ47	20,3	44,8		49,00
0,52	NYSQ52	26	57,3		55,00



LOW VISIBILITY

MEDIUM STIFF LINE

yuki Seaguar

50 mt					Un. 5
Ø	Ref.	Kg	Lb		R.R.P.
0,57	NYSQ57	28,6	63,01		59,90
0,62	NYSQ62	31,2	68,8		69,00
0,66	NYSQ66	36,7	81		79,00



CRYSTAL



yuki2025

161

GOKU

LOW VISIBILITY

MEDIUM SOFT LINE

yuki & Seaguar



25 mt					Un. 5
Ø	Ref.	Kg	Lb		R.R.P.
0,18	NYSG18	3,50	7,7		10,90
0,20	NYSG20	4,62	9,9		10,90
0,23	NYSG23	6,00	13		10,90
0,26	NYSG26	7,10	15,5		10,90
0,30	NYSG30	8,80	19,5		10,90
0,33	NYSG33	1	22		10,90
0,35	NYSG35	11,10	24,5		10,90
0,37	NYSG37	12,20	26,9		11,90

15 mt					Un. 5
Ø	Ref.	Kg	Lb		R.R.P.
0,40	NYSG40	13,57	29		11,90
0,43	NYSG43	15,30	34		11,90
0,47	NYSG47	17,60	39		12,90
0,52	NYSG52	23,90	50,5		13,90
0,57	NYSG57	24,62	54		18,90
0,62	NYSG62	28	62		21,90
0,66	NYSG66	33	73		23,90



CRYSTAL



SAWA

LOW VISIBILITY

MEDIUM SOFTNESS LINE

yuki & Seaguar



50 mt					Un. 5
Ø	Ref.	Kg	Lb		R.R.P.
0,10	NYSW10	1,55	3,5		25,90
0,11	NYSW11	1,85	4		25,90
0,12	NYSW12	2,05	4,5		25,90
0,14	NYSW14	2,50	5,5		20,90
0,16	NYSW16	2,90	6,4		18,90
0,18	NYSW18	3,50	7,7		19,90
0,20	NYSW20	4,62	9,9		19,90
0,23	NYSW23	6,00	13		19,90
0,26	NYSW26	7,10	15,5		19,90
0,28	NYSW28	8,00	17,5		19,90
0,30	NYSW30	8,80	19,5		19,90
0,33	NYSW33	1	22		20,90
0,35	NYSW35	11,10	24,5		20,90
0,37	NYSW37	12,20	26,9		20,90
0,40	NYSW40	13,57	29		24,50
0,43	NYSW43	15,30	34		24,90
0,47	NYSW47	17,60	39		27,90
0,52	NYSW52	23,90	50,5		29,90
0,57	NYSW57	24,62	54		35,90
0,62	NYSW62	28	62		39,90
0,66	NYSW66	33	73		46,90



CRYSTAL



NEOX PREMIUM PE 8X



ULTRA-SMOOTH LINE

LOW COLOR LOSE

135 mt						Un. 5
Ø	Size	Ref.	Kg	Lb		R.R.P.
0,10	0.8	NYPN108	7,25	16		55,00
0,13	1.0	NYPN110	8,60	19		49,00
0,16	1.2	NYPN112	10	22		49,00
0,18	1.5	NYPN115	13,5	30		49,00
0,20	2.0	NYPN120	16	35		49,00
0,22	2.5	NYPN125	20	45		49,00
0,33	4.0	NYPN140	32	70		49,00



CHARTREUSE



NEOX PREMIUM PE 8X MULTICOLOR



COLOR CHANGE EACH 15 MT



ULTRA-SMOOTH LINE

LOW COLOR LOSE

300 mt						Un. 5
Ø	Size	Ref.	Kg	Lb		R.R.P.
0,16	1.2	NYPNM612	10	22		99,00
0,18	1.5	NYPNM615	13,5	30		99,00
0,20	2.0	NYPNM620	16	35		99,00
0,22	2.5	NYPNM625	20	45		99,00
0,28	3.0	NYPNM630	25	55		99,00
0,33	4.0	NYPNM640	32	70		99,00



DOMO 8X



COLOR CHANGE EACH 10 MT

150 mt						Un. 6
Ø	Ref.	Color	Kg	Lb		R.R.P.
0,10	NYD08X10	Green	5,44	12		17,90
0,12	NYD08X12	Green	6,35	14		16,90
0,14	NYD08X14	Green	8,16	18		16,90
0,16	NYD08X16	Green	9,07	20		14,90
0,18	NYD08X18	Green	12,88	28		14,90
0,20	NYD08X20	Green	14,52	32		14,90
0,22	NYD08X22	Green	17,24	38		14,90

500 mt						Un. 6
Ø	Ref.	Color	Kg	Lb		R.R.P.
0,25	NYD08X825	Green	20,42	45		39,00
0,28	NYD08X828	Green	23,33	50		39,00
0,30	NYD08X830	Green	25,10	55		39,00

300 mt						Un. 6
Ø	Ref.	Color	Kg	Lb		R.R.P.
0,16	NYDM8X716	Multicolor	9,07	20		25,90
0,18	NYDM8X718	Multicolor	12,88	28		25,90
0,20	NYDM8X720	Multicolor	14,52	32		25,90
0,22	NYDM8X722	Multicolor	17,24	38		25,90
0,25	NYDM8X725	Multicolor	20,42	45		25,90
0,28	NYDM8X728	Multicolor	23,33	50		25,90
0,30	NYDM8X730	Multicolor	25,10	55		25,90
0,35	NYDM8X735	Multicolor	210,29	65		25,90
0,37	NYDM8X737	Multicolor	36,12	75		25,90

300 mt						Un. 6
Ø	Ref.	Color	Kg	Lb		R.R.P.
0,10	NYD08X610	Green	5,44	12		27,90
0,12	NYD08X612	Green	6,35	14		25,90
0,14	NYD08X614	Green	8,16	18		24,90
0,16	NYD08X616	Green	9,07	20		23,90
0,18	NYD08X618	Green	12,88	28		23,90
0,20	NYD08X620	Green	14,52	32		23,90
0,22	NYD08X622	Green	17,24	38		23,90



DOMO 4X PE GREEN / YELLOW



300 mt						Un. 6
Ø	Ref.	Color	Kg	Lb		R.R.P.
0,10	NYD0410	Green	4,62	10		16,90
0,12	NYD0412	Green	6,80	15		16,90
0,14	NYD0414	Green	9,00	20		16,90
0,16	NYD0416	Green	15,28	25		16,90
0,18	NYD0418	Green	13,60	30		16,90
0,20	NYD0420	Green	16,00	35		16,90
0,22	NYD0422	Green	18,00	40		16,90
0,26	NYD0426	Green	20,40	45		16,90
0,30	NYD0430	Green	25,00	55		16,90
0,35	NYD0435	Green	27,00	65		16,90
0,40	NYD0440	Green	32,00	70		16,90
0,10	NYDY410	Yellow	4,62	10		16,90
0,12	NYDY412	Yellow	6,80	15		16,90
0,14	NYDY414	Yellow	9,00	20		16,90
0,16	NYDY416	Yellow	15,28	25		16,90
0,18	NYDY418	Yellow	13,60	30		16,90
0,20	NYDY420	Yellow	16,00	35		16,90
0,22	NYDY422	Yellow	18,00	40		16,90
0,26	NYDY426	Yellow	20,40	45		16,90
0,35	NYDY435	Yellow	27,00	65		16,90

100 mt (10 connected spools)						Un. 10
Ø	Ref.	Kg	Lb			R.R.P.
0,50	NYD0450	41,00	90			6,90
0,60	NYD0460	54,40	120			8,90
0,70	NYD0470	68,00	150			9,90

1.000 mt						Un. 1
Ø	Ref.	Kg	Lb			R.R.P.
0,16	NYD04816	15,28	25			59,00
0,18	NYD04818	13,60	30			59,00
0,20	NYD04820	16,00	35			59,00
0,22	NYD04822	18,00	40			59,00
0,26	NYD04825	20,40	45			59,00



ULTRA PE ONE 8X



COATED LINE

130 mt						Un. 6
Ø	Ref.	Kg	Lb			R.R.P.
0,074	NYP002	4,62	10			34,90
0,104	NYP004	5,50	12			34,90
0,128	NYP006	6,50	14			34,90
0,148	NYP008	8,50	18			29,90
0,165	NYP010	9,00	20			29,90



ULTRA PE LINE 8X



COLOR CHANGE EACH 10 MT

300 mt						Un. 6
Ø	Ref.	Kg	Lb			R.R.P.
0,28	NYPE3	25,00	55			99,00
0,40	NYPE6	55,00	100			99,00



ULTRA PE EGI 8X



COATED LINE

150 mt						Un. 6
Ø	Ref.	Kg	Lb			R.R.P.
0,074	NYPG02	4,62	10			39,00
0,104	NYPG04	5,50	12			39,00



ULTRA PE CAST 8X










COATED LINE
COLOR CHANGE EACH 20 MT (5 colors)

300 mt						Un. 6
Ø	Ref.	Kg	Lb			R.R.P.
0,104	NYPC04	5,50	12			69,00
0,128	NYPC06	6,50	14			69,00
0,148	NYPC08	8,50	18			59,00



Type	MODEL		Colour	Reel Line	Hook Line - Rig Line	Tapered Leader	Leader	Ø (Min.- Max.)	Spool (meters)	Shore Angling	Boat Angling	Big Game Fishing	Fresh Water	Spinning
MONOFILAMENT LINES	INVISIBLE		CLEAR	●	●		●	0,08 to 1,60	50 -100 150 - 300 500 1.000 2.000	SURFCASTING SHORE ANGLING FLOAT FISHING SPINNING ROCK	BOAT ANGLING SPINNING	TROLLING	COUP BOLOGNESE TROUT FEEDER	SPINNING TROUT
	INVISIBLE RED		RED	●	●			0,12 to 0,50	150 300 2.000	SURFCASTING SHORE ANGLING FLOAT FISHING SPINNING ROCK	BOAT ANGLING SPINNING		BOLOGNESE CARPFISHING FEEDER	SPINNING CARPFISHING
	INVISIBLE BLUE KNOT		BLUE	●	●			0,16 to 0,50	300 2.000	SURFCASTING SHORE ANGLING FLOAT FISHING SPINNING ROCK	BOAT ANGLING SPINNING		BOLOGNESE CARPFISHING	SPINNING CARPFISHING
	KENTA		CHERRY	●				0,128 to 0,40	250 1.000 2.000	SURFCASTING	BOAT ANGLING		MATCH FISHING FEEDER CARPFISHING	CARPFISHING
	KENTA FLUO		YELLOW FLUO	●				0,128 to 0,260	2.000	SURFCASTING	BOAT ANGLING		CARPFISHING FEEDER	
	KOJI		GREEN FLUO	●				0,12 to 0,41	250 1.000 2.000	SURFCASTING	BOAT ANGLING		MATCH FISHING FEEDER CARPFISHING	
	INVICTUS		LIGHT GREY-VIOLET	●				0,12 to 0,25	2.000	SURFCASTING			MATCH FISHING FEEDER CARPFISHING	
	MASSIMO ONE		CLEAR	●				0,16 to 0,40	250	SURFCASTING SHORE ANGLING FLOAT FISHING SPINNING ROCK	BOAT ANGLING SPINNING		BOLOGNESE	SPINNING
	MARU		RED	●				0,12 to 0,50	250 2.000	SURFCASTING SHORE ANGLING			MATCH FISHING FEEDER CARPFISHING	
	FD EVOLUTION 3G		SALMON LIGHT	●				0,12 to 0,50	150 300 2.000	SURFCASTING SHORE ANGLING FLOAT FISHING SPINNING ROCK	BOAT ANGLING SPINNING		BOLOGNESE SPINNING TROUT	SPINNING TROUT
	ORATA		SALMON	●				0,12 to 0,50	250 4000	SURFCASTING SHORE ANGLING FLOAT FISHING	BOAT ANGLING			
	CARBOLINE		BLACK	●				0,14 to 0,40	250 3.000	SURFCASTING	BOAT ANGLING		MATCH FISHING BOLOGNESE CARPFISHING	SPINNING
	LEVEL TOP		CLEAR		●			0,10 to 0,40	100	SURFCASTING SHORE ANGLING FLOAT FISHING ROCK	BOAT ANGLING		COUP	

Type	MODEL		Colour	Reel Line	Hook Line - Rig Line	Tapered Leader	Leader	Ø (Min. - Max.)	Spool (meters)	Shore Angling	Boat Angling	Big Game Fishing	Fresh Water	Spinning
MONOFILAMENT LINES	CARRERA		CLEAR	●				0,12 to 0,60	150 1.000	SURFCASTING FLOAT ROCK SHORE	BOAT ANGLING SPINNING		BOLOGNESE MATCHFISHING CARPFISHING	SPINNING
	IKA SQUID		CLEAR	●				0,28	150	SHORE ANGLING	BOAT ANGLING			
	X1		CLEAR		●			0,074 to 0,263	50	SURFCASTING SHORE ANGLING FLOAT FISHING ROCK	BOAT ANGLING		COUP TROUT	TROUT
	MAX TROUT		Green Fluo Bi Color Orange Yellow Blue	●				0,12 to 0,22	150				TROUT	TROUT
	CARP MATCH		BROWN	●				0,165 to 0,235	150				MATCH FISHING	
	111 FEEDER		BROWN	●				0,16 to 0,28	150				FEEDER	
	SURE CARP		BROWN	●				0,30 to 0,38	300 900				CARPFISHING	
	INVISIBLE LEADER		CLEAR				●	0,40 to 1,60	40 50 70 100 500	SURFCASTING SHORE ANGLING FLOAT FISHING SPINNING ROCK	BOAT ANGLING SPINNING SHORE TROLLING JIGGING	TROLLING		SPINNING
	INVISIBLE LEADER PINK		PINK				●	0,40 to 1,20	100 1.000	SURFCASTING SHORE ANGLING FLOAT FISHING SPINNING ROCK	BOAT ANGLING SPINNING SHORE TROLLING JIGGING	TROLLING		SPINNING
	LEADER		CLEAR				●	0,35 to 1,20	100	SURFCASTING SHORE ANGLING FLOAT FISHING SPINNING ROCK	BOAT ANGLING- TROLLING	TROLLING		SPINNING
	I.G.F.A ORANGE		ORANGE	●				0,52 to 1,15	1.000		BOAT ANGLING- TROLLING	TROLLING		
	I.G.F.A BLUE		BLUE	●				0,52 to 1,15	1.000		BOAT ANGLING- TROLLING	TROLLING		
	GAME		YELLOW FLUO	●				0,50 to 0,90	1.000		BOAT ANGLING- TROLLING	TROLLING		
	CARRERA		CRISTAL	●				0,30 to 0,40	6984 to 11252	SURFCASTING SHORE ANGLING FLOAT FISHING SPINNING ROCK	BOAT ANGLING SPINNING BOAT ANGLING- TROLLING	TROLLING BOAT ANGLING- TROLLING	CARPFISHING	

Type	MODEL		Colour	Reel Line	Hook Line - Rig Line	Tapered Leader	Leader	Ø (Min. - Max.)	Spool (meters)					
TAPERED LINES	KEI CAST		C			●		0,14-0,57 0,26-0,57	15	SURFCASTING			MATCH FISHING	
	SAFU CAST		BC BC VC BC VC			●		0,18-0,30 / 0,47-0,57	15	SURFCASTING			MATCH FISHING	
	OTTO		C R			●		0,18 to 0,26 / 0,57	15	SURFCASTING			MATCH FISHING	
	TAPERLINE CAST		MULTICOLOR	●				0,14-0,47 0,30-0,57	220	SURFCASTING			FEEDER	
FLUOROCARBON LINES	MITE		CLEAR		●		●	0,10 to 0,30	50	SURFCASTING SHORE ANGLING FLOAT FISHING SPINNING ROCK	BOAT ANGLING SHORE TROLLING JIGGING	TROLLING BOAT ANGLING- TROLLING	COUP FEEDER CARPFISHING	SPINNING
	NEOX		CLEAR		●		●	0,059 to 0,74	30 50	SURFCASTING SHORE ANGLING FLOAT FISHING SPINNING ROCK	BOAT ANGLING SPINNING SHORE TROLLING JIGGING	TROLLING BOAT ANGLING- TROLLING	COUP FEEDER CARPFISHING FLY FISHING	SPINNING TROUT
	NEX BIG GAME		CLEAR		●			0,74 to 1,48	10 30		SHORE TROLLING JIGGING	TROLLING BOAT ANGLING- TROLLING		PIKE
	SEAGUAR SAIKOU STIFF		CLEAR		●		●	0,16 to 0,52	50	SURFCASTING SHORE ANGLING FLOAT FISHING SPINNING ROCK	BOAT ANGLING SPINNING SHORE TROLLING JIGGING	TROLLING BOAT ANGLING- TROLLING	COUP FEEDER CARPFISHING	SPINNING
	SEAGUAR SAIKOU SOFT		CLEAR		●		●	0,16 to 0,52	50	SURFCASTING SHORE ANGLING FLOAT FISHING SPINNING ROCK	BOAT ANGLING SPINNING SHORE TROLLING JIGGING	TROLLING BOAT ANGLING- TROLLING	COUP FEEDER CARPFISHING	SPINNING
	KAORI		CLEAR		●		●	0,16 to 0,62	30	SURFCASTING SHORE ANGLING FLOAT FISHING SPINNING ROCK	BOAT ANGLING SPINNING SHORE TROLLING JIGGING	TROLLING BOAT ANGLING- TROLLING	COUP FEEDER CARPFISHING	SPINNING
	SEAGUAR FINAL LINE		CLEAR		●		●	0,185 to 0,52	50	SURFCASTING SHORE ANGLING FLOAT FISHING SPINNING ROCK	BOAT ANGLING SPINNING SHORE TROLLING JIGGING	TROLLING BOAT ANGLING- TROLLING	COUP FEEDER CARPFISHING	SPINNING
	SEAGUAR ZR SEA BASS		CLEAR		●		●	0,16 to 0,52	150	SURFCASTING SHORE ANGLING FLOAT FISHING SPINNING ROCK	BOAT ANGLING SPINNING SHORE TROLLING JIGGING	TROLLING BOAT ANGLING- TROLLING	COUP FEEDER CARPFISHING	SPINNING
	SEAGUAR OR3		CLEAR	●	●		●	0,16 to 0,66	100	SURFCASTING SHORE ANGLING FLOAT FISHING SPINNING ROCK	BOAT ANGLING SPINNING SHORE TROLLING JIGGING	TROLLING BOAT ANGLING- TROLLING	COUP FEEDER CARPFISHING	SPINNING
	GOKU		CLEAR		●		●	0,18 to 0,66	15 25	SHORE ANGLING	BOAT ANGLING	BIG GAME	FRESH WATER	SPINNING
	SAWA		CLEAR		●		●	0,10 to 0,66	50	SURFCASTING SHORE ANGLING FLOAT FISHING SPINNING ROCK	BOAT ANGLING SPINNING SHORE TROLLING JIGGING	TROLLING BOAT ANGLING- TROLLING	COUP FEEDER CARPFISHING	SPINNING

Type	MODEL		Colour	Reel Line	Hook Line - Rig Line	Tapered Leader	Leader	Ø (Min. - Max.)	Spool (meters)	Shore Angling	Boat Angling	Big Game Fishing	Fresh Water	Spinning
BRAIDED LINES	NEOX PREMIUM PE 8X		GREEN	●				0,10 to 0,33	135	SPINNING				SPINNING
	NEOX PREMIUM PE 8X MULTI		MULTICOLOR	●				0,16 to 0,33	300	SPINNING	SPINNING JIGGING	SPINNING JIGGING POPPING		SPINNING
	DOMO 4 PE GREEN / YELLOW		GREEN	●				0,10 to 0,70	100 300 1000	SURFCASTING SHORE ANGLING SPINNING		SPINNING JIGGING	CARPFISHING	SPINNING
	DOMO 8 PE		Green	●				0,10 to 0,30	150 300 500	SURFCASTING SHORE ANGLING SPINNING EGI ROCK	SPINNING JIGGING	SPINNING JIGGING	CARPFISHING	SPINNING
	ULTRA PE ONE		GREEN	●				0,074 to 0,165	130	ROCK SPINNING				SPINNING
	ULTRA PE LINE		MULTICOLOR	●				0,28 to 0,40	300	SPINNING		SPINNING JIGGING POPPING		SPINNING
	ULTRA PE EGI		YELLOW FLUO	●				0,074 & 0,104	150	EGI				
	ULTRA PE CAST		MULTICOLOR	●				0,104 to 0,148	300	SURFCASTING SHORE ANGLING				SPINNING

FLATTED												FORGED	IN-POINT	BARBLESS	TWISTED	SLICED	FIT HEAD	TF COATED	COLOUR
RX01	JX20	NR BLACK	NR NICKEL	DX39	DX35	CX300	CX95	CX90	CX80	CX70	CX01	CK88	CB01	BX77					
•	•					•	•	•		•	•	•	•						
•						•	•	•	•	•	•	•	•						
•							•	•			•	•	•						
RED	BLACK	BLACK	NICKEL	NICKEL	NICKEL	BLACK	BLACK	BLACK	BLACK	BLACK	BLACK	BLACK	BLACK	BLACK					

RINGED												FORGED	IN-POINT	BARBLESS	TWISTED	SLICED	FIT HEAD	TF COATED	COLOUR
ZX100	ZT10	Z04N	Z04	Y2005	Y2001	Y1123	Y017	Y008N	Y007	Y006N	Y005N	VJ08	VJ05	TX55					
•	•			•	•	•	•	•	•	•		•	•	•					
				•	•			•			•								
NICKEL	NICKEL	NICKEL	BLACK	BLACK	BLACK	BLACK	BLACK	NICKEL	BLACK	NICKEL	NICKEL	RED	BLACK	BLACK					

												FORGED	IN-POINT	BARBLESS	TWISTED	SLICED	FIT HEAD	TF COATED	COLOUR		
Y119	JX30	JX25	CX09	CX05	CX02	BX500	BX76	BX75	BX72	FD11	BX70	BX60	BX48	BX45	BX44	BX40	AX78	AX63	AX61	AX10	
•		•	•	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	•		•	•		•							•	•	•	•					
BLACK	BLACK	BLACK	BLACK	BLACK	BLACK	BLACK	BLACK	BLACK	BLACK	BLACK	BLACK	BLACK	BLACK	BLACK	BLACK	BLACK	BLACK	BLACK	BLACK	BLACK	BLACK

HOOKS

ANZUELOS
HAMEÇONS
ANZOIS
AMI
HAKEN

MADE IN JAPAN

Made in Japan with the latest technology, YUKI hooks are the fisherman's perfect weapon for both sea and freshwater. Manufactured with an special combination of carbon material that gives them the highest resistance against the biggest strains, also on the extremely fish opposition. Chemically sharpened to multiply the hooking success, makes YUKI hooks an accessory range without precedent. The surface treatment prevents corrosion on extreme conditions and gets a perfect bait presentation on the bait and rig. The big range of models and sizes cover all sea fisherman requirements as on surf casting, float, boat or competition in fresh and saltwater fishing

Fabricados en Japón con los mejores medios y la última tecnología, los anzuelos YUKI son el arma perfecta para el pescador de mar y agua dulce. Su construcción en carbono o acero al tungsteno les proporciona una elevadísima resistencia ante los mayores esfuerzos. El afilado químico multiplica la capacidad de penetración, convirtiendo esta gama de anzuelos en una herramienta sin precedentes en el clavado de nuestra presa. El suave tratamiento exterior evita la corrosión en las condiciones marinas más severas, ayudando a conseguir una perfecta presentación del cebo en nuestro bajo de línea. La amplia gama de modelos existentes cubre todas las necesidades del pescador de mar, ya sea de surf-casting, boya, embarcación, o competición

Fabriqués au Japon avec les meilleurs matériaux et les dernières technologies, les hameçons Yuki sont l'arme parfaite pour le pêcheur en mer. La construction en carbone offre une grande résistance. Son affûtée chimique multiplie la capacité de pénétration et rend cette gamme d'hameçons un outil sans précédent, piquant parfaitement le poisson. Le traitement extérieur évite la corrosion dans les conditions les plus rudes et une présentation de l'appât parfait sur la ligne. La vaste gamme des modèles existants couvre tous les nécessités des pêcheurs de la mer, surf casting, bateau, ou la compétition.

SYMBOLOLOGY



Flatted hook
Anzuelo con paleta
Hameçon avec palette



Ringed hook
Anzuelo con ojal
Hameçon avec anneau



Fit Head hook
Cabeza especial




Curved point hook
Anzuelo con punta curvada
Hameçon avec pointe courbé



Made of polytetrafluoroethylene
Hecho de politetrafluoretileno
Fabriqué en polytétrafluoroéthylène



Barbless hook
Anzuelo sin muerte
Hameçon sans ardillon



Forged hook
Anzuelo forjado
Hameçon forgé



Double point for bait
Pala con puntas para cebo
Double ardillon pour l'appât



In-point hook
Anzuelo curvado
Hameçon courbé



FLATTED


CX01

Ref. YHCX01 Un. 20

R.R.P. 3,90

N.	8	5	3	1	2/0
Pcs.	22	20	19	17	13

N.	6	4	2	1/0	3/0
Pcs.	21	20	18	15	11




CB01

Ref. YHCB01 Un. 20 R.R.P. 3,90

N.	6	3	1	3/0
Pcs.	20	17	14	10

N.	4	2	2/0
Pcs.	18	16	12



RX01

Ref. YHRX01 Un. 20 R.R.P. 3,90




N.	8	6	4	2	1	1/0	2/0
Pcs.	16	15	14	12	10	9	7



CX95

Ref. YHCX95 Un. 20 R.R.P. 3,90


N.	6	2	1/0	3/0
Pcs.	20	16	12	9
N.	8	4	1	2/0
Pcs.	21	18	14	10



CX70

Ref. YHCX70 Un. 20 R.R.P. 3,90

N.	16	12	8	4	1
Pcs.	20	19	17	13	8
N.	18	14	10	6	2
Pcs.	20	20	18	16	9



TX55

Ref. YHTX55 Un. 20 R.R.P. 3,90

N.	6	4	3	2	1	1/0
Pcs.	8	8	7	7	6	5



CX300


Ref. YHCX30 Un. 20

R.R.P. 3,90



N.	6	4	2	1
Pcs.	12	11	9	8






CK88

Ref.	YHCK88	Un.	20	R.R.P.	3,90
------	--------	-----	----	--------	------


N.	4	3	2	1	1/0	2/0	3/0
Pcs.	16	16	15	15	14	12	12



Y1000

Ref.	Y1000	Un.	20
R.R.P.	2,50	3,50	3,50

N.	5	4	2
Pcs.	20	20	20




Y5000

Ref.	Y5000	Un.	20	
R.R.P.	1,90	1,90	1,90	2,50

N.	8	4
Pcs.	10	10

N.	12	6
Pcs.	10	10






Y007

N.	12	8	4	1	2/0	4/0
Pcs.	20	20	20	20	10	10

N.	10	6	2	1/0	3/0
Pcs.	20	20	20	10	10



Ref.	N.	Pcs.	R.R.P.	1.000 Un.	
				Ref.	R.R.P.
Y007-01	01	20	1,90	SSEC0101	-
Y007-02	02	20	1,90	SSEC0102	-
—	03	—	—	SSEC0103	-
Y007-04	04	20	1,90	SSEC0104	-
Y007-06	06	20	1,90	SSEC0106	-

Ref.	N.	Pcs.	R.R.P.	1.000 Un.	
				Ref.	R.R.P.
Y007-08	08	20	1,90	SSEC0108	-
Y007-10	10	20	1,90	—	
Y007-12	12	20	1,90	—	
Y007-1/0	1/0	20	1,90	SSEC011/0	-
Y007-2/0	2/0	20	1,90	SSEC012/0	-

Ref.	N.	Pcs.	R.R.P.	1.000 Un.	
				Ref.	R.R.P.
Y007-3/0	3/0	20	1,90	SSEC013/0	-
Y007-4/0	4/0	20	1,90	SSEC014/0	-
—	5/0	—		SSEC015/0	-
—	6/0	—		SSEC016/0	-

CX90

Ref.

YHCX90

Un.


20

R.R.P.

3,90

N.	1/0				3/0				5/0							
Pcs.	8				8				7							
N.	1				2/0				4/0				6/0			
Pcs.	8				8				7				6			

BLACK



Y2001

Ref.

Y2001

Un.


20

R.R.P.

3,90

N.	7	5	3	1	2/0
Pcs.	14	13	12	10	8
N.	6	4	2	1/0	3/0
Pcs.	13	12	11	9	6

BLACK



Y2005

Ref.

Y2005

Un.

20

R.R.P.

3,90

N.	6	5	4	2	1	1/0
Pcs.	13	12	12	11	9	9



BX77

Ref.

YHBX77

Un.

20

R.R.P.

3,90



N.	10	8	6	4	2
Pcs.	24	24	24	22	22



CX80

Ref. YHCX80 Un. 20 R.R.P. 3,90



N.	8	6	4	2	1
Pcs.	17	16	16	15	14

BLACK

FLAT

IN-POINT



JX20

Y005N

Y006N



JX20

Ref. YHJX20 Un. 20 R.R.P. 3,90



N.	8	6	4
Pcs.	17	17	17

Y005N

Ref. Y005N Un. 20 R.R.P. 3,90



N.	20	18	16	14	12	10	8
Pcs.	30	30	30	30	30	30	30

Y006N

Ref. Y006N Un. 20 R.R.P. 3,90



N.	18	16	14	12	10	8
Pcs.	30	30	30	30	30	30

Y008N

Ref. Y008N Un. 20 R.R.P. 3,90




N.	16	14	12	10	8
Pcs.	30	30	30	30	30

BLACK

FLAT

IN-POINT



DX35

Ref. YHDX35 Un. 20 R.R.P. 3,90



N.	20	18	16	14	12	10	8	6	5
Pcs.	23	23	23	23	22	22	21	21	20

BLACK

FLAT



RODS

REELS

LINES

HOOKS

BEADS

SWIVELS

LEADS


BAGS

HOLDERS

ACCESSORIES

STARLITE

TIPS



DX39

Ref.	YHDX39	Un.	20	
R.R.P.	3,90			



N.	18	16	14	12	10	9	8	6
Pcs.	24	24	24	23	23	23	23	22

NR NICKEL

Ref.	SSNAN	Un.	20	
R.R.P.	3,90			




N.	20	18	16	12
Pcs.	19	19	19	19

NR BLACK

Ref.	SSNAB	Un.	20	
R.R.P.	3,90			



N.	20	18
Pcs.	19	19



Z04

Ref.	YHZ04	Un.	20		R.R.P.	3,90
------	-------	-----	----	--	--------	------




N.	8	7	6	5	4	3	2	1
Pcs.	19	19	19	18	18	18	17	17

Z04N

Ref.	YHZ04N	Un.	20		R.R.P.	3,90
------	--------	-----	----	--	--------	------



N.	8	7	6	5	4	3	2	1
Pcs.	19	20	19	18	18	20	17	17




Y017

N.	6	2/0	3/0	4/0
Pcs.	20	10	10	10

Ref.	N.	Pcs.		R.R.P.
Y017-06	06	20		2,90
Y017-2/0	2/0	20		2,90

Ref.	N.	Pcs.		R.R.P.
Y017-3/0	3/0	20		2,90
Y017-4/0	4/0	20		2,90



ZX100

Ref.	YHZX10	Un.	20
R.R.P.	3,90		

N.	12	10	8	6
Pcs.	16	16	16	16

Y1123

N.	2/0	4/0
Pcs.	10	10

Ref.	N.	Un.	R.R.P.
Y1123-2/0	2/0	20	2,90
Y1123-4/0	4/0	20	2,90

ZT10

SPECIAL TOURNAMENT

N.	10
Pcs.	16

Ref.	YHZT10	Un.	20
R.R.P.	3,90		

VJ05

BLACK

Ref.	YHVJ05	Un.	20
R.R.P.	5,90	4,90	5,90

N.	6/0	7/0	8/0
Pcs.	10	10	10

VJ08

RED

Ref.	YHVJ08	Un.	20
R.R.P.	5,50	5,90	6,50

N.	6/0	7/0	8/0
Pcs.	10	10	10

yuki  **INNOVATION LEADER**

RINGED

CX05

Ref. YHCX05 Un. 20 R.R.P. 3,90

N.	8	6	4	2	1/0	3/0	5/0
Pcs.	17	17	15	12	10	7	5
N.	7	5	3	1	2/0	4/0	6/0
Pcs.	17	16	14	12	9	6	4

CX02

Ref. YTCX02 Un. 20 R.R.P. 3,90

N.	4	3	2	1	1/0	2/0
Pcs.	14	13	12	11	9	8

RX05

Ref. YHRX05 Un. 20 R.R.P. 3,90



N.	5	4	3	2
Pcs.	12	11	11	11

CX09

Ref. YHCX09 Un. 20 R.R.P. 3,90



N.	10	8	7	6	4
Pcs.	16	15	14	13	10


JX25

Ref. YHJX25 Un. 20 R.R.P. 3,90



N.	10	8	6	4
Pcs.	15	15	15	15


BLACK



BLACK



FD11



Ref. YHFD11 Un. 20 R.R.P. 3,90



N.	14	12	10
Pcs.	12	12	12

JX30

Ref. YHJX30 Un. 20 R.R.P. 3,90




N.	10	8	7	6
Pcs.	15	15	14	14



AX61

Ref. YTAX61 Un. 20 R.R.P. 3,90



N.	9	8	7	6	5	4	2	1
Pcs.	14	14	14	14	14	14	14	12

AX63

Ref. YHAX63 Un. 20 R.R.P. 3,90




N.	12	10	9	8	7	6	5	4	3	2	1	1/0	2/0
Pcs.	15	15	15	15	15	15	15	15	15	15	13	12	10

AX78

Ref. YHAX78 Un. 20 R.R.P. 3,90



N.	8	7	6	5
Pcs.	15	15	15	15



AX10

Ref. YHAX10 Un. 20 R.R.P. 3,90




N.	8	6	4
Pcs.	20	20	20


RX85



N.	11	12
Pcs.	13	13


Ref. YHRX85 Un. 20 R.R.P. 3,90





BX75

Ref.	YHBX75	Un.	20
R.R.P.	3,90		



N.	10	8	6	4	2
Pcs.	16	16	16	16	16



BX76

Ref.	YHBX76	Un.	20
R.R.P.	3,90		



N.	8	6	4	2	1
Pcs.	15	15	15	13	12




Y119

Ref.	Y119-06	Un.	300
R.R.P.			




N. 6



BX72

Ref.	YHBX72	Un.	20
R.R.P.	4,90		




N.	2	1	1/0	2/0	3/0
Pcs.	6	6	6	6	6



BX70

Ref.	YHBX70	Un.	20
R.R.P.	4,90		




N.	1/0	2/0	3/0
Pcs.	6	6	6



BX500


Ref. YHBX50 Un. 20 R.R.P. 3,90

N.	2	1/0	3/0	
Pcs.	9	7	5	
N.	4	1	2/0	4/0
Pcs.	11	8	6	4



BX40

Ref. YHBX40 Un. 20 R.R.P. 4,90




N.	2/0	4/0	6/0	8/0	
Pcs.	7	5	4	2	
					
N.	1/0	3/0	5/0	7/0	9/0
Pcs.	8	6	4	3	2
					



BX60

Ref. YHBX60 Un. 20 R.R.P. 3,90


N.	2	1	1/0	2/0
Pcs.	9	8	7	6



BX45

Ref. YHBX45 Un. 20 R.R.P. 4,90

N.	2	1/0	3/0	5/0
Pcs.	8	7	5	3
N.	1	2/0	4/0	
Pcs.	8	6	4	



BX44

Ref. YHBX44 Un. 20

N.	4/0	5/0	6/0	7/0
Pcs.	2	2	2	2

R.R.P.	10,90	10,90	14,90	16,90
--------	-------	-------	-------	-------



BX48

Ref. YHBX48 Un. 20

7B.B. SWIVEL STRENGTH
220LB

7B.B. SWIVEL STRENGTH
250LB

7B.B. SWIVEL STRENGTH
300LB

N.	6/0	8/0	10/0
Pcs.	2	2	2

RRP	17,90	20,90	33,90
-----	-------	-------	-------

JIG OSHI



Ref.	Size	Un.	R.R.P.
JS-OS3/0	3/0	10	1,90
JS-OS5/0	5/0	10	1,90


6700 TUNA HOOK

STAINLESS STEEL

Specially designed for tuna fishing and other large fish

Especialmente diseñado para la pesca del atún y otros peces de gran tamaño

Spécialement conçu pour la pêche du thon et d'autres poissons de grandes tailles








Ref.	Steel Ø	Un.	R.R.P.
Y6700-04	4,8 mm	10	3,90
Y6700-03	5,0 mm	10	3,90

Ref.	Steel Ø	Un.	R.R.P.
Y6700-02	5,3 mm	10	3,90
Y6700-01	5,5 mm	10	3,90

CRYSTAL NICKEL

CRYSTAL BRONZED

CHINU BLACK NICKEL




Ref.	Number	Line Ø	Length	Un.	R.R.P.
SSMNI01	01-02-04	0,35	0,8 m	20	3,50
SSMNI06	06-08	0,30	0,8 m	20	3,50
SSMNI10	10	0,28	0,8 m	20	3,50
SSMNI12	12	0,24	0,8 m	20	3,50
SSMNI14	14	0,22	0,8 m	20	3,50

Ref.	Number	Line Ø	Length	Un.	R.R.P.
SSMBR01	01-02-04	0,35	0,8 m	20	3,50
SSMBR06	06-08	0,30	0,8 m	20	3,50
SSMBR10	10	0,28	0,8 m	20	3,50
SSMBR12	12	0,24	0,8 m	20	3,50
SSMBR14	14	0,22	0,8 m	20	3,50

Ref.	Number	Line Ø	Length	Un.	R.R.P.
SSMEC	01-02-1/0-2/0-3/0	0,40	1 m	20	3,50
SSMEC04	04	0,35	1 m	20	3,50
SSMEC06	06-08	0,30	1 m	20	3,50
SSMEC10	10	0,26	1 m	20	3,50
SSMEC12	12	0,22	1 m	20	3,50

BOAT 3 HOOKS





Ref.	Number	Line Ø	Un.	R.R.P.
SSV301	01-02	0,45	25	1,50
SSV303	03-04-05	0,45	25	1,50
SSV306	06-07-08	0,45	25	1,50

Ref.	Number	Line Ø	Un.	R.R.P.
SSV309	09-10	0,45	25	1,50
SSV312	11-12	0,45	25	1,50

YM01 (CX01)





FLUOROCARBON



Ref.	Number	Line Ø	Length	Un.	R.R.P.	Ref.	Number	Line Ø	Length	Un.	R.R.P.
YM01-02	2	0,28	2 m	10	5,90	YM01-05	5	0,26	2 m	10	5,90
YM01-04	4	0,28	2 m	10	5,90	YM01-06	6	0,26	2 m	10	5,90

YM15 (CX01)




Ref.	Num.	Line Ø	Length	Un.	R.R.P.	Ref.	Num.	Line Ø	Length	Un.	R.R.P.
YM15-1/0A	1/0	0,35	2 m	10	4,90	YM15-05	5	0,26	2 m	10	4,90
YM15-1/0	1/0	0,30	2 m	10	4,90	YM15-06	6	0,26	2 m	10	4,90
YM15-01	1	0,30	2 m	10	4,90	YM15-08	8	0,26	2 m	10	4,90
YM15-02	2	0,28	2 m	10	4,90	YM15-10	10	0,26	2 m	10	4,90
YM15-03	3	0,28	2 m	10	4,90						
YM15-04	4	0,28	2 m	10	4,90						

YM20 - YM21

(NR BLACK)

(NR NICKEL)



YM20

YM21




Number	20	18	16	14	12
--------	----	----	----	----	----

Ref.	Number	Line Ø	Length	Un.	R.R.P.
YM20	12-14-16-18-20	0,12	1 m	10	4,90

Ref.	Number	Line Ø	Length	Un.	R.R.P.
YM21-C	12-14-16	0,12	1 m	10	4,90
YM21-A	18-20	0,08	1 m	10	4,90
YM21-B	16-18-20	0,1	1 m	10	4,90
YM21-D	12-14-16-18-20	0,14	1 m	10	4,90
YM21-12E	12	0,16	1 m	10	4,90
YM21-12F	12	0,18	1 m	10	4,90




SSB1




SSB2




SSB3



SSB4




SSB5



SSB6




SSB7



SSB8



SSB9




Ref.	Branch line Ø	Main line Ø	Hook Number	Un.	R.R.P.	Ref.	Branch line Ø	Main line Ø	Hook Number	Un.	R.R.P.
SSB1A	0,23	0,33	4	10	5,90	SSB3B	0,23	0,33	8	10	5,90
SSB1B	0,23	0,33	6	10	5,90	SSB3C	0,26	0,33	6	10	5,90
SSB1D	0,26	0,33	4	10	5,90	SSB4A	0,23	0,33	6	10	5,90
SSB1E	0,26	0,33	6	10	5,90	SSB4B	0,23	0,33	8	10	5,90
SSB1F	0,26	0,33	8	10	5,90	SSB4C	0,26	0,33	6	10	5,90
SSB1G	0,30	0,33	4	10	5,90	SSB4D	0,26	0,33	8	10	5,90
SSB1H	0,30	0,33	6	10	5,90	SSB5A	0,33	0,45	1/0	10	5,90
SSB1I	0,30	0,33	8	10	5,90	SSB5B	0,33	0,45	1	10	5,90
SSB2A	0,26	0,33	2	10	5,90	SSB5C	0,33	0,45	2	10	5,90
SSB2B	0,26	0,33	4	10	5,90	SSB5D	0,33	0,45	3	10	5,90
SSB2C	0,26	0,33	6	10	5,90	SSB6A	0,45	0,60	1/0	10	7,90
SSB2D	0,30	0,33	2	10	5,90	SSB7A	0,28	0,33	10	10	6,90
SSB2E	0,30	0,33	4	10	5,90	SSB8A	0,47	0,42	10 + 1/0 (x2) + 5/0 (x1)	10	7,90
SSB2F	0,30	0,33	6	10	5,90	SSB9A	0,70-0,90	1,0	BX50 3/0-5/0	10	9,90
SSB3A	0,23	0,33	6	10	5,90						

SURF RIGS


yuki




SSS1



SSS2



SSS3



Ref.	Branch line ϕ	Main Line ϕ	Hook Number	Un.		R.R.P.
SSS1A	0.23	0,50	8	20		5,90
SSS1B	0.23	0,50	10	20		5,90
SSS1C	0.26	0,50	8	20		5,90
SSS2A	0.23	0,50	6	20		5,90
SSS2B	0.23	0,50	8	20		5,90
SSS2C	0.23	0,50	10	20		5,90
SSS3B	0.26	0,50	8	20		5,90
SSS3C	0.30	0,50	6	20		5,90
SSS3D	0.30	0,50	8	20		5,90




yuki

ATLANTIC SURF RIGS


INVISIBLE

SSAT01



WATCH VIDEO

SSAT02



WATCH VIDEO

SSAT03





WATCH VIDEO

SSAT04



WATCH VIDEO

SSAT05




SSAT06


Ref.	Branch line ϕ	Main Line ϕ	Hook Number	Un.		R.R.P.
SSAT01A	0,30	0,50	6	15		4,50
SSAT01B	0,35	0,50	4	15		4,50
SSAT01C	0,35	0,50	2	15		4,50
SSAT02A	0,28	0,50	5	15		3,90
SSAT02B	0,30	0,50	3	15		3,90
SSAT02C	0,35	0,50	1	15		3,90
SSAT03A	0,28	0,50	5	15		3,90
SSAT03B	0,30	0,50	3	15		3,90
SSAT03C	0,35	0,50	1	15		3,90
SSAT04A	0,35	0,60	1/0	15		2,90
SSAT04B	0,40	0,60	2/0	15		2,90
SSAT04C	0,40	0,60	3/0	15		2,90
SSAT05A	0,28	0,50	6	15		3,90
SSAT05B	0,28	0,50	4	15		3,90
SSAT05C	0,30	0,50	2	15		3,90
SSAT05D	0,35	0,50	1	15		3,90
SSAT05E	0,35	0,50	1/0	15		3,90
SSAT05F	0,35	0,50	2/0	15		3,90
SSAT06A	0,35	0,50	2	15		5,90
SSAT06B	0,35	0,50	1	15		5,90
SSAT06C	0,35	0,50	1/0	15		5,90




SSVA




SSVB




SSVC




SSVD



SSVE






SSVF



Ref.	Main Line ϕ	Branch Line ϕ	Hook Number	Un.		R.R.P.
SSVA	0,35	0,40	4	10		5,50
SSVB	0,35	0,30	4	10		5,50
SSVC	0,40	0,30	4	10		5,50
SSVD	0,40	0,35	2	10		5,50
SSVE	0,40	0,35	2	10		5,50
SSVF	0,35	0,40	2	10		5,50

yuki

SHORE RIGS

INVISIBLE






Ref.	Main Line ϕ	Branch Line ϕ	Hook Number	Float Bead Color	Un.	R.R.P.
SSSHA01	0,70	0,40	1	Yellow	10	5,90
SSSHA02	0,70	0,40	2	Red	10	5,90
SSSHB01	0,70	0,40	1	Yellow	10	5,50

Ref.	Main Line ϕ	Branch Line ϕ	Hook Number	Float Bead Color	Un.	R.R.P.
SSSHB02	0,70	0,40	2	Red	10	5,50
SSSHC01	0,70	0,40	1	Yellow	10	5,50
SSSHC02	0,70	0,40	2	Red	10	5,50

yuki

SQUID JIG RIGS

Seaguar


MI001

MI003

MI005 (Sliding)

MI006 (Sliding)


Ref.	Lenght	Snaps	Line ϕ	Un.	R.R.P.
MI001	2,4 m	4	0,33	10	6,50
MI003	2,4 m	4	0,33	10	6,50
MI005	3,7 m	2	0,30	10	6,50
MI006	5,0 m	3	0,30	10	6,50



MICROBEADS

Ref.	Size (mm)	Color	Un.	R.R.P.
PC-MI-XL/G	0,90	Glow	10	4,90
PC-MI-L/T	0,70	Transparent	10	4,90
PC-MI	1,26	AM - AR - A - B - NA - N - R - T - V - S - RW - C	10	4,90
PC-MI-S	0,50	Transparent - Blue - Red	10	4,90
PC-MI-XS/T	0,38	Transparent	10	4,90
PC-MI-XXS	0,35	Transparent - Blue - Red	10	4,90



MICROTUBE

CRYSTAL BEADS



Ref.	Ø (mm)	Color	Un.	R.R.P.
PC-MT/T	0.65	Transparent	10	5,90



Ref.	Ø (mm)	Color	Un./Box	Un.	R.R.P.
PC-C4	4	Red (R) / Blue (A) / Transparent (T)	30	10	2,90

FLOATING SOFT BAR



- White (B)
- Pink (RO)
- Yellow (A)
- Orange (N)
- Red (R)
- Green (V)
- Blue (AZ)
- Black (B)



Ref.	Ø (mm)	Color	Un.	R.R.P.
PF-F	6	Pink (RO) - White (B) - Black (NE) - Yellow (A) - Green (V) - Blue (AZ) - Red (R) - Orange (N)	10	3,90

SOFT FLOATING



ASSORTED ROUND FLOATS

Red (R)

Yellow (A)

White (B)

GLOW (L)



Ref.	Size	Color	Un.	R.R.P.
PF-FL	Diverse	Red (R) - Yellow (A) - White (B) - Glow (L)	10	1,90

Ref.	Ø (mm)	Length	Color	Un.	R.R.P.
PF-FS4/B	4	5 mt	White	1	12,90
PF-FS6/B	6	5mt	White	1	12,90
PF-FS8/B	8	5 mt	White	1	12,90

BEADS & FLOATING

PERLAS & FLOTANTES
PERLES ET FLOTTANTS
PEROLAS E FLOATING
PERLE E FLOATING
PERLEN & FLOATINGS

FLUO HARD ROUND BEAD

Fluo Orange

Fluo Yellow

Fluo Red



Ref.	Size (mm)	Ø Int.	Color	Pcs/bag	Un.		R.R.P.
PC-FH4	4mm	0,50mm	Fluo orange (O) Fluo red (R) Fluo yellow (Y)	10	10		1,00

SOFT BEAD ROUND

Black



Ref.	Size (mm)	Ø Int.	Color	Pcs/bag	Un.		R.R.P.
PC-SB6	6mm	3mm	Black (B)	25	10		1,90
PC-SB8	8mm	3mm	Black (B)	25	10		1,90

GLOW HARD BEADS

ROUND



ROUND



GLOW

Ref.	Size	Ø Int.	Pcs/bag	Un.		R.R.P.
PC-FR2	2 mm	0,8	50	10		2,90
PC-FR3	3 mm	0,8	50	10		2,90
PC-FR4	4 mm	0,9	50	10		2,90
PC-FR5	5 mm	1,2	50	10		2,90
PC-FR6	6 mm	1,2	50	10		2,90
PC-FR7	7 mm	1,6	50	10		2,90
PC-FR8	8 mm	1,6	50	10		2,90

OVAL

Ref.	Size	Ø Int.	Pcs/bag	Un.		R.R.P.
PC-F01	2*3	0,8	50	10		2,90
PC-F02	3*4	0,8	50	10		2,90
PC-F03	3,4*5	0,8	50	10		2,90
PC-F04	4*5	0,9	50	10		2,90
PC-F05	4*6	0,9	50	10		2,90
PC-F06	5*8	1,2	50	10		2,90
PC-F07	6*8	1,2	50	10		2,90
PC-F08	6*10	1,2	50	10		2,90
PC-F09	6*13	1,2	50	10		2,90
PC-F010	7*10	1,2	50	10		2,90
PC-F011	8*12	1,2	50	10		2,90
PC-F012	10*15	1,2	50	10		2,90

CROSSED BEADS

GLOW



Yellow (AM)



Blue (A)



Red (R)



Green (V)



Transparent (T)

Ref.	Color	Size	Pcs/bag	Un.		R.R.P.	Size	Ø Int. mm
PC-AM	Yellow (AM)	XS-S-M	48	10		4,90	XXS	1,26
PC-A	Blue (A)	XS-S-M	48	10		4,90	XS	1,26
PC-F	Glow (F)	XS-S-M-L	48	10		4,90	S	0,70
PC-R	Red (R)	XS-S-M-L	48	10		4,90	M	0,80
PC-T	Transparent (T)	XXS-XS-S-M-L	48	10		4,90	L	1,10
PC-V	Green (G)	XS-S-M-L	48	10		4,90		

SOFT BEADS

Extra soft beads with sparkling inner glitter

Perlas extra-blandas con purpurina interna que genera destellos

Perles extra-molle avec pailletés internes qui génèrent éclats

White



Pink

GLOW



Green

GLOW



Yellow

GLOW



Red

Ref.	Color	Size	Pcs/bag	Un.		R.R.P.
PC-SW/S	White	S	20	10		2,90
PC-SW/L	White	L	10	10		2,90
PC-SG/S	Green Glow	S	20	10		2,90
PC-SG/L	Green Glow	L	10	10		2,90
PC-SYG/S	Yellow Glow	S	20	10		2,90
PC-SYG/L	Yellow Glow	L	10	10		2,90
PC-SPG/S	Pink Glow	S	20	10		2,90
PC-SPG/L	Pink Glow	L	10	10		2,90
PC-SR/S	Red	S	20	10		2,90
PC-SR/L	Red	L	10	10		2,90


FLOATING ROUND BEADS



Yellow / Glow



Pink



White



Red / Glow



GREEN GLOW



Pink / Glow



Golden / Glow



Silver / Glow



Yellow / Red

Ref.	Color	Size (mm)	Pcs./Bag	Un.	R.R.P.
PFY-R01	Yellow/Glow	13	6	10	3,90
PFY-R02	Pink	13	6	10	3,90
PFY-R03	White	13	6	10	3,90
PFY-R04	Red/Glow	13	6	10	3,90
PFY-R05	Pink/Glow	13	6	10	3,90

Ref.	Color	Size (mm)	Pcs./Bag	Un.	R.R.P.
PFY-R06	Golden/Glow	13	6	10	3,90
PFY-R07	Silver/Glow	13	6	10	3,90
PFY-R08	Yellow/Red	13	6	10	3,90
PFY-R10	Green/Glow	13	6	10	3,90

Ref.	Color	Size (mm)	Pcs./Bag	Un.	R.R.P.
PF-R2	Green Glow	6,8	6	10	2,90
PF-R3	Green Glow	8,7	6	10	2,90
PF-R35	Green Glow	10,0	6	10	2,90
PF-P4	Pink	10,0	6	10	2,90

OVAL FLOATING BEAD



White



Pink



Green



Orange

GLOW

GLOW

GLOW




smelly

Ref.	Color	Size	Pcs./Bag	Un.	R.R.P.
PF-S00/G	Green Glow	UXS (6,2*3,5)	6	10	1,90
PF-S00/P	Pink Glow	UXS (6,2*3,5)	6	10	1,90
PF-S00/SRG	Smell Red Glow	UXS (6,2*3,5)	6	10	1,90
PF-S00/W	White	UXS (6,2*3,5)	6	10	1,90
PF-S1/G	Green Glow	XS (10*5,0)	6	10	1,90
PF-S1/P	Pink Glow	XS (10*5,0)	6	10	1,90
PF-S1/SRG	Smell Red Glow	XS (10*5,0)	6	10	1,90
PF-S2	White	S (11*5,5)	6	10	1,90
PF-S2/G	Green Glow	S (11*5,5)	6	10	1,90
PF-S2/P	Pink Glow	S (11*5,5)	6	10	1,90
PF-S3	White	M (12*6,0)	6	10	1,90
PF-S4	White	L (14*7,0)	6	10	1,90



OVAL FLOATING BEAD WITH STOPPER



Ref.	Color	Size (mm)	Pcs./Bag	Un.	R.R.P.
PFY-P01	Yellow/Glow	14*7	6	10	2,90
PFY-P02	Pink (Glow)	14*7	6	10	2,90
PFY-P03	White (UV)	14*7	6	10	2,90
PFY-P04	Red/Glow	14*7	6	10	2,90
PFY-P05	Pink/Glow	14*7	6	10	2,90
PFY-P06	Golden/Glow	14*7	6	10	2,90
PFY-P07	Silver/Glow	14*7	6	10	2,90
PFY-P09	Smell Red Glow	14*7	6	10	2,90
PFY-P10	Green (Glow)	14*7	6	10	2,90
PFY-P11	Yellow/White	14*7	6	10	2,90
PFY-P12	Pink	14*7	6	10	2,90
PFY-P13	White	14*7	6	10	2,90
PFY-P14	Red/White	14*7	6	10	2,90
PFY-P15	Pink/White	14*7	6	10	2,90
PFY-P18	Yellow/Red	14*7	6	10	2,90
PFY-P19	Red	14*7	6	10	2,90
PFY-P20	Green	14*7	6	10	2,90
PFY-P22	Pink Glossy	14*7	6	10	2,90
PFY-P23	Green Glossy	14*7	6	10	2,90
PFY-P24	Yellow Glossy	14*7	6	10	2,90
PFY-P25	Orange Glossy	14*7	6	10	2,90
PFY-P30	White Glossy	14*7	6	10	2,90

Ref.	Size	mm	Color	Pcs./Bag	Un.	R.R.P.
PF-S0/G	UXS	6,5*3,2	Red/White	6	10	2,90
PF-S0/P	UXS	6,5*3,2	Green Glow	6	10	2,90
PF-S0/SRG	UXS	6,5*3,2	Green	6	10	2,90
PF-S0/W	UXS	6,5*3,2	White	6	10	2,90

Ref.	Size	mm	Color	Pcs./Bag	Un.	R.R.P.
PF-01/SRG	S	10*5,0	Smell Red Glow	6	10	2,90
PF-0R2	S	11*5,0	Red/White	6	10	2,90
PF-02	S	11*5,0	Green Glow	6	10	2,90
PF-0G2	S	11*5,0	Green	6	10	2,90




Material que al contacto con el agua emite un fuerte y desagradable olor, que resulta muy atractivo para los peces.
 Matériau qui diffuse une puissante odeur désagréable au contact de l'eau, ce qui est très attirant pour les poissons.
 Material that emits a powerful and unpleasant odour which in contact with water, is very attractive to fish.

EYTPL

GLOW


Swivels triple with luminous beads
Emerillón triple con perlas luminosas
Émerillon triple avec perle lumineuse



Ref.	Num.	Kg	Un.	Pc/bag	R.R.P.
EYTPL-012	10 x 12	9	10	2	1,90
EYTPL-008	7 x 8	19	10	2	1,90
EYTPL-006	5 x 6	30	10	2	1,90
EYTPL-004	3 x 4	35	10	2	1,90

EYTP

Swivel triple with red beads
Emerillón triple con perlas rojas
Émerillon triple avec perle rouge



Ref.	Num.	Kg	Un.	Pc/bag	R.R.P.
EYTP-007	5 x 7	28	10	3	1,90
EYTP-008	6 x 8	27	10	3	1,90
EYTP-010	8 x 10	20	10	3	1,90
EYTP-012	10 x 12	16	10	4	1,90
EYTP-014	12 x 14	14	10	4	1,90

EYN

Swivel niskvan
Emerillón niskvan
Émerillon niskvan



Ref.	Num.	Kg	Un.	Pc/bag	R.R.P.
EYN-001	1	9	10	4	1,90
EYN-002	2	12	10	4	1,90
EYN-003	3	20	10	3	1,90
EYN-004	4	35	10	2	1,90
EYN-005	5	45	10	2	1,90
EYN-006	6	50	10	1	1,90

EYB


Barrel Swivel
Emerillón barril
Émerillon barril



Ref.	Num.	Kg	Un.	Pc/bag	R.R.P.
EYB-001	1	48	10	4	1,90
EYB-002	2	46	10	5	1,90
EYB-004	4	30	10	7	1,90
EYB-006	6	27	10	9	1,90
EYB-008	8	20	10	12	1,90
EYB-010	10	16	10	12	1,90
EYB-012	12	14	10	12	1,90
EYB-014	14	10	10	12	1,90
EYB-1/0	1/0	53	10	3	1,90
EYB-2/0	2/0	55	10	2	1,90

EYRD

Swivel rolling double
Emerillón rolling doble
Émerillon rolling double



Ref.	Num.	Kg	Un.	Pc/bag	R.R.P.
EYRD-014	12 x 14	4	10	7	1,90
EYRD-012	10 x 12	9	10	7	1,90
EYRD-010	8 x 10	14	10	6	1,90
EYRD-008	7 x 8	19	10	6	1,90
EYRD-007	6 x 7	22	10	6	1,90
EYRD-006	5 x 6	30	10	5	1,90
EYRD-005	4 x 5	32	10	4	1,90
EYRD-004	3 x 4	35	10	4	1,90

EYDS

Double safety swivel
Emerillón doble seguridad
Émerillon double de sécurité



Ref.	Num.	Kg	Un.	Pc/bag	R.R.P.
EYDS-006	6	—	10	9	1,90


EYRG

Rolling swivel
Emerillón rolling grabado
Émerillon rolling

Ref.	Num.	Kg	Un.	Pc/bag	R.R.P.
EYRG-004	4	47	10	7	1,90
EYRG-006	6	43	10	8	1,90
EYRG-008	8	40	10	10	1,90
EYRG-010	10	35	10	12	1,90
EYRG-012	12	32	10	12	1,90
EYRG-014	14	30	10	12	1,90
EYRG-018	18	19	10	12	1,90
EYRG-020	20	14	10	12	1,90
EYRG-022	22	9	10	12	1,90
EYRG-024	24	4	10	12	1,90

EYNS


Swivel nice snap
Emerillón nice snap
Émerillon nice snap



Ref.	Num.	Kg	Un.	Pc/bag	R.R.P.
EYNS-000	000	4	10	12	1,90
EYNS-00	00	9	10	12	1,90
EYNS-0	0	17	10	12	1,90
EYNS-001	1	18	10	12	1,90
EYNS-002	2	25	10	12	1,90
EYNS-003	3	30	10	12	1,90
EYNS-004	4	35	10	12	1,90
EYNS-005	5	40	10	10	1,90

EVI

English swivel
Emerillón inglés
Émerillon anglais



Ref.	Num.	Kg	Un.	Pc/bag	R.R.P.
EVI-000	0	12	10	12	1,90
EVI-001	1	15	10	12	1,90
EVI-002	2	20	10	12	1,90
EVI-003	3	25	10	12	1,90
EVI-004	4	35	10	12	1,90

EYCL


Swivel crane with snap
Emerillón crane con llavero
Émerillon barril agrafe



Ref.	Num.	Kg	Un.	Pc/bag	R.R.P.
EYCL-001	1	15	10	4	1,90
EYCL-002	2	13	10	6	1,90
EYCL-004	4	9	10	8	1,90
EYCL-006	6	7	10	8	1,90
EYCL-008	8	5	10	8	1,90
EYCL-010	10	5	10	8	1,90
EYCL-1/0	1/0	15	10	3	1,90
EYCL-2/0	2/0	34	10	3	1,90

EVIS


Swivel insurance snap
Emerillón insurance snap
Émerillon insurance snap



Ref.	Num.	Kg	Un.	Pc/bag	R.R.P.
EVIS-000	0	8	10	10	1,90
EVIS-001	1	14	10	10	1,90
EVIS-002	2	22	10	9	1,90
EVIS-003	3	35	10	8	1,90
EVIS-004	4	45	10	7	1,90

EVA

German swivel
Emerillón alemán
Émerillon allemand



Ref.	Num.	Kg	Un.	Pc/bag	R.R.P.
EVA-000	000	6	10	9	1,90
EVA-00	00	7	10	9	1,90
EVA-0	0	10	10	9	1,90
EVA-001	1	15	10	9	1,90

SWIVELS

EMERILLONES
ÉMERILLONS
DESTROÇEDORES
GIRELLE
WIRBEL

EYBLD

Golden barrel Swivel with snap
Emerillón barril con llavero dorado
Émerillon barril avec agrafe dore



Ref.	Num.	Kg	Un.	Pc/bag.	R.R.P.
EYBLD-001	1	34	10	3	1,90
EYBLD-002	2	15	10	3	1,90
EYBLD-004	4	15	10	4	1,90
EYBLD-006	6	13	10	5	1,90

EYBLI

Nickel barrel Swivel whit snap
Emerillón barril con llavero níquel
Émerillon barril avec agrafe nickel



Ref.	Num.	Kg	Un.	Pc/bag.	R.R.P.
EYBLI-001	1	34	10	3	1,90
EYBLI-002	2	15	10	3	1,90
EYBLI-004	4	15	10	4	1,90
EYBLI-006	6	13	10	5	1,90

HIGH CLASS YUKI SWIVELS, MADE WITH JAPAN RAW MATERIAL AND PRECISION HI-TECHNOLOGY, FEATURING EXTRA STRENGTH AND PERFECT FINISH

EMERILLONES YUKI DE ALTA GAMA FABRICADOS CON MATERIA PRIMA JAPONESA Y ALTA TECNOLOGIA DE PRECISIÓN, QUE LES APORTA UNA EXTREMA RESISTENCIA Y UN PERFECTO ACABADO

ÉMERILLONS YUKI, PRODUITS AVEC MATIÈRES PREMIÈRES JAPONAISES D'HAUTE GAMME, PRÉCISION ET HAUTE TECHNOLOGIE QUI LEUR DONNE UNE FORCE EXTRÊME ET UNE FINITION PARFAITE



MADE IN JAPAN WITH S.S.304

S.S.304
QUALITY

yuki2025


XTRONIC
POWER!

EYR

Rolling swivel

Emerillón rolling

Émerillon rolling



Ref.	Num.	Kg	Un.	Pc/bag	R.R.P.
EYR-024	24	4	10	12	1,90
EYR-022	22	9	10	12	1,90
EYR-020	20	14	10	12	1,90
EYR-018	18	19	10	12	1,90
EYR-016	16	22	10	12	1,90
EYR-014	14	30	10	12	1,90
EYR-012	12	32	10	12	1,90
EYR-010	10	35	10	12	1,90
EYR-008	8	40	10	12	1,90
EYR-006	6	43	10	8	1,90


Ref.	Num.	Kg	Un.	Pc/bag	R.R.P.
EYR-004	4	47	10	7	1,90
EYR-002	2	60	10	5	1,90
EYR-001	1	75	10	4	1,90
EYR-1/0	1/0	100	10	3	1,90
EYR-2/0	2/0	135	10	2	1,90
EYR-3/0	3/0	160	10	2	1,90
EYR-4/0	4/0	250	10	1	1,90
EYR-5/0	5/0	350	10	1	1,90

EYS

Security swivel

Emerillón seguridad

Émerillon rolling à agrafe



Ref.	Num.	Kg	Un.	Pc/bag	R.R.P.
EYS-024	24	4	10	8	1,90
EYS-022	22	5	10	8	1,90
EYS-020	20	12	10	8	1,90
EYS-018	18	12	10	8	1,90
EYS-016	16	15	10	8	1,90
EYS-014	14	15	10	8	1,90
EYS-012	12	20	10	8	1,90
EYS-010	10	20	10	7	1,90

Ref.	Num.	Kg	Un.	Pc/bag	R.R.P.
EYS-008	8	25	10	6	1,90
EYS-006	6	25	10	5	1,90
EYS-004	4	35	10	4	1,90
EYS-002	2	40	10	3	1,90
EYS-001	1	45	10	3	1,90

EYRSR

Rolling swivel with screw snap

Emerillón rolling con snap roscado

Émerillon agrafe rapide




Ref.	Num.	Kg	Un.	Pc/bag	R.R.P.
EYRSR-002	2	43	10	2	1,90
EYRSR-004	4	35	10	2	1,90
EYRSR-006	6	30	10	3	1,90
EYRSR-008	8	19	10	3	1,90

EYSS

Security swivel

Emerillón súper seguridad

Émerillon super sécurité



Ref.	Num.	Kg	Un.	Pc/bag	R.R.P.
EYSS-004	4	55	10	5	1,90
EYSS-005	5	70	10	5	1,90

EYBLN

Black barrel swivel whit snap

Emerillón barril con llavero negro

Émerillon barril avec agrafe noir



Ref.	Num.	Kg	Un.	Pc/bag	R.R.P.
EYBLN-001	1	34	10	3	1,90
EYBLN-002	2	15	10	3	1,90
EYBLN-004	4	15	10	4	1,90
EYBLN-006	6	13	10	5	1,90
EYBLN-008	8	13	10	7	1,90
EYBLN-010	10	9	10	9	1,90
EYBLN-012	12	7	10	11	1,90

Ref.	Num.	Kg	Un.	Pc/bag	R.R.P.
EYBLN-014	14	7	10	11	1,90
EYBLN-016	16	5	10	12	1,90
EYBLN-018	18	5	10	12	1,90
EYBLN-020	20	5	10	12	1,90
EYBLN-1/0	1/0	34	10	2	1,90
EYBLN-2/0	2/0	34	10	2	1,90

EYCI

Crane Swivel

Emerillón crane con italiano

Émerillon à l'italienne



Ref.	Num.	Kg	Un.	Pc/bag	R.R.P.
EYCI-001	12 + 1	12	10	6	1,90
EYCI-002	10 + 2	16	10	5	1,90
EYCI-003	8 + 3	22	10	4	1,90
EYCI-004	6 + 4	27	10	4	1,90

EPN

Swivel Pater Noster

Swivel Pater Noster

Swivel Pater Noster



Ref.	Num.	Kg	Un.	Pc/bag	R.R.P.
EPN-3/0	3/0	60	12	36	2,90
EPN-4/0	4/0	72	12	36	3,50

EYT

Swivel triple

Emerillón triple

Émerillon triple




Ref.	Num.	Kg	Un.	Pc/bag	R.R.P.
EYT-002	2	46	10	3	1,90
EYT-004	4	30	10	4	1,90
EYT-006	6	27	10	5	1,90
EYT-008	8	20	10	6	1,90
EYT-010	10	16	10	7	1,90
EYT-012	12	14	10	7	1,90

EYRE

Rolling swivel with snap

Emerillón rolling con enganche

Émerillon rolling clip avec agrafe



Ref.	Num.	Kg	Un.	Pc/bag	R.R.P.
EYRE-002	2	23	10	3	1,90
EYRE-004	4	18	10	4	1,90
EYRE-006	6	14	10	4	1,90
EYRE-008	8	10	10	4	1,90
EYRE-010	10	5	10	4	1,90

EYRL

Émerillon rolling long

Emerillón rolling long

Long rolling swivel



24

Ref.	Num.	Kg	Un.	Pc/bag	R.R.P.
EYRL-024	24	4	10	3	1,90

ERR

Rolling swivel red

Emerillón Rolling rojo

Émerillons rolling rouge

24



Ref.	Num.	Kg	Pc/bag	Un.	R.R.P.
ERR-024	24	5	12	12	3,90

ELN

Black Swivel with safety snap

Emerillón con llavero negro

Émerillon baril agrafe noir



Ref.	Num.	Kg	Pc/bag	Un.	R.R.P.
ELN-001	1	17	12	12	3,90
ELN-002	2	15	12	12	2,90
ELN-004	4	13	12	12	2,90
ELN-006	6	11	12	12	1,90
ELN-008	8	11	12	12	1,90
ELN-010	10	8	12	12	1,90
ELN-012	12	6	12	12	1,90
ELN-014	14	6	12	12	1,90
ELN-016	16	5	12	12	1,90
ELN-018	18	5	12	12	1,90
ELN-020	20	5	12	12	1,90

EYRS

Swivel bearing and snap

Emerillón rodamientos snap

Émerillon roulement à agrafe



Ref.	Num.	Kg	Un.	Pc/bag	R.R.P.
EYRS-004	4	45	10	1	1,90
EYRS-006	6	70	10	1	1,90
EYRS-008	8	90	10	1	1,90

EYRT

Rolling treble swivel

Emerillón rolling triple

Émerillon rolling triple



24

Ref.	Num.	Resist. (kg)	Pc/bag	Un.	R.R.P.
EYRT-024	24	4	12	10	1,90

EYRB

Swivel with bearing

Emerillón rodamientos embarcación

Émerillon à roulement à bille avec agrafe




Ref.	Num.	Kg	Un.	Pc/bag	R.R.P.
EYRB-004	4	55	10	1	1,90
EYRB-002	2	70	10	1	1,90
EYRB-001	1	90	10	1	1,90

ENSN

Nice snap black swivel

Emerillón nice snap negro

Émerillon nice snap noir



Ref.	Num.	Kg	Pc/bag	Un.	R.R.P.
ENSN-00	00	5	12	12	1,00
ENSN-0	0	7	12	12	1,00
ENSN-001	001	9	12	12	1,00
ENSN-002	002	11	12	12	1,00
ENSN-003	003	17	12	12	1,00

ER

Rolling swivel

Emerillón rolling

Émerillon rolling



Ref.	Num.	Kg	Pc/bag	Un.	R.R.P.
ER-004	4	29	12	12	1,90
ER-006	6	22	12	12	1,90
ER-008	8	16	12	12	1,50
ER-010	10	12	12	12	1,00
ER-012	12	12	12	12	1,00
ER-014	14	10	12	12	1,00
ER-016	16	9	12	12	1,00
ER-018	18	8	12	12	1,00
ER-020	20	6	12	12	1,00
ER-022	22	6	12	12	1,00
ER-024	24	5	12	12	1,50
ER-026	26	5	12	12	1,50

EYIT

Italian Swivel

Emerillón italiano

Émerillon italien




Ref.	Num.	Kg	Un.	Pc/bag	R.R.P.
EYIT-003	3	12	10	4	1,90
EYIT-002	2	7	10	5	1,90
EYIT-001	1	4	10	5	1,90

ESN

Safety Swivel Black

Emerillón seguridad negro

Émerillon sécurité noir



Ref.	Num.	Kg	Pc/bag	R.R.P.
ESN-006	6	22	12	1,90
ESN-008	8	22	12	1,90
ESN-010	10	18	12	1,90
ESN-012	12	16	12	1,90
ESN-014	14	14	12	1,90
ESN-016	16	14	12	1,90
ESN-018	18	13	12	1,90
ESN-020	20	12	12	1,90

RODS

REELS

LINES

HOOKS

BEADS

SWIVELS

LEADS

BAGS

HOLDERS

ACCESSORIES

STARLITE

TIPS

ERS

Rolling swivel with snap
Emerillón rolling con enganche
Émerillon rolling clip avec agrafe



Ref.	Num.	Kg	Un.	R.R.P.
ERS-001	1	26	12	3,90
ERS-002	2	23	12	3,90
ERS-004	4	18	12	2,90
ERS-006	6	14	12	2,90
ERS-008	8	10	12	2,50
ERS-010	10	5	12	2,90

ETPL


Swivel triple with red beads
Emerillón triple con perlas rojas
Émerillon triple avec perle rouge



Ref.	cm	Kg	Un.	Pc/bag	R.R.P.
ETPL-006	4,0 x 2,3	25	6	12	5,90
ETPL-008	3,7 x 2,1	23	6	12	4,90

ERTA


Double swivel with extension
Emerillón doble con alargó
Émerillon double avec rallonge



Ref.	Num.	Kg	Pc/bag	Un.	R.R.P.
ERTA-004	4x5	32	5	10	3,90
ERTA-006	6x7	22	5	10	3,90
ERTA-008	8x10	14	5	10	3,90

ERBL


Rolling stainless tube swivel
Emerillón rolling tubo inoxidable
Émerillon rolling tube inox



Ref.	Num.	Pc/bag	Un.	R.R.P.
ERBL-005	5	10	10	5,90
ERBL-007	7	10	10	5,90
ERBL-010	10	10	10	5,90
ERBL-012	12	10	10	5,90

AEF


Extra strong lures ring
Arandela señuelos artificiales
Rondelles leures fort



Ref.	Num.	Kg	Un.	Pc/bag	R.R.P.
AEF-002	2	10	10	10	2,90
AEF-003	3	8	10	10	2,90

ERPF

Swivels triple with luminous beads
Emerillón rolling con perla fosforescente
Émerillon rolling avec perle lumineuse



Ref.	Size	Diameter (mm)	Pc/bag	Un.	R.R.P.
ERPF-S	SØ	1,27	6	10	2,50
ERPF-L	LØ	1,38	6	10	2,50

EEA


Lures special snap
Enganche especial artificial
Connecteur spécial leurre



Ref.	Size	Un.	Pc/bag	R.R.P.
EEA-S	S	10	3	1,90

EYSQ


Egi Snap
Enganche Egi
Agrapé Egi



Ref.	Pc/bag	Un.	R.R.P.
EYSQ-A	10	10	3,50
EYSQ-B	10	10	3,90
EYSQ-C	10	10	1,90

EIS


Swivel insurance snap
Emerillón insurance snap
Émerillon insurance snap



Ref.	Num.	Kg	Un.	Pc/bag	R.R.P.
EIS-001	1	14	12	12	1,50
EIS-002	2	28	12	12	1,50
EIS-003	3	38	12	12	1,50
EIS-004	4	52	12	12	1,50
EIS-006	6	57	12	12	1,50
EIS-008	8	60	12	12	1,50
EIS-010	10	66	12	12	1,50

EECF

Plastic snap
Enganche plástico
Connecteurs plastique



Ref.	Size	Pc/bag	Un.	R.R.P.
EECFA-M	M	2	10	1,00
EECFA-S	S	2	10	1,00
EECFB		2	10	2,60
EECFC		3	10	2,30
EECFD		3	10	2,40



EYTOA

Oval aluminium sleeve
Tubo oval aluminio
Tube en aluminium



Ref.	Size	Pc/bag	Un.	R.R.P.
EYTOA-014	1.4 x 2.8 x 10 mm	12	10	1,90
EYTOA-016	1.6 x 3.2 x 10 mm	12	10	1,90

EYTOD


Oval aluminum double sleeve
Tubo oval aluminio doble
Tube en aluminium double



Ref.	Size	Un.	Pc/bag	R.R.P.
EYTOD-030	3.0 x 6.2 x 17 mm	10	6	1,90
EYTOD-035	3.5 x 7.2 x 19 mm	10	5	1,90

TRI


Stainless steel tubes
Tubos de remache inoxidable
Tubes de rivets en acier inoxydable



Ref.	Num.	Diameter (mm)	Un.	Pc/bag	R.R.P.
TRI-012	12	0.55	10	48	0,50
TRI-013	13	0.50	10	48	0,50
TRI-014	14	0.45	10	48	0,50

TRA


Oval aluminium sleeve
Tubo oval aluminio
Tube en aluminium



Ref.	Núm.	Size (mm)	Pc/bag	Un.	R.R.P.
TRA-01	1	0,7x1,4x10	12	12	1,00
TRA-03	3	0,9x1,8x11	12	12	1,00
TRA-04	4	1,1x2,2x15	12	12	1,00
TRA-05	5	1,3x2,6x15	12	12	1,00

EESC

Surf snap
Enganches surf
Conectours surf



Ref.	Size	Color	Pc/bag	Un.	R.R.P.
EESC-A	—		12	12	1,00
EESC-B	—		12	12	1,50
EESC-C	—		12	12	2,90
EESC-E	—		12	12	1,00
EESC-F	—		12	12	2,90
EESC-G	—	Clear	12	12	3,50

Ref.	Size	Color	Pc/bag	Un.	R.R.P.
EESC-H	S-M-L	Black	12	10	2,90
EESC-I	—	Clear	12	10	4,90
EESC-KS	S		3	12	4,90
EESC-LC	M	Clear	12	12	2,50
EESC-LB	L	Blue	12	12	2,50
EESC-LR	L	Red	12	12	2,50

Ref.	Size	Color	Pc/bag	Un.	R.R.P.
EESC-J	—		6	12	3,50
EESC-PG	M (5 cm)	Green	6	10	4,50
EESC-PO	L (6 cm)	Orange	6	10	4,50
EESC-PP	XL (7 cm)	Pink	6	10	4,50

ERPP


Rolling swivel with beads
Emerillón rolling perlas
Émerillon rolling avec perles



Ref.	Size	Pc/bag	Un.	R.R.P.
ERPP-S	S	4	10	3,90
ERPP-M	M	4	10	3,90
ERPP-L	L	4	10	3,90

ERPM

Bead rigged rolling swivel
Emerillón rolling perla montada
Émerillon rolling avec perle



Ref.	Size	Pc/bag	Un.	R.R.P.
ERPM-S	S	4	10	3,90
ERPM-M	M	4	10	3,90
ERPM-L	L	4	10	3,90

EXTRA TEAR DROP LEAD

Calibrated, special for competition
Calibrado extra especial para la competición
Calibré spécifiquement pour la compétition



Ref.	Gr	Un./Bl.	Un.	R.R.P.
PPLA0080	0,8	5	10	3,50
PPLA0100	1	5	10	3,50
PPLA0150	1,5	5	10	3,50
PPLA0200	2	5	10	3,50
PPLA0250	4,96	5	10	3,50
PPLA0300	3	5	10	3,50
PPLA0400	4	5	10	3,50
PPLA0500	5	5	10	3,90
PPLA0600	6	5	10	3,90
PPLA0800	8	5	10	4,90
PPLA1000	10	5	10	4,90
PPLA1200	12	5	10	4,90
PPLA1500	15	5	10	5,90
PPLA2000	20	5	10	5,90

COMPETITION TEAR DROP

Interchangeables, very practical and easy to replace
Intercambiables, muy prácticos y fáciles de sustituir
Interchangeables, très pratique et facile à remplacer



Ref.	Gr	Un./Bl.	Un.	R.R.P.
PPLC0050	0,50	5	10	5,90
PPLC0100	1	5	10	5,90
PPLC0150	1,50	5	10	5,90
PPLC0200	2	5	10	5,90
PPLC0250	4,960	5	10	6,90
PPLC0300	3	5	10	6,90
PPLC0400	4	5	10	6,90
PPLC0500	5	5	10	6,90
PPLC0600	6	5	10	7,90
PPLC0800	8	5	10	7,90
PPLC1000	10	5	10	7,90
PPLC1200	12	5	10	7,90
PPLC1400	14	5	10	7,90

ACCURACY LEAD

Calibrated, special for competition
Calibrado, especial para competición
Calibré, spéciale pour la compétition.



Ref.	Gr	Un./Bl.	Un.	R.R.P.
PPPR01	1.00	5	10	4,50
PPPR02	2.00	5	10	4,50
PPPR04	4.00	5	10	4,50
PPPR05	5.00	5	10	4,50
PPPR10	10.00	5	10	4,50
PPPR12	12.00	5	10	4,90
PPPR15	15.00	5	10	4,90
PPPR20	20.00	5	10	5,90
PPPR25	25.00	5	10	6,90
PPPR30	30.00	5	10	7,90
PPPR40	40.00	5	10	8,50
PPPR50	50.00	5	10	9,90

LEAD BALL

Suitable for match and bolognese fishing rigs, or long pole rigs for fishing in water with current
Para el montaje de líneas para la pesca a inglesa y para la pesca a boloñesa o enchufable en aguas con corriente
Convient pour les lignes de montage de la pêche pour l'anglaise, la bolognaise ou la pêche en compétition avec du courant



Ref.	Gr	Un./Bl.	Un.	R.R.P.
PPES0050	0,50	5	10	2,90
PPES0100	1,00	5	10	2,90
PPES0150	1,50	5	10	2,90
PPES0200	2,00	5	10	2,90
PPES0250	4,960	5	10	2,90
PPES0300	3,00	5	10	2,90
PPES0400	4,00	5	10	2,90
PPES0500	5,00	5	10	2,90
PPES0600	6,00	5	10	2,90
PPES0800	8,00	5	10	3,50
PPES1000	10,00	5	10	3,50
PPES1200	12,00	5	10	3,50
PPES1500	15,00	5	10	3,50
PPES2000	20,00	3	10	3,50
PPES2500	25,00	3	10	3,50
PPES3000	30,00	3	10	3,90

LONG-DROP

Inner silicone tube to facilitate sliding and prevent the friction of nylon

Tubo interior de silicona para facilitar el deslizamiento e impedir el desgaste del nylon

Plombs avec le tube à l'intérieur avec du silicone pour faciliter le glissement et prévenir l'usure du nylon




Ref.	Type	Gr	Un.	R.R.P.
POMA02A	A	0,8-1-1,5-2-4,96-3-6,5	10	22,90
POMA02B	B	1-1,5-4,5-6,5-4-5	10	19,90
POMA02C	C	2-4,96-3-4-4-6-8	10	9,90

MASCOTE SHORT-DROP

Inner silicone tube to facilitate sliding and prevent the friction of nylon

Tubo interior de silicona para facilitar el deslizamiento e impedir el desgaste del nylon

Plombs avec le tube à l'intérieur avec du silicone pour faciliter le glissement et prévenir l'usure du



Ref.	Type	Gr	Un.	R.R.P.
POMA01A	A	0,5-0,75-1-1,25-1,5-2-4,96	10	35,00
POMA01B	B	1-1,25-1,5-2-4,96-3-4	10	27,90
POMA01C	C	2-4,96-3-4-5-6-8	10	17,90
POMA01D	D	0,5-0,75-1-1,25-1,50-2-4,96-3-4-5-6	10	65,00

CUTTED BALL LEAD

100 grams boxes
Cajas de 100 gramos
Boîtes de 100 grammes



Ref.	Gr	Un.	R.R.P.
PL0LP	0,70-1,0-1,4-7,82-4,9-2,8-3,75-4,5	10	3,50

ANCHOR QUICKSHOT

Competition special with individual doser and fast changing time

Especial competición con dosificador individual para un montaje rápido

Spécial compétition avec un doseur individuel, accélère le temps de changer les plombs



Ref.	Size	Un.	R.R.P.
POAD	4-6-8-10-12	20	4,90

LEADS-SINKERS

PLOMOS/PESOS
PLOMBS/CHUMBOS
PESOS/POMBI
PESO/ANGELBLE

SOFT LEADS TUBE

Extremely soft. Offer a quick change on the line without damaging it

Extremadamente blandos. Facilidad de reemplazo y no dañan la línea

Extrêmement doux. Offre rapide pour retirer et remplacer



Ref.	Gr	Total Gr	Un.	R.R.P.
PLOBT	0,05-0,10-0,15-1,0	50	10	1,50

TOP SOFT LEAD

Extremely soft, ideal for competition rigs

Muy blandos, perfectos para preparar líneas de competición

Très doux, ce qui rend les lignes de compétition




Ref.	Number Gr			Un.	R.R.P.
PPBL	0 0.390	7 0.088	1/0 0.420	20	2,90
	1 0.295	8 0.070	2/0 0.450		
	2 0.271	9 0.056	3/0 0.470		
	3 0.221	10 0.040	4/0 0.677		
	4 0.177	11 0.028	5/0 0.690		
	5 0.135	12 0.019	6/0 1.180		
	6 0.112	13 0.013	7/0 1.560		
			8/0 1.770		

PPBL-EX	100 boxes displayer	1		
---------	---------------------	---	--	--



100 boxes displayer




ANCHOR

Soft leads ideal for match fishing

Perfectos para preparar líneas de competición

Plombs souple idéal pour la pêche à l'anglaise

POAB



POAC

POAQ1

Ref.	Gr / Size	Un.	R.R.P.
POAB	0,8-0,4-0,3-0,42	10	5,90
POAC	6,4-0,8-0,4-0,3-0,42-0,1	10	7,90
POAQ	6,4-1,2-0,8-1,19-0,4-0,3-0,42-0,1	10	13,90

Ref.	Gr / Size	Un.	R.R.P.
POAQ1	AAA-AB-BB-SA-SSG	25	2,90
POAQ10	01-03-04-06	25	2,90

COMPARTMENT LEADS

Medium ball cut leads, do not bite the fishing line during sliding

Balines de plomo medio, no mellan el nylon en el desplazamiento

Boite de plombs distributive, ne pas endommager le fil de nylon lors du glissement



Ref.	Gr / Box	Gr	Un.	R.R.P.
PL0L-120	120 gr. 7 Compar.	0,4-0,5-1,0-1,25-1,5-2,0-3,0	10	5,90
PL0L-090	120gr. 4 Compar.	0,5-1,0-1,5-3,0	10	5,90

LEAD BOXES

PLOLA



PLOLB



PLOLC




PLOLD



Ref.	Gr / Box	Compart.	Size	Un.		R.R.P.
PLOLA	100 gr	5	1-0-3/0-4/0-5/0	10		4,90
PLOLB	200 gr	8	5-4-3-2-1-0-1/0-2/0	10		9,90
PLOLC	350 gr	11	3-2-1-0-1/0-2/0-3/0-4/0-5/0-6/0-7/0	10		13,90
PLOLD	350 gr	11	7-6-5-4-3-2-1-0-2/0-3/0-4/0	10		13,90



GRAPPLE LEAD WINDS



Ref.	Gr	Un.	Pcs./Bag	R.R.P.
PLSCVG125	125	10	2	6,50
PLSCVG150	150	10	2	6,90

GRAPPLE LEAD



Ref.	Gr	Un.	Pcs./Bag	R.R.P.
PLOSCG080	90	10	2	4,90
PLOSCG100	110	10	2	5,90
PLOSCG125	130	10	2	5,90
PLOSCG150	150	10	2	6,50

DIAMOND LEAD



Ref.	Gr	Un.	Pcs./Bag	R.R.P.
PLOA030	30	10	10	1,50

SCREW LEAD FISHING TUBE



Ref.	Gr	Un.	Pcs./Bag	R.R.P.
PTR-020	20	10	2	1,90
PTR-070	70	10	2	3,90
PTR-080	80	10	2	3,90
PTR-100	100	10	2	4,50

SURF LEADS

SPHERICAL

Ref.	Gr	Color	Pc/bag	Un.	R.R.P.
PLOCB120-F	120	Green	2	10	6,50
PLOCB130-F	130	Green	2	10	6,90
PLOCB150-F	150	Green	2	10	7,50

CASTING NEW

Ref.	Gr	Color	Pc/bag	Un.	R.R.P.
PLOCN090-A	90	Sand Glow	2	10	5,90
PLOCN090-B	90	White Glow	2	10	5,90
PLOCN090-F	90	Green Glow	2	10	5,90
PLOCN090-R	90	Red Glow	2	10	5,90
PLOCN113-A	113	Sand Glow	2	10	6,50
PLOCN113-B	113	White Glow	2	10	6,50
PLOCN113-F	113	Green Glow	2	10	6,50
PLOCN113-R	113	Red Glow	2	10	6,50
PLOCN120-A	125	Sand Glow	2	10	6,90
PLOCN120-B	125	White Glow	2	10	6,90
PLOCN120-F	125	Green Glow	2	10	6,90
PLOCN120-R	125	Red Glow	2	10	6,90
PLOCN130-A	130	Sand Glow	2	10	6,90
PLOCN130-B	130	White Glow	2	10	6,90
PLOCN130-F	130	Green Glow	2	10	6,90
PLOCN130-R	130	Red Glow	2	10	6,90

OJIVA

Ref.	Gr	Color	Pc/bag	Un.	R.R.P.
PLO010RW	10	Red/White	2	10	3,50
PLO020RW	20	Red/White	2	10	3,50
PLO030RW	30	Red/White	2	10	3,50
PLO040G	40	Green Glow	2	10	4,50
PLO040RW	40	Red/White	2	10	4,50
PLO050RW	50	Red/White	2	10	4,50
PLO060G	60	Green Glow	2	10	4,90
PLO060RW	60	Red/White	2	10	4,90
PLO080G	80	Green Glow	2	10	4,90
PLO080RW	80	Red/White	2	10	4,90
PLO0100RW	100	Red/White	2	10	5,90
PLO0120RW	120	Red/White	2	10	6,50
PLO0150RW	150	Red/White	2	10	7,50

PORTUGUESE

Ref.	Gr	Color	Pc/bag	Un.	R.R.P.
PLOP113-A	113	Sand Glow	2	10	6,50
PLOP113-B	113	White Glow	2	10	6,50
PLOP113-F	113	Glow	2	10	6,50
PLOP113-R	113	Red Glow	2	10	6,50
PLOP120-A	120	Sand Glow	2	10	6,90
PLOP120-B	120	White Glow	2	10	6,90
PLOP120-F	120	Glow	2	10	6,90
PLOP120-R	120	Red Glow	2	10	6,90
PLOP140-A	140	Sand Glow	2	10	7,50
PLOP140-B	140	White Glow	2	10	7,50
PLOP140-F	140	Glow	2	10	7,50
PLOP140-R	140	Red Glow	2	10	7,50
PLOP170-A	170	Sand Glow	2	10	7,90
PLOP170-B	170	White Glow	2	10	7,90
PLOP170-F	170	Glow	2	10	7,90
PLOP170-R	170	Red Glow	2	10	7,90


PYRAMIDAL

Ref.	Gr	Color	Pc/bag	Un.	R.R.P.
PLOPI090-A	90	Natural	2	10	3,90
PLOPI090-F	90	Green Glow	2	10	5,90
PLOPI090-N	90	Orange Glow	2	10	5,90
PLOPI090-R	90	Pink Glow	2	10	5,90
PLOPI113-A	113	Natural	2	10	4,50
PLOPI113-G	113	Green Glow	2	10	6,50
PLOPI113-N	113	Orange Glow	2	10	6,50
PLOPI113-R	113	Pink Glow	2	10	6,50
PLOPI130-A	130	Natural	2	10	4,90
PLOPI130-F	130	Fluor	2	10	7,50
PLOPI130-N	130	Orange	2	10	7,50
PLOPI130-R	130	Pink Fluor	2	10	7,50
PLOPI150-A	150	Natural	2	10	5,90
PLOPI150-F	150	Fluor	2	10	7,90
PLOPI150-N	150	Orange	2	10	7,90
PLOPI150-R	150	Pink Fluor	2	10	7,90

SPHERICAL



OJIVA



CASTING NEW



PORTUGUESE



PYRAMIDAL



DIPSTICK LEAD

S.S. 304

S.S. 304
QUALITY



Ref.	Lenght	Un./Blister	R.R.P.
PLOVA	7 cm	50	
PLOVB	9 cm	50	

GLOW DROP IRON SINKER

LEAD
FREE



V-Green

Ref.	Gr	Pcs./bag	Un.	R.R.P.
PLL003	3,75	4PZ	10	1,90

LEADS COATING POWDER

Camouflage powder for leads coating. Apply with a conventional oven.

Colors: Sand, brown, black, green, yellow, red, white, green-sand, sand-black

Polvos para revestir plomos. Aplicación con horno convencional.

Colores: Marrón / Negro / Verde / Amarillo / Rojo / Blanco / Arena /

Negro-Arena / Verde-Arena

Poudre pour revêtir les plombs. Application en utilisant un four conventionnel.

Disponible en marron/noir/vert/jaune/rouge/blanc/sable/sable noir/sable vert



Ref.	Colors	Weight	Un.	R.R.P.
PLOFP10	A-AR-B-M-N-NA-R-V-VA	100 gr	1	8,50

POLE DELUXE

XTRA HOLDALL

DOUBLE XTRA HOLDALL

SURF

DOUBLE SURF HOLDALL



PRRIG-EL

190 x 19 x 18 cm

R.R.P.
119,00

Designed for all types of rods, large capacity case. Equally large and high side pocket. Double reinforced bottom, padded carrying strap. Made of 6X300D polyester.

Diseñada para todo tipo de cañas, funda de gran capacidad. Cuenta con bolsillo lateral igualmente amplio y alto. Fondo doblemente reforzado, correa de transporte acolchada. Fabricada en poliéster 6X300D

Conçue pour tous les types de cannes, mallette de grande capacité. Poche latérale également grande et haute. Double fond renforcé, sangle de transport rembourrée. Fabriqué en polyester 6X300D.



PRRIG-X

180 x 16 x 15 cm

R.R.P.
119,00

Hard case with capacity for 3 high folding rods, with interior dividers. Double reinforced bottom. Two side pockets, one 150cm and one 100cm high, padded carrying strap. Made of 6X300D polyester.

Funda rígida con capacidad para 3 cañas de plegado alto, con separadores interiores. Fondo doblemente reforzado. Dos bolsillos laterales, uno de 150cm y otro de 100cm de alto. Correa de transporte acolchada. Fabricada con poliéster 6X300D

Mallette rigide pouvant contenir 3 cannes hautes pliantes, avec séparations intérieures. Double fond renforcé. Deux poches latérales, une de 150 cm et une de 100 cm de haut, sangle de transport rembourrée.



PRRIG-DX

180 x 30 x 15 cm

R.R.P.
149,00

Double compartment stiff case with capacity for 6 high folding rods (3 in each compartment) with interior dividers. Double reinforced bottom. Two side pockets, one 150cm and one 100cm high, padded carrying strap. Made of 6X300D polyester.

Funda rígida de doble compartimento con capacidad para 6 cañas de plegado alto (3 en cada compartimento) con separadores interiores. Fondo doblemente reforzado. Dos bolsillos laterales, uno de 150cm y otro de 100cm de alto. Correa de transporte acolchada. Fabricada con poliéster 6X300D

Mallette rigide à double compartiment pouvant contenir 6 cannes hautes pliables (3 dans chaque compartiment) avec séparateurs intérieurs. Double fond renforcé. Deux poches latérales, une de 150 cm et une de 100 cm de haut, sangle de transport rembourrée. Fabriqué en polyester 6X300D.



PRRIG-S

165 x 18 x 16 cm

R.R.P.
89,00

Stiff bag suitable for carry any kind of rods, with capacity up to 3 rods of 3 sections. Bottom with double plastic reinforcement. Carry padded belt. Made from polyester 6X300D

Funda rígida ideal para el transporte de todo tipo de cañas, con capacidad para 3 cañas de 3 tramos. Fondo doblemente reforzado con plástico. Correa de transporte acolchada. Fabricada con poliéster 6X300D

Fourreau rigide idéal pour transporter toutes genres de cannes, avec une capacité de 3 cannes de 3 pc. Base plastique doublement renforcé. Anse rembourrée. Fabriqué en polyester 6X300D



PRRIG-DS

160 x 30 x 16 cm

R.R.P.
99,00

Stiff bag suitable for carry any kind of rods, with capacity up to 2 rods of 2 sections. Bottom with double plastic reinforcement. Carry padded belt. Made from polyester 6X300D

Funda rígida ideal para el transporte de todo tipo de cañas, con capacidad para 2 cañas de 2 tramos. Fondo doblemente reforzado con plástico. Correa de transporte acolchada. Fabricada con poliéster 6X300D


Fourreau rigide idéal pour transporter toutes genres de cannes, avec une capacité de 2 cannes de 2 pc. Base plastique doublement renforcé. Anse rembourrée. Fabriqué en polyester 6X300D

HOLDHALL & BAGS

FUNDAS y BOLSAS
FOURREAUX ET SACS
SACOS DE CANAS E FUNDAS
PORTACANNE BORSETTERIA
TASCHEN & FUTTERALE

TRIPOD STIFF BAG PRO

STAINLESS STEEL DETACHABLE
TRIPOD INCLUDED.
POCKET IN BOTH SIDES.



PRRIG-T

171,5x23cm

Designed for transporting all types of rods and their accessories. 2 side pockets and reinforced handles. Features S.S. inox tripod. Rigid base for greater protection of our material

Diseñada para el transporte de todo tipo de cañas y sus accesorios. 2 bolsillos laterales y asas reforzadas. Incorpora trípode S.S. inox. Base rígida para una mayor protección de nuestro material

Conçu pour le transport de tous types de cannes et de accessoires. 2 poches latérales et poignées renforcées. Il intègre un trépied S.S. inox. Base rigide, pour une meilleure protection de notre matériel

R.R.P.
89,00

EXY SURF DOUBLE



PRRIG-CD

162 x 14 cm

Double interior compartment. It features a carrying handle and its base is rigid for greater protection of our material.

Doble compartimento interior. Incorpora un asa de transporte y su base es rígida para una mayor protección de nuestro material.

Double compartiment intérieur. Il intègre une poignée de transport et sa base est rigide pour une plus grande protection de notre matériel.

R.R.P.
39,90

EXY SURF



PRRIG-CS

162 x 10 cm

Ideal stiff bag for the transport of 2 or 3 sections surf casting rods, so as for other types of rods (match, Bolognese, feeder, etc.)

Funda ideal para el transporte de cañas de surf-casting de 2 y 3 tramos, así como para otro tipo de cañas (inglesa, boloñesa, feeder, etc.)

Fourreau idéal pour transporter des cannes de surf casting 2 et 3 sections, mais aussi pour d'autres types de cannes (anglaise, bolognaise, feeder...)

R.R.P.
21,90

EXY BOAT



PRRIG-CB

131 x 8 cm

Stiff case for transport and protection of boat rods with side pocket for carrying tips

Para el transporte y protección de las cañas de embarcación con bolsillo lateral para el transporte de punteras

Fourreau pour le transport et la protection de cannes de bateau avec une poche latéral pour le transport des scions

R.R.P.

23,90

EXY JIGGING



PRRIG-CJ

187 x 10 cm

Stiff case for transport and protection of jigging rods and others that could be longer

Funda de gran longitud para el transporte y protección de las cañas de jigging y otras modalidades

Fourreau pour le transport et la protection des cannes de jigging et d'autres modalités

R.R.P.

25,90

EXY SLOW



PRRIG-CW

215 x 8 cm

Cover for long baitcasting rods

Funda para cañas de casting plegado largo

Fourreaux pour des cannes de casting longue plié

R.R.P.

29,00

EXV ALB



PRRIG-CA

131 x 10 cm

Large capacity bag for the transport and protection of short thin rods (Alborella, boat, etc.)

Funda de gran capacidad para el transporte y protección de cañas finas con plegado corto (alborella, embarcación, etc.)

Fourreau de grande capacité pour le transport et protection des cannes fines avec plié court (ablette, bateau, etc.)

R.R.P.
21,90

BARBADOS DELUXE



FUBARL

190 x 21 x 11 cm

Developed for carrying pole rods, with an outer pocket to carry an umbrella or accessories, inner kit-holding pockets.

Made in 6x300 D polyester and PVC wrap

Para el transporte de cañas enchufables, con bolsillo exterior lateral porta-paraguas y accesorios. Bolsillos interiores porta-kits. Fabricada en poliéster 6 x 300 D y revestimiento de PVC

Fourreau conçu pour transporter canne rousbasien, avec un côté de la poche extérieure pour les parapluies et les accessoires, avec des poches intérieurs pour les kits. Fabriqué polyester 6x300 D avec revêtement PVC

R.R.P.
65,00

SPACE



PRRIG-CSS

180 x 18 cm

For transporting and storing long bent rods and medium and long bent accessories thanks to its two side pockets, one long and one medium. Made from 6X300D polyester. Excellent value for money.

Para transporte y almacenamiento de cañas con plegado largo, junto con accesorios de plegado medio y largo gracias a sus dos bolsillos laterales, uno largo y otro medio. Fabricada en poliéster 6X300D. Excelente relación calidad-precio.

Pour le transport et le stockage des cannes courbes longues, ainsi que des accessoires courbes moyens et longs grâce à ses deux poches latérales, l'une longue et l'autre moyenne. Fabriqué en polyester 6X300D. Excellent rapport qualité/prix.

R.R.P.
59,00

ST. THOMAS
DELUXE

AMAZONA
DELUXE

TOBAGO
DELUXE

ARUBA
LUX



87 cm

FUTHOL

145 x 45 x 30 cm

R.R.P.
69,00

Ideal for rod transport, two side pockets. Manufactured in polyester 6x300 D with PVC reinforcement

Funda ideal para el transporte de cañas, dispone de dos bolsillos exteriores laterales. Fabricada en poliéster 6 x 300 D con revestimiento de PVC

Fourreau idéal pour le transport de la canne, dispose de deux poches latérales extérieures. Fabriqué polyester 6x300 D avec revêtement en PVC.



73 cm

FUAML

155 x 30 x 15 cm

R.R.P.
49,00

Ideal to carry all types of rods with reel, side pocket for accessories. Manufactured in polyester 6x300 D with PVC

Ideal para el transporte de todo tipo de cañas con carrete, bolsillo lateral porta accesorios. Fabricada en poliéster 6 x 300 D con revestimiento de PVC

Idéal pour transporter tous les types de canne et moulinet, poche porte-accessoire. Fabriqué polyester 6x300 D avec revêtement PVC



96 cm

FUTOBL

170 x 27 x 32 cm

R.R.P.
89,00

Suitable to carry all kinds of rods even with reel, with 3 compartments plus side pocket, reinforced handles. Manufactured in polyester 6x300 D with PVC treatment

Ideal para el transporte de todo tipo de cañas incluso con carrete, dispone de 3 compartimentos, más bolsillo lateral, asas reforzadas. Fabricada en poliéster 6 x 300 D con revestimiento de PVC

Idéal pour le transport de toutes types de cannes et moulinets, avec trois compartiments, plus poche latérale, poignées renforcées. Fabriqué polyester 6x300 D avec revêtement PVC



127 cm

FUARL

165 x 27 x 32 cm

R.R.P.
89,00

Three compartment bag, ideal for rods of 3 lengths, with 130cm side pocket. Padded and reinforced handles. Made of 6X300D polyester with PVC coating.

Funda de tres compartimentos, ideal para cañas de 3 tramos, con bolsillo lateral de 130cm. Asas acolchadas y reforzadas. Fabricada en poliéster 6X300D con revestimiento PVC.

Sac à trois compartiments, idéal pour les cannes de 3 longueurs, avec poche latérale de 130 cm. Poignées rembourrées et renforcées. Fabriqué en polyester 6X300D avec revêtement PVC.

EXV FW STIFF BAG ALLROUND



PRRIG-EA

Stiff holdall bag series ideal for storage of rods on a compact space, perfectly protected and easy to handle. Hard plastic bottom, double zipper and carry belt.

Serie de fundas rígidas perfectas para el almacenamiento de cañas en un espacio reducido, perfectamente protegidas y de fácil manejo. Base de plástico duro, doble cremallera y cinta de transporte

Série de fourreaux rigides parfaits pour le stockage des cannes dans un espace réduit, parfaitement protégés et faciles à manipuler. Base en plastique dur, double fermeture éclair et

Ref.	Size(cm)	R.R.P.
PRRIG-EAM	133X11	24,90
PRRIG-EAL	143X11	24,90

EXV FW STIFF BAG FEEDER



PRRIG-EFM

162 x 10 cm

R.R.P.
29,00

Stiff holdall bag series ideal for storage of rods on a compact space, perfectly protected and easy to handle. Hard plastic bottom, double zipper and carry belt.

Serie de fundas rígidas perfectas para el almacenamiento de cañas en un espacio reducido, perfectamente protegidas y de fácil manejo.

Base de plástico duro, doble cremallera y cinta de transporte

Série de fourreaux rigides parfaits pour le stockage des cannes dans un espace réduit, parfaitement protégés et faciles à manipuler. Base en plastique dur, double fermeture éclair et sangle de transport.

TRIPOD stiff bag



PRRIG-FT

171.5 X 23 cm

R.R.P.
89,00

Designed to carry any kind of rod and its accessories. 2 side pockets. Includes a S.S. reinforced and detachable tripod. Rigid hard base for greater protection.

Diseñada para el transporte de todo tipo de cañas y sus accesorios. 2 bolsillos laterales. Incorpora trípode reforzado de Acero Inoxidable. Base rígida para una mayor protección de nuestro material.

Conçu pour transporter tout type de canne à pêche et ses accessoires. 2 poches latérales. Comprend un trépied renforcé et amovible en acier inoxydable. Base rigide pour une meilleure protection du matériel.

FOLDING EVA BUCKET FW



TRANSPARENT AREA >

Ref.	Size(cm)	Un.	R.R.P.
CUB65	25 X 23 cm.	1	14,90

FUEL



Practical and innovative protective cover with elastic band to fit surf casting, spinning and Bolognese rods... Made from 6*300D polyester, padded with PVC coating.

Práctica e innovadora funda protectora con banda elástica que se adapta a cañas de surf casting, spinning, boloñesa... Fabricada en poliéster 6*300D, acolchada con revestimiento de PVC.

Housse de protection pratique et innovante avec élastique, qui permet de l'adapter aux cannes surf casting, spinning, bolognaises... Fabriquée en polyester 6*300D, rembourrée avec un revêtement en PVC.

Ref	Size(cm)		R.R.P.
FUEL	118x9/7		15,90

SILK



Light and practical holdall to protect different kinds of fishing rods such as 3 section surf-casting, spinning, popping, etc.

Práctica y ligera funda para proteger cañas de varias modalidades como surf-casting de tres tramos, spinning, popping, etc.

Fourreau pratique et léger pour protéger canne surfcasting 3 sections, spinning, popping, etc.

Ref.	Size(cm)	Pockets	Un.		R.R.P.
FUSIL	156 x 15	3	1		16,90
FUSIL-M	170 x 15	2	1		15,90
FUSIL-L	185 x 15	1	1		14,90
FUSIL-3XL	186 x 15	2	1		15,90

TRAVEL TUBE



Rigid tube specially designed for rods transportation during trips where required special protection. Strong and protecting outer wrap, double zipper for the use of locks, padded interior

Tubo rígido diseñado especialmente para el transporte de cañas en viajes donde se requiera una especial protección. Cordura exterior, doble cremallera para el uso de candados, acolchado interior

Tube rigide spécialement conçu pour le transport de cannes en voyage où la protection spéciale est requise. Coutures extérieur, double fermeture pour l'utilisation de cadenas. Rembourrage intérieur

Ref	Size(cm)		R.R.P.
TUB12	100 x 09		19,90
TUB13	100 x 13		29,90

CABBANA

Hydro-repellent rucksack bag, with a top isothermal compartment (12 x 38 x 23 cm). Two adjustable and detachable side pockets with spool holder case. Sizes 31 x 20 x 9 cm. Front pocket (25 x 32 x 7.5 cm). Big front packet for a quick access which stows a chest with three trays and two independent plastic boxes. Featuring, belt and padded hand strap for easier transport.

Bolsa mochila hidro-repelente, dotada con compartimento superior térmico, de 12 x 38 x 23 cm. Dos bolsillos laterales con funda porta-bobinas, ajustables y extraíbles. Medidas 31 x 20 x 9 cm. Bolsillo frontal de 25 x 32 x 7,5 cm. Apertura frontal para acceso a porta-accesorios rígido con tres bandejas extraíbles y dos cajas rígidas independientes. Para mayor confort, viene equipada con tirantes, asas y correa acolchada. Sac à dos hydrophobe, doté d'un compartiment thermique supérieure de 12 x 38 x 23 cm

Deux poches latérales avec des bobines de couverture de diapositives réglable et amovible. Mesures 31 x 20 x 9 cm. De 25 x 32 x 7 de poche avant, 5 cm. Ouverture avant pour l'accès aux accessoires de support rigide avec trois plateaux amovibles et deux boîtes rigides indépendantes. Pour plus de confort vient équipé de sangles, poignées et bandoulière rembourrée



Ref.	Size (cm)	Un.		R.R.P.
BOCAB	60 x 40 x 43 h	1		179,00

FENIX

Comfortable and large space backpack with reinforced back and handles for better transportation. Water-repellent coating and thermo-sealed zipper, hard base. Large top compartment with hard case for glasses, in the middle 4 practices compartment boxes for accessories. Two side pockets and one front pocket

Confortable y espaciosa mochila, con refuerzo en la espalda y en las asas para un mejor transporte. Material hidro-repelente y cremallera termo sellada, base rígida. Espacioso compartimento superior, con funda rígida para gafas, en el centro 4 prácticas cajas para accesorios y compartimento inferior térmico. Dos bolsillos laterales y uno frontal

Sac à dos confortable et spacieux, avec dos renforcé et poignées pour un meilleur transport. Revêtement hydrofuge zip étanche thermos base robuste. Compartiment spacieux haut, cas de verre rigide, pratiques dans les boîtes Moyen 4 accessoires et compartiment inférieur. Deux poches latérales et une en face



ACCESSORIES
NOT INCLUDED

Ref.	Size (cm)	Un.		R.R.P.
BOFEN	30 x 23 x 57 h	1		159,00

FLAME RUCKSACK

Compact and handy bag featuring 7 multi-pocket compartments, come with 4 glow-in-the-dark ABS boxes, high quality zipper

Mochila muy compacta y funcional con 7 compartimentos multi bolsillos, con 4 cajas de ABS en su interior Glow, cremalleras de alta calidad

Sac à dos très compacte et fonctionnel avec 7 compartiments multi poches, avec 4 boîtes ABS à l'intérieur Glow. fermeture d'haute qualité



Ref.	Size (cm)	Un.		R.R.P.
BOFLA	35 x 17 x 37 h.	1		99,00

COSTA

Compact and functional backpack, equipped with two compartments, the above with ample space for reels, with 3 boxes for accessories and removable insulated bag, two side pockets and one frontal

Mochila compacta y funcional, dotada de dos compartimentos, el superior con amplio espacio para carretes, el inferior, con 3 cajas para accesorios y bolsa térmica extraíble, dos bolsillos laterales y uno frontal. Hidro-repelente y cremallera termo-sellada

Sac à dos compact et fonctionnel, pourvu de deux compartiments, haut avec un espace ample pour les bobines la partie inférieure, avec trois boîtes pour accessoires et sac amovible isolé, deux poches latérales et une avant



ACCESSORIES
NOT INCLUDED

Ref.	Size (cm)	Un.		R.R.P.
BOCOS	30 x 25 x 40 h.	1		169,00

TRECK

Comfortable and large space backpack with reinforced back and lumbar protectors for a better and more comfortable use. A large interior compartment and 4 outside pockets and rigid compartment in the base. Water-repellent coating and thermo-sealed zipper

Confortable y espaciosa mochila, con refuerzo en la espalda y protectores lumbares para un mejor y más cómodo uso. Un compartimento amplio interior y 4 bolsillos exteriores y compartimento rígido en la base. Hidro-repelente y cremallera termo-sellada. La base es de material rígido

Sac à dos confortable et spacieux, avec dos renforcé et protections dorsales pour une meilleure utilisation plus confortable. Un compartiment intérieur spacieux et 4 poches extérieures et le compartiment de base rigide. Hydro repoussant, zip étanche thermo-scellé



Ref.	Size (cm)	Un.		R.R.P.
BOTRE	35 x 20 x 58 h.	1		109,00

ZAIRE

High-performance backpack, a top front pocket and a lower thermic compartment, two side pockets and a large central space. Back padded handles and reinforced base

Mochila de grandes prestaciones, un bolsillo frontal superior y un compartimento inferior, dos bolsillos laterales, y un amplio espacio central. Asas y espalda acolchadas, refuerzo en la base

Sac à dos d'haute qualité avec une poche avant supérieure et un compartiment inférieur thermique deux poches latérales et un grand espace central. Poignées et dos rembourrés avec un renforcement de la base



Ref.	Size (cm)	Un.		R.R.P.
BOZAR	36 x 25 x 45 h	1		69,00

TROTTER

Large bag, suitable for transporting all types of sport fishing equipment. It has two large capacity pockets of 38x35x9cm and a front pocket of 37x46x9cm. Made of 6X300D polyester.

Bolsa de grandes dimensiones, adecuada para el transporte de todo tipo de material de pesca deportiva. Cuenta con dos bolsillos de gran capacidad de 38x35x9cm y uno frontal de 37x46x9cm. Fabricada en poliéster 6X300D.

Grand sac, adapté au transport de tout type d'équipement de pêche sportive. Il dispose de deux grandes poches de 38x35x9cm et d'une poche frontale de 37x46x9cm. Fabriqué en polyester 6X300D.



Ref.	Size (cm)	Un.		R.R.P.
BOTRO	73 x 45 x 44 h	1		119,00

OLIMPIA

600D polyester bag, with two compartments double zipper. Its large base is perfect to store plastic boxes and other accessories a little bigger. Rear back and straps padded

Mochila fabricada en poliéster 600 D, con dos compartimentos de doble cremallera que gracias a su base de grandes dimensiones, permite almacenar cajas plásticas y otros accesorios de tamaño considerable. Parte posterior de la espalda y correas acolchadas

Sac fait de polyester 600D avec deux compartiments zippés doubles grâce à sa large base, pour stocker des boîtes en plastique et autres accessoires non négligeables. Arrière dos et bretelles rembourrées



Ref.	Size (cm)	Un.		R.R.P.
BOOL	30 x 22 x 44 h	1		45,00

GAVA

Compact bag, robust and inner part double reinforced, blue colour. Two lateral pockets (20x23x6cm), that also have external small transparent pocket (Height 11cm). Central pocket (24x27x6cm). Practical inner pocket (20x32cm). Rigid base for a better protection

Bolsa compacta, robusta y con interior doblemente reforzado, de color azul, dotada de dos bolsillos laterales 20 x 23 x 6 cm., los cuales a su vez tienen un pequeño bolsillo exterior, transparente de 11 cm de alto. Un bolsillo central de 24 x 27 x 6 cm. Bolsillo posterior de 20 x 32 cm. Práctico bolsillo interior. Base de fondo rígida para una mayor protección

Compact, robuste et doublement renforcée à l'intérieur, bleu, équipé de deux poches latérales. Sac 20x23x6cm., Qui à son tour peut avoir une petite poche extérieure transparente de 11cm., Haut. Un 24x27x6cm de poche centrale. Poche arrière de 20x32cm. Poche intérieure. Base de fond rigide pour une protection supplémentaire



Ref.	Size (cm)	Un.		R.R.P.
BOGAV	47 x 33 x 30 h	1		79,00

GEORGE DELUXE

Compact bag, with two side pockets, one front pocket and a practical interior compartment, adjustable belt. Made from 6 x 300 D polyester and coated with PVC.

Bolsa compacta, con dos bolsillos laterales y otro frontal y un práctico compartimento interior. Correa regulable en altura. Fabricada en poliéster 6 x 300 D y revestimiento en PVC

Sac compact dispose de deux poches latérales, un avant et un compartiment intérieur pratique, ceinture réglable à la hauteur. Fabriqué en polyester 6 x 300 D et enduit de PVC.



Ref.	Size (cm)	Un.		R.R.P.
BOGEOL	40 x 24 x 24 h	1		39,00

MARTIN DELUXE

Compact bag in reinforced water-repellent coating material, two front pockets, two side pockets, front zippered pocket, inner part with double zip closure, reinforced walls with rigid plate. Height adjustable strap

Bolsa compacta, fabricada en poliéster 6 x 300 D y revestimiento en PVC, ofrece una gran capacidad en su interior, bolsillo frontal, tapa dura para una mayor protección y comfortable correa de transporte acolchada

Sac compact, coutures et revêtement hydro repoussant, deux à l'avant, deux latéraux, poche zippée sur le devant, l'espace intérieur avec double fermeture éclair, renforcé par de rigides poches mur de plaque. Sangle réglable en hauteur



Ref.	Size (cm)	Un.		R.R.P.
BOMARL	45 x 34 x 30 h	1		89,90

COOLER BAG DELUXE

Comfortable bag, thermic inside. Modular Velcro compartments. Very light for an easy transport with handles and strap. Made of polyester 6X300C and transparent PVC

Bolsa con interior forrado en material térmico. Con varios compartimentos modulares con Velcro. Muy ligera, correa y asas para un fácil transporte. Fabricada en poliéster 6X300D y revestida en PVC

Sac thermique avec un intérieur confortable, il a été conçu avec une grande capacité, et très léger pour un transport facile. Fabriqué en polyester 6X300D et avec revêtement PVC.



Ref.	Size (cm)	Un.		R.R.P.
BOTERL	40 x 30 x 30 h	1		69,00

HAWAI DELUXE

Practical bag with frontal pocket and water-repellent material with adjustable handles. Made from 6 x 300 D polyester and coated with PVC.

Bolsa tipo bandolera con bolsillo frontal. Fabricada de poliéster 6 x 300 D con revestimiento de PVC. Correa para transporte incluida.

Sac à bandoulière avec poche, revêtement hydrofuge avec poche, coutures et poignées réglables. Fabriqué en polyester 6 x 300 D et enduit de PVC.



CARRY WAY

Compact bag made of polyester 6X300C and transparent PVC. It offers two side pockets, one front and center space. Including carrying handle

Bolsa compacta fabricada en poliéster 6X300C y PVC transparente. Ofrece dos bolsillos laterales, uno frontal y espacio central. Asa de transporte incluida

Sac compacte faite de polyester 6X300C et de PVC transparent. Offre deux poches latérales, l'un avant et l'espace du centre. Compris la poignée de transport



Ref.	Size (cm)	Un.		R.R.P.	Ref.	Size (cm)	Un.		R.R.P.
BOHAWL	31 x 24 x 11 h	1		21,90	BOCAW	37 x 20 x 20 h	1		49,00

SAMOA

Bandit bag with front pocket and adjustable strap

Bolsa tipo bandolera con bolsillo frontal y asa ajustable

Sac style bandoulière avec une poche frontal et anse adaptable



BACKPACK TRAIN

Backpack made of 210/420 D polyester

Bolsa/mochila fabricada en poliéster 210/420 D

Sac à dos en polyester 210/420 D



BUMBAG YUKI

Made in polyester 6 x 300 D, two front compartments. Double zipper. Rear and lateral padded for greater comfort. Adjustable belt

Riñonera fabricada en poliéster 6 x 300 D, con dos compartimentos frontales de doble cremallera. Parte posterior y lateral acolchada para un mayor confort. Cinturón ajustable

En polyester 6 x 300 D, deux compartiments devant. Double fermeture éclair. Arrière et rembourrée latérale pour plus de confort. Ceinture réglable



Ref.	Size (cm)	Un.		R.R.P.	Ref.	Size (cm)	Un.		R.R.P.	Ref.	Size (cm)	Un.		R.R.P.
BOSAM	30 x 20 x 10 h	1		18,90	BOTN	45 x 34	1		29,00	FUBUY	28 x 17 x 13 h	1		25,90

EVA BOXES

Perfect for carrying all kind of small items and accessories. Available in 2 different sizes than can be attached together

Ideales para el transporte de todo tipo de pequeño material y accesorios. Se presenta en dos medidas diferentes que se acoplan entre sí si se desea

Idéal pour le transport de toutes sortes de petits objets et accessoires. Il est disponible en deux tailles différentes qui s'assemblent si désiré



BOEVA 1

BOEVAS

Ref.	Size (cm)	Un.	R.R.P.
BOEVA1	42 x 13 x 27 h	1	28,90
BOEVAS	45 x 29 x 13 h 42 x 27 x 27 h	1	59,00

KEEPNET BAG



Ref.	Size (cm)	Un.	R.R.P.
BOREJ	62 x 59 x 22	1	45,00

BAG/BUCKET EVA

Folding bucket, rectangular with handles, ideal for transport.

Cubo plegable, rectangular con asas, ideal para transporte.

Seau pliant, rectangulaire avec poignées, idéal pour le transport.

CUB30

CUB38



Ref.	Size (cm)	Capacity (L)	Un.	R.R.P.
CUB30	47 x 30 x 27 h	38,07	1	29,90
CUB38	55 x 35 x 33 h	63,52	1	35,00

ACCESSORIES CARRIER

Ideal for transporting small miscellaneous material

Ideal para el transporte de pequeño material diverso

Idéal pour le transport de petit matériel divers



Ref.	Size (cm)	Capacity (L)	Un.	R.R.P.
CPEM	25 x 16 x 11 h	4,4	1	19,00

FISH CARRY BAG EVA

Lightweight, practical and sturdy bag to transport fish or accessories. Fully foldable to keep in small spaces, anti-smell

Ligera, practica y resistente bolsa para el transporte de los peces una vez capturados o accesorios, totalmente plegable, no ocupa ningún espacio, anti-olores

Sac léger, pratique et robuste pour le transport des poissons. Complètement pliable pour pas occuper d'espace. Anti-odeur.



Ref.	Size (cm)	Capacity (L)	Un.	R.R.P.
BOPAP	50 x 28 x 40 h	56	1	29,00

REEL BAG

Made with reinforced material. To carry one or two reels, depending on size
Fabricada en cordura, con capacidad para uno o dos carretes según medida
 Sac pour le stockage et le transport de moulinets, fabriqué avec coutures renforcées



ACCESSORIES NOT INCLUDED

Ref.	Size (cm)	Un.	R.R.P.
BOCAR	20 x 11 x 17 h	1	12,90

DOUBLE REEL BAG

Made of 6 x 300 D polyester and PVC wrapping,, featuring two separate double zip closure compartments to safely store reels
Fabricada en poliéster 6 x 300 D y revestimiento en PVC, ofrece dos compartimentos separados para almacenar carretes con cierre de doble cremallera
 Fabriqué en polyester 6 x 300 D et revêtement PVC, Il offre deux compartiments séparés pour stocker moulinets.
 Double fermeture à glissière



Ref.	Size (cm)	Un.	R.R.P.
BOCAR-D	20 x 17 x 19 h	1	18,90

CONNECTABLE SPOOL AND REEL CARRIER

Made in polyester 6X300D, provides 4 adjustable compartments to store up to 8 reel spools or other accessories and 1 central compartment for the reel. Fastening system to connect two or more bags.
Fabricada en poliéster 6X300D, ofrece cuatro compartimentos ajustables para almacenar hasta 8 bobinas o accesorios varios y un espacio central para el carrete. Se pueden conectar varias fundas entre si con el sistema de fijación.
 Fabriqué en polyester 6X300D, il offre 4 compartiments ajustables pour ranger jusqu'à 8 bobines ou autres accessoires et 1 compartiment central pour le moulinet. Système de fixation pour relier deux ou plusieurs sacs.



8 SPOOLS + 1 REEL CAPACITY

Ref.	Size (cm)	Un.	R.R.P.
BOCAR-B	38 x 21 x 10 h	1	25,90

CONNECTABLE SPOOL CARRIER

Made in polyester 6X300D, with 6 adaptable compartments. Ideal for transporting reel spools or other accessories
Fabricada en poliéster 6X300D, con seis compartimentos ajustables. Ideal para el transporte de bobinas de carretes o accesorios varios
 Fabriqué en polyester 6X300D, avec six compartiments convertibles, se compose de deux sacs connectés. Idéal pour le transporters des bobines des moulinets, fils et divers accessoires



Ref.	Size (cm)	Un.	R.R.P.
BOCON	17 x 29 x 8 h	1	20,90

15 RIGS CARRIER

Compact bag to carry the rigs for your fishing days. 15 units in different colors
 Bolsa compacta para llevar los bajos de línea. 15 unidades en varios colores
 Bas de ligne pour 15 bas plusieurs couleurs



Ref.	Size (cm)	Un.	R.R.P.
PBBP15	31 x 8	1	19,00

SPOOLS BAG

Bag to keep and carry reel spools, made with reinforced material
 Práctica funda para bobinas de hilo-carrete con cierre de doble cremallera
 Sac pour stocker et transporter des bobines, fabriqué avec cordura



Ref.	Size (cm)	Un.	R.R.P.
BOPB	30 x 12,5	1	11,90

SHOCK LEADER HOLDER

Made from strong fabric, with 3 spools capacity. Perfect to quickly change rigs and leaders
 Fabricada en cordura, con capacidad para tres bobinas. Ideal para efectuar el cambio de los bajos de línea
 Fait avec des coutures renforcées. Capacité pour trois bobines. Idéal pour faire le changement des bas de ligne



Ref.	Size (cm)	Un.	R.R.P.
BOSHO	13 x 8	1	17,90

DOUBLE LURES HOLDER

Ideal to carry the lures, squid jigs, jigs... with 24 compartments
 Ideal para el transporte de artificiales, jibioneras etc., con 24 compartimentos
 Idéal pour le transport de leurres artificiel, calamaretes etc. Avec 24 compartiments



Ref.	Size (cm)	Un.	R.R.P.
JS-BPAD	28 x 9 x 18 h	1	26,90

RIGS BAGS DISPLAYER

Handy rig wrap for carrying pre-rigged traces and snoods
 Funda ideal para transporte e identificación de diversos montajes
 Fourreaux idéal pour le transport et l'identification de divers montages



Ref.	Size (cm)	Un.	R.R.P.
BORIG	30 x 24	1	45,00

Ref.	Size (cm)	Un.	R.R.P.
BORIG-ZM	14 x 20 (M)	1	-
BORIG-ZL	30 x 20 (L)	1	-

CATAPULT CARRIER

Made from hard fabric. Can store up to two big size catapults
 Fabricada en cordura, con capacidad para varios tiradores de diversas medidas
 Avec capacité pour divers frondes



Ref.	Size (cm)	Un.	R.R.P.
BOTIR	22 x 28 x 10 h	1	9,90

MAXY BOX

Wide and reinforced multi-purpose drawer with padded seat and belt.
Equipped with belt and seat
Amplio y reforzado cajón multiuso con asiento y correa acolchados.
Equipado con correa y cojín
Large et renforcé, tiroir avec le siège et sa sangle.
Equipé de la ceinture et du coussin



Ref.	Size (cm)	Un.	R.R.P.
BOMAX	54 x 36 x 43 h	1	79,00
BOMAX-S	54 x 36 x 43 h	1	49,00

Ref.	Desc.	Un.	R.R.P.
BOMAX-R	Maxi box with backrest	1	149,00
BOMAX-C	Belt maxy box	1	14,90
BOMAX-CO	Cushion maxi box	1	14,90
BOMAX-CS	Bomax regular strap	1	4,90

MAXI BOX STORE CASE



SEPARATOR MAXI STORE

x 6

Ref.	Desc.	Un.	R.R.P.
BOMAX-A5	6pcs separator maxi store-case	1	9,90

GAP BOX

Compact and practical multi-purpose hard drawer.
Práctico cajón rígido multiuso, compacto.
Practique caisse rigide, compact.



Ref.	Size (cm)	Un.	R.R.P.
BOGAP-S	44 x 38 x 35	1	55,00

PRACTIC BOX

Very durable and large capacity box, equipped with an additional box with several compartments
 Cajón muy resistente y de gran capacidad, provisto de una caja adicional con múltiples departamentos
 Casseau très résistant et de grande capacité muni d'un boîtier supplémentaire avec de multiples compartiments



Ref.	Size (cm)	Un.		R.R.P.
BOPRA	39,5 x 24,5 x 38 h	1		39,00

SIDE TRAY

Reinforced side tray adaptable to all models MAXY
 Bandeja lateral reforzada adaptable a todos los modelos del cajón Maxy
 Plateau latéral renforcé adaptable à tous les modèles de Maxy



Ref.	Size (cm)	Un.		R.R.P.
BOMAX-A2	29 x 23 x 6 h	1		12,90

MAXY/GAP STICK ADAPTOR SET (2 PZ)

Lateral supports to adapt to the MAXY box or similar, to hold the MAXY stick, YUKI T-bar, etc.
 Soportes laterales para adaptar al cajón MAXY o similares y así sostener la pica MAXY, percha YUKI etc.
 Supports latéraux pour adapter au tiroir MAXY ou similaire, et ainsi tenir la pica MAXY, etc.



SINKER SUPPORT DRAWER

Useful support for sinkers that fits perfectly in BOMAX and BOMAX R-boxes. Reversible, two diameters available for any need
 Útil soporte para plomos que se adapta fijándose perfectamente al cajón BOMAX y BOMAX-R. Reversible, dispone de dos diámetros para cualquier necesidad
 Un soutien utile pour les plombs qui s'adaptent parfaitement et étant fixé au tiroir au cassier BOMAX et BOMAX-R. Réversible, deux diamètres disponibles pour tout besoin



LEADS NOT INCLUDED

Ref.	Size (cm)	Un.		R.R.P.
BOMAX-A3	Ø 20 mm & Ø 18 mm	1		17,90

Ref.	Size (cm)	Un.		R.R.P.
BOMAX-A1	17 supports	1		17,90

TRIPODS

KOMPAKT



Light aluminum tripod, sturdy and easy folding. Adjustable height

Trípode de aluminio ligero, robusto y de reducido plegado. Regulable en altura

Trépied en aluminium léger, robuste et réduit après plier. Réglable en hauteur

ADAPT



Extra light aluminum tripod, easy to fold and very compact. Adjustable in both height and orientation

Trípode de aluminio extra ligero, plegado fácil y muy compacto. Regulable en altura y orientación

Trépied en aluminium extra-léger, facile à plier et très compact. Réglable en hauteur et orientation

LIGHT



Ref.	Length	Un.	R.R.P.
T9975	1,00 mt - 1,50 mt	1	89,90

Ref.	Length	Un.	R.R.P.
T9970	1,08 mt - 1,70 mt	1	79,90

Ref.	Length	Un.	R.R.P.
T9945	0,50 mt - 1,10 mt	1	29,00

FOLDING TRAY


Compatible with the holder stick T914N system

Compatible con la percha con pica T914N

Compatible avec perche porte bas de ligne T914N



BAIT PLATE



ALU-TRAY FOR BANK STICK



Ref.	Diameter	Size	Un.	R.R.P.
PIP305	30-25-20	67 x 51 cm	1	35,00

Ref.	Un.	R.R.P.
PIATT01	1	29,00

Ref.	Size (cm)	Un.	R.R.P.
PIP306	46 x 27,7 x 3	1	99,00

HOLDERS & TROLLEYS

SOPORTES & CARROS
SUPERTES & CHAIROTS
SUPPORTO & CARRELLI
RUTENHALTER & TROLLEY

ACCESSORIES COMBINATION EXAMPLE

YUKI ALL-IN DOUBLE TRIPOD



YUKI ALL-IN SIMPLE TRIPOD



Ref.	Size	Un.		R.R.P.
T7001	150 cm	1		129,00
T7002	180 cm	1		199,00

LIGHT ALUMINIUM



ROD HOLDER



SHORT LEGS FIXING KIT & LONG LEGS FIXING KIT



SINGLE RODS SUPPORT



DOUBLE RODS SUPPORT




BUTT GRIPS




Ref.	Un.		R.R.P.
ACAP1	10		2,90
ACAP2	10		2,90
ACAP3	10		2,90
ACAPF	10		6,90
ACAP4	10		7,90
ACAP5	10		7,90
ACAP6	10		8,50
ACAP7	10		11,90
ACAP8	10		7,50
ACAP9	10		7,50
ACAP10	10		12,90

ROD HOLDER ACCESSORIES BASE



Ref.	Size	Un.	R.R.P.
T1140	One size fits all	1	29,90



LATERAL RIG HOLDER



BITE INDICATOR



TRIPOD/HOLDER ACCESSORIES ADAPTER



ROD SUPPORT RIGS ARM+Y



LATERAL BAIT CASE



PLASTIC CAN



NEEDLES TUBE



TRIPOD MESH RECIPIENT



Ref.	Size	Un.	R.R.P.	Ref.	Size	Un.	R.R.P.
T7009	-	1	19,00	T7013	30 cm	1	39,00
T7010	-	1	69,00	T7015	95 cm	1	49,00
T7011	-	1	19,00	T7020	-	1	22,90
T7012	-	1	35,00	T7021	-	1	35,00
T1181A	150 cm	1	39,00	T7030	-	1	19,00
T11812A	180 cm	1	45,00	T7031	-	1	25,00

Ref.	Size	Un.	R.R.P.
T7035	-	1	11,90
T7036	-	1	39,00
T7038	-	1	35,00

HOLDERS AND STICK



Model	Ref.	Size	Un.		R.R.P.
1. TELESCOPIC STICK	PTC	50 cm - 90 cm	1		13,90
2. MAXY TELESCOPIC STICK	BOMAX-P1	1,00 mt + 1,00mt	1		25,00
3. ROD HOLDER 3	SCV-50	50 cm	1		6,50
	SCV-75	75 cm	1		7,50
	SCV-90	90 cm	1		8,90
4. ALLUMINIUM SUPPORT	T1169	0,75 m	1		10,50
	T1170	1,00 m	1		13,50
	T1171	1,20 m	1		15,50
	T1172	1,50 m	1		18,90
	T1173	1,75 m	1		19,90
5. TUBULAR ROD HOLDER	T1145P	0,50 m	1		5,90
	T1147P	0,75 m	1		5,90
	T1149P	0,90 m	1		6,90
6. T-BAR TELESCOPIC SURF STICK	T914N	130 +130 mt 90cm wide	1		49,00

6. T-BAR TELESCOPIC SURF STICK



ALL IN BEACH TROLLEY



Ref.	Size	Weight	Wheel Size	Bag Size	Un.		R.R.P.
T903	120x30x76 cm	9,5kg	30x16,5 cm	55x35x17 cm	1		169,00
T903B	/	/	/	55x35x17 cm	1		
T903W	30x16,5 cm	/	20/22mm shaft	/	1		

UMBRELLAS



SIZE: Ø2,90mt

UMBRELLA NYLON



SIZE: Ø2,00mt

ECONYLON



ANTI-WIND PVC

SIZE: Ø2,90mt



BAIT UMBRELLA PVC

SIZE: 0,80x 0,80mt



SIZE: Ø2,90mt

TENT UMBRELLA NYLON

Model	Ref.	Un.		R.R.P.
ANTI-WIND PVC	PAG05	1		99,00
UMBRELLA NYLON	PAG01	1		69,00
ECONYLON	PAG06	1		39,00
BAIT UMBRELLA PVC	PAG04	1		49,00
TENT UMBRELLA NYLON	PAG07	1		129,00

FEEDER SPRING



Ref.	Gr.	Un.		R.R.P.
MCE	0	10		2,50
MCE020	20	10		3,90
MCE030	30	10		4,50
MCE040	40	10		4,90
MCE070	70	10		5,90

GROOVE FEEDER SPRING



Ref.	Gr.	Ø (mm)	Un.		R.R.P.
MCG30	30	50	10		2,90
MCG40	40	60	10		2,90
MCG50	50	70	10		2,90

FEEDER SPRING ANTI-TANGLE




Ref.	Gr.	Un.		R.R.P.
MCELO30	30	10		2,90
MCELO40	40	10		4,90

ROCKET FEEDER



Ref.	Gr.	Ø (mm)	Un.		R.R.P.
MCER30	30	30	10		2,90
MCER40	40	30	10		2,90
MCER60	60	30	10		3,90



CAGE FEEDER



Ref.	Gr.	Un.		R.R.P.
SWFS-015	20	10		2,90
SWFM-025	40	10		2,90
SWFL-035	60	10		3,50

STAINLESS STEEL NEEDLES



STAINLESS STEEL DOUBLE NEEDLE

Ref.	Size	Un.		R.R.P.
V2000	M - L / 2 Pcs bag	10		4,90



POINT



Ref.	Size	Un.		R.R.P.
------	------	-----	--	--------

SANDWORM

V1329/15	Ø 0,9 mm / 15 cm	100		
V1329/20	Ø 0,9 mm / 20 cm	100		
V1329/25	Ø 0,9 mm / 25 cm	100		
V1329/30	Ø 0,9 mm / 30 cm	100		
V1329/35	Ø 0,9 mm / 35 cm	100		
V1329/35C	Ø 0,9 mm / 29,5 cm	100		

SARDINE

V1330	20 cm.	100		
-------	--------	-----	--	--

BIBI

V1331/15	Ø 1,2 mm / 15 cm	100		
V1331/20	Ø 1,2 mm / 20 cm	100		
V1331/25	Ø 1,2 mm / 25 cm	100		

XL

V1332/25	Ø 1,8 mm / 25 cm	100		
----------	------------------	-----	--	--

ELASTIC BAIT LINE



ELASTIC BAIT LINE 0,021MM 250MT ELASTIC BAIT LINE 0,021MM 250MT ELASTICO NO.1MM BLANCO 200MTS ELASTIC BAIT LINE 200MT+TUBE

Ref.	Length	Color	Ø	Un.		R.R.P.
ELA00	250 m	White	0.021 mm	10		2,90
ELA01	200 m	White	1.00 mm	10		2,90
ELA02	200 m	White	1.00 mm	10		3,90
ELA05	250 m	Clear	0.021 mm	10		3,90

SILICONE TUBES
RECTANGULAR BOX



Ref.	Ø	Un.		R.R.P.
SIC03	0,3 to 2,0 mm	10		3,90

TAPPERED RUBBER STOPPERS

OVAL



Ref.	Size	Un.		R.R.P.
STOP01	Ultra-small	50		1,00
STOP02	Small	50		1,00
STOP03	Medium	50		1,00
STOP04	Big	50		1,00

TAPER



Ref.	Size	Un.		R.R.P.
STOP10	XS	50		1,00

CYLINDRICAL



Ref.	Color	Size	Un.		R.R.P.
STOPC	Black	S/M/L/XL	10		2,50

TAPPER RUBBER STOPPER



Ref.	Size	Un.		R.R.P.
STOP15	XL	1		4,90
STOP18	S	1		4,90

FLOAT STOPPER




Ref.	Un.		R.R.P.
STOP-T	10		2,50

LINES MARKER



Ref.	Color	Un.		R.R.P.
MH	White (B)	1		12,50
	Yellow (A)			
	Orange fluo (N)			
	Red (R)			
MH-G	Glow (G)	1		17,90

ADJUSTABLE RIGS HOLDER



Ref.	Length	Un.		R.R.P.
PL25	25 cm	100		1,90

RODS

REELS

LINES

HOOKS

BEADS

SWIVELS

LEADS

BAGS

HOLDERS

ACCESSORIES

STARLITE



TIPS

QUICK BITE ALARM



Ref.	Un.		R.R.P.
LEL-Q	5		9,90

LOUD BITE INDICATOR




Ref.	Un.		R.R.P.
LEL-S	20		9,90

LIGHT BITE INDICATOR

In the case of strike the light will change to bright red.

En caso de picada la luz cambiará a color rojo intenso.

Dans le cas de la touche, la lumière passe au rouge vif.



**LED LIGHT
BITE INDICATOR**

Ref.	Un.		R.R.P.
LEL-L	10		6,90

BELL BITE INDICATOR



CAS1
Double



CAS2
Simple



CASPS
Starlite Holder

Ref.	Un.		R.R.P.
CAS1	10		1,50
CAS2	10		1,50
CASPS	10		1,50

STEEL CABLE WITH TREBBLE HOOK



Ref.	Hook number	Length	Un.		R.R.P.
CA3T	02 - 04 - 06 - 08 - 10	50 cm	25		2,90

STEEL CABLE WITH HOOK




Ref.	Hook number	Length	Un.		R.R.P.
CA6	01 - 02 - 04 - 1/0 - 2/0 - 3/0 - 4/0	50 cm	25		4,90

STEEL CABLE BLISTER



Ref.	Length	Pz/Blister	Un.	R.R.P.
CA030	30 cm	72	1	19,00
CA072	15 - 24 - 30 cm	72	1	19,00

ANTI TANGLE SNAP



Ref.	Type	Length	Un.	R.R.P.
ET30	"T"	15 cm	10	2,50
ET50	"T"	50 cm	10	4,90

HOOK KEEPER




Ref.	Size	Pz/Blister	Un.	R.R.P.
PR003	M	2	10	1,00

STEEL CABLE 10 MT



Ref.	Strength	Un.	R.R.P.
CA040	40 Lb	1	4,90
CA060	60 Lb	1	4,90
CA080	80 Lb	1	4,90

YUKI DISPLAY



Ref.	Size	Un.
PXEXDYU	210X100 cm	1

YUKI WOOD RODS DISPLAY



Ref.	Size	Un.
EXCM-Y	41*21*78h cm	1

STAINLESS STEEL REEL DISPLAY



Ref.	Un.	R.R.P.
EXCAR	1	

RIGS WINDERS

PBLC7F
PBLC7L
PBLC7N



PBLC6N



PBLC10T



PBLC6



PBLC12



PBT12

Model	Capacity / Size	Ref.	Un.		R.R.P.
ROUND RIG WINDER	Ø 6 cm / H 2 cm	PBLC6N	10		0,90
	Ø 7 cm / H 2 cm	PBLC7N	10		1,00
	Ø 7 cm / H 1,4 cm	PBLC7L	10		0,90
	Ø 7 cm / H 0,8 cm	PBLC7F	10		0,90
RIGS WINDER 8 PREMIUM	Ø 8 cm / H ???cm	PBLC8F	10		0,50
DETACHABLE RIG WINDER	Ø 4,5 + 7,5 + 10,5 cm / H 3 cm	PBLC10T	10		3,90
LINE RIG WINDER TRIPLE	Ø 4,5 cm / H 3 cm	PBLC3N	10		1,50
THIN RIG WINDER	3 winders. 8,0 x 28 x 3 cm / 5 grooves	PBLT3	10		4,50
	8 winders. 7,5 x 21 cm	PBLT8	10		8,90
THIN RIG WINDER DOUBLE	6 winders double. 4,5 x 21 cm	PBLT6D	10		6,90
6 WINDERS	6 winders box	PBLC6	1		19,00
RIG WINDER BOX	12 winders	PBLC12	1		15,00
12 RIGS "M"	12 winders	PBT12	1		7,90
15 RIG WINDER SHEATH	15 winders PBLC7N (included) 31 x 8 cm	PBBP15	1		19,90
15 RIG WINDER	15 winders (Ø 7 cm)	PBCP15	1		29,00
32 RIG WINDER BOX	32 winders (Ø 7 cm)	PBCP32	1		49,00
56 RIG WINDER BOX	56 winders (Ø 7 cm)	PBCP56	1		49,00
GROOVES RIG WINDER	08 x 07 x 1,5 cm / 4 grooves	PBLPN4	10		1,00
	12 x 11 x 1,5 cm / 8 grooves	PBLPN8	10		1,50
	12 x 11 x 2,0 cm / 11 grooves	PBLPN11	10		1,90
LONG RIG WINDER	8 x 28 x 3 cm / 5 grooves	PBL13	12		4,90
SQUARE RIG WINDER	15 x 10 x 1,5 cm	PBLQ15	10		1,00
	19 x 13 x 2,0 cm	PBLQ16	10		5,90
	26 x 15 x 3,0 cm	PBLQ17	10		7,90



PBLT12 / PBLT3 / PBLT8 / PBLT6D



PBL12



PBCP15
(15 pcs PBL7N included)



PBCP32
(32 pcs PBL7N included)



PBCP56
(56 pcs PBL7F included)



PBBP15 (Includes 15pcs **PBL7N** rigs winders)



PBLPN4 / PBLPN8 / PBLPN11



PBL3



PBLQ15 / PBLQ16 / PBLQ17

DEPTH TROLLING SINKER



STAINLESS STEEL

Ref.	Gr.	Un.		R.R.P.
PLOCF100	100	10		13,50
PLOCF150	150	10		17,00
PLOCF200	200	10		18,90
PLOCF300	300	10		23,90
PLOCF400	400	10		27,90
PLOCF500	500	10		29,90

GRILLOX TROLLING SINKER



STAINLESS STEEL



Ref.	Gr	Un.		R.R.P.
GRIP050	50	10		
GRIP080	80	10		

TUBES



1. MULTIFIBRE TUBE



2. RODS & KITS TUBES

TPS

3. NEEDLES TUBE




TPR



TPS

5. MATCH/ BOLOGNESE
RODS TUBES



4. FLOATS TUBE



6. FLOATS TESTER

TPT

	Ref.	Size	Un.		R.R.P.
1	TUBV1	190 x Ø 5 cm	1		39,00
	TUBV2	160 x Ø 5 cm	1		23,90
2	TUB00	180 x Ø 6 cm (rod)	1		13,90
	TUB01	1600x8.5 x 5.5 Oval	1		13,90
	TUB01	170 x Ø 6 cm	1		12,90
	TUB02	180 x Ø 5 cm	1		12,90
3	TUB03	170 x Ø 4 cm	1		8,90
	TPA-35	35 cm	1		2,90
4	TPR	Small	1		7,90
	TPS	Big	1		11,90
5	TUB05	Ø 60 mm	1		11,90
	TUB06	Ø 80 mm	1		15,90
6	TPT	60 cm h.	1		49,00

GLOVES

SURF GLOVE

Finger guard developed for surf-casting competition. Finger cover part made with natural kangaroo leather. Hand parts elastic for a better comfort and adapt.

Dedil ideado para la competición de surf-casting. Parte protectora del dedo fabricada en piel de canguro natural. Partes de la mano elásticas para un mayor confort y adaptación.

Doigtier pour le Surf-Casting. Pièce de protection du doigt en peau de kangourou naturelle. Parties de la main élastiques pour un plus grand confort et ajustement.



SURF-CASTING LUXE GLOVE

Special surf-casting, made of high quality leather, allowing a perfect fit to your finger.

Especial surf-casting, fabricado en cuero, de altísima calidad, lo que permite una perfecta adaptación al dedo.

Surf-castin spécial, fait de cuir, de haute qualité, permettant un ajustement parfait à votre doigt.



Ref.	Size	Un.	R.R.P.
GUAN04	M / L	1	12,90

Ref.	Un.	R.R.P.
GUAN02	1	5,90

STRETCH GLOVE

Gloves made with "Stretch Fit" material, which perfectly fits the hand, light and great feel.

Guantes, fabricados con material "Stretch Fit", el cual se ajusta de forma perfecta a la mano, aportando una ligereza y tacto superior.

Gant fabriqué en « stretch fit », il s'adapte de manière parfaite à votre main, apportant légèreté et un touché précis.



FINGERS GLOVE

Neoprene glove that allows uncovering the three main fingers top part, making handling easier.

Guante de neopreno que permite destapar las puntas de los tres dedos principales y facilitar la acción de manipulación.

Gant de néoprène qui permet de découvrir les conseils des trois principales doigts et faciliter la manipulation de l'action.



Ref.	Un.	R.R.P.
GUAN03-XL	1	29,00

PRO GLOVE

Glove for jigging, made of an innovative material that perfectly fits the hand, avoids cutting while handling the line, making it very suitable for this kind of fishing.

Guante especial para jigging, fabricado en un innovador material que se adapta perfectamente a la mano, antideslizante cuando se cojan los hilos con las manos, haciéndolo muy confortable para la práctica de este tipo de pesca.

Gant spécial pour le jigging, fabriqués en un matériau innovant qui s'adapte parfaitement à la main, antidérapant quand il est en contact avec les fils, ce qui le rend particulièrement confortable pour la pratique de ce sport.



Ref.	Size	Un.	R.R.P.
JS-GJY	L-XL	1	19,90

Ref.	Un.	R.R.P.
GUAN05-XL	1	19,90



BUCKETS AND BOWLS



**EVA
FOLDABLE**

CUB50
(Air pump not included)



**EVA
FOLDABLE**

CUB55



**EVA
FOLDABLE**

CUB60
SET 3 pcs: 30 x 20 x 9 (1) + 16 x 12 x 9 (2)



**EVA
FOLDABLE**

**CAPACITY
80 lt**

CUBL80



**EVA
FOLDABLE**

CPEM



**CUB33
EVA
FOLDABLE**



2 detachable separators included



**EVA
FOLDABLE**

CUB30



**CUB38
EVA
FOLDABLE**

Ref.	Lt / Size	Un.	R.R.P.
CUB50	25 x 22,5 cm	1	14,90
CUB55	18 x 18 cm	1	9,90
CUBL80	Ø46 x 50 h	1	119,00
CUB60	29 x 19 x 10 cm (1) + 5 x 10 x 10 cm (2)	1	29,90
CUB30	47 x 30 x 27 cm	1	29,90
CUB33	50 x 30 x 30 cm	1	49,00

Ref.	Lt / Size	Un.	R.R.P.
CUB38	55 x 35 x 33 cm	1	35,00
CUB12	12	1	10,90
CUBP12	—	1	4,90
CUB18	18	1	19,00
CUBP18	—	1	4,90
CUB27	27	1	39,00

Ref.	Lt / Size	Un.	R.R.P.
CUB45	45	1	39,00
CUBV18	18	1	29,90
CUBT	18	1	24,90
CUBV5	5	1	18,90
CPEM	25 x 16 x 11 h	1	19,00

BUCKETS

BAIT PROTECTOR FOR BUCKET

(Bucket not included)

(Cubo no incluido)

(Seau non inclus)

CUBP12
For 12 lt
buckets



CAPACITY
12 lt

CUB12 (Bucket 12 lt)

CUBP18
For 18 lt
buckets



CAPACITY
18 lt

CUB18 (Bucket 18 lt)



CAPACITY
45 lt

CUB45



CAPACITY
27 lt

CUB27 (SET Lid+Tray+Bucket)



CAPACITY
18 lt

CUBV18



CAPACITY
5 lt

CUBV5



CAPACITY
18 lt

CUBT

BUCKETS AND BOWLS



CUB65

EVA
FOLDABLE

Ref.	Size (cm)	Un.	R.R.P.
CUB65	24 x 22,5 cm	1	14,90

AIR PUMP YUKI



LET



LINE



LUXE

USB CHARGER

Ref.	Model	Un.	R.R.P.
OX101	LINE	1	14,90
OX102	LET	1	14,90
OX103	LUXE-USB	1	24,90

FISHING BOXES

YUKI 1



Ref.	Size (mm)	Un.		R.R.P.
FBY-001	335 x 153 x 148 h	1		15,90

YUKI 2



Ref.	Size (mm)	Un.		R.R.P.
FBY-002	320 x 160 x 120 h	1		15,90

YUKI 4



Ref.	Size (mm)	Un.		R.R.P.
FBY-004	336 x 198 x 165 h	1		19,90

YUKI 6

Accessories not included
Accesorios no incluidos
Accessoires non compris



Ref.	Size (mm)	Un.		R.R.P.
FBY-005	370 x 222 x 197 h	1		29,90

Ref.	Size (mm)	Un.		R.R.P.
FBY-006	394 x 215 x 195 h	1		19,90

MEDIUM ACCESSORIES BOX

32 SPACES



Ref.	Size (mm)	Compartments	Un.		R.R.P.
CP1	280 x 185 x 50 h	32	1		13,90

LURES BOX

12 SPACES



Ref.	Size (mm)	Compartments	Un.		R.R.P.
JS-BPP	270 x 170 x 48 h	12	1		9,90
JS-BPC	177 x 170 x 48 h	12	1		12,90

LONG LURES BOX

28 SPACES



Ref.	Size (mm)	Compartments	Un.		R.R.P.
JS-BPL	320 x 220 x 50 h	28	1		14,90

DOUBLE LURES BOX XL



Ref.	Size (mm)	Un.		R.R.P.
JS-BPG	360 x 250 x 70 h	1		24,90

LONG BOX

L



M

Ref.	Size (mm)	Un.		R.R.P.
CPV-M	320 x 150 x 50 h	1		7,50
CPV- L	400 x 120 x 50 h	1		8,50

LUX MULTITACKLE BOX



Ref.	Size (mm)	Un.		R.R.P.
CPLB	11 x 7,4 x 3,1cm	1		5,90

MULTIBOX

CPA



CPR

Ref.	Size (mm)	Color	Un.		R.R.P.
CPA	99 x 65 x 30 h	Blue	1		1,90
CPR	99 x 65 x 30 h	Orange	1		1,90

CPV



CPNG

Ref.	Size (mm)	Color	Un.		R.R.P.
CPNG	122 x 105 x 34 h	Black	1		4,95
CPV	122 x 105 x 34 h	Green	1		4,95

MINI BOX



Ref.	Size (mm)	Un.		R.R.P.
CP22	20 x 18 x 5 h	1		0,49

PROPYLENE BOX



Ref.	Size (mm)	Un.		R.R.P.
CP0P	250 x 150 x 50 h	1		7,90

TOWEL



YUKI MASTERS RULER ADHESIVE



STICKER "SURFCASTER ON BOARD"



Ref.	Un.		R.R.P.
TOY01	1		8,90

Ref.	Length	Un.		R.R.P.
PEGRM	45 cm	1		1,90

Ref.	Un.		R.R.P.
PEGSC	10		1,90

LEADS & JIGS/LURES CARRY BAG

Practical bag to carry fishing leads, jigs or other accessories or tools.

Práctica funda para transportar plomos, jigs y otros útiles o accesorios.

Sac pratique à transporter jigs, plombs et autres accessoires ou des outils.



Ref.	Size	Un.		R.R.P.
JS-BPJP	52 x 16 cm (10 dep.)	1		16,90
JS-BPJM	52 x 25 cm (10 dep.)	1		19,90
JS-BPJG	52 x 30 cm (10 dep.)	1		19,90

ELASTIC STRIP FOR SPOOL



Ref.	Un.		R.R.P.
CIN5	10		1,90

ELASTIC NEOPRENE RODS BAND



Ref.	Pz/Blister	Un.		R.R.P.
CIN3	2	1		9,90

FOLDABLE BED



Ref.	Size	Weight	Un.		R.R.P.
ACCA02	190 x 58 x 46 h. cm	5,5 kg	1		69,00

TOOLS

RIVETER



PARA14 (Stainless Steel)



PARA15 (Carbon)

CARBON STEEL PLIERS




Ref.	Size (cm)	Ø (mm)	Un.	R.R.P.
PARA14	25	0.1-2.3	1	29,90

Ref.	Size (cm)	Ø (mm)	Un.	R.R.P.
PARA15	25	0.1-2.2	1	35,00

Ref.	Size (cm)	Un.	R.R.P.
PARA16	16	1	14,90

BRAIDED LINE LUX SCISSORS



Ref.	Un.	R.R.P.
TIPS	10	7,90

SMALL SCISSORS



Ref.	Un.	R.R.P.
TIPE	10	2,50

FOLDING SCISSORS



Ref.	Un.	R.R.P.
TIPL	10	2,90

WORM SCISSORS



Ref.	Un.	R.R.P.
TIGU	1	15,90

DANGEROUS FISH PLIERS

Stainless steel pliers suitable for poisonous or sharp fish handling

Pinzas de acero inoxidable ideadas para el manejo de peces venenosos y punzantes

Pincers en acier inoxydable conçus pour manipuler les poissons toxiques ou pointus



Ref.	Un.	R.R.P.
PARA30	1	24,90

FISH SCALER TOOL

Practical tool to remove scales from catches. Made in Stainless Steel.
Práctica herramienta para desescamar las capturas.
Fabricada en acero inoxidable.
Outil pratique pour écailler les captures.
Fabriqué en acier inoxydable.



Ref.	Length	Un.	R.R.P.
PAES	23 cm	1	9,90

FISH SCALER



Ref.	Size	Un.	R.R.P.
PASC	16,5 x 6 cm	1	6,90

LANYARD



Ref.	Un.		R.R.P.
CICO	1		2,50

LANYARD WITH LINE-CUTTER LUX



Ref.	Un.		R.R.P.
CICOHL	1		6,90

LINE PULLER



Ref.	Length	Un.		R.R.P.
PARA35		1		14,90

LINE COUNTER

Designed to measure with extreme precision the distances of the cast.

Para medir con la máxima precisión las distancias de los lances.

Etudié pour mesurer avec précision les distances de lancers.



Ref.	Un.		R.R.P.
LEL-LC	1		29,00

FISHING HOOK LINE TIER

Electric machine for fishing hook line tier .

Máquina eléctrica para montar anzuelos.

Monte-hameçons électrique.



Ref.	Un.		R.R.P.
MMA	1		35,00

FEEDER SPOONS

Baitspoon, available in 46 cm in plastic and in 68cm with fiber pole

Cuchara para cebado disponible en 46 cm con cuerpo de plástico y en 68 cm con cuerpo de fibra

Cuillère à appât disponible en 46 cm avec corps en plastique et corps en fibre de 68 cm



Ref.	Material	Length	Un.		R.R.P.
TIRC	Fiber	68 cm	10		3,90
TIRP	Plastic	46 cm	10		2,50

SCALES

ANALOGIC SCALE
BED-1



MAX.WEIGHT
35 kg

SCALE
BED-4



ONLY FOR TEST
MAX.WEIGHT
40 kg
WEIGHTS
LB/OZ/KG

ELECTRONIC SCALE
BED-5



WEIGHTS
LB/KG
MAX.WEIGHT
40 kg

PRECISION SCALE
BED-6



WEIGHT
1-500 gr

ANALOGIC SCALE
BED-7



MAX.WEIGHT
150 kg
WEIGHTS
LB/KG



Model	Ref.	Type	Un.		R.R.P.
ANALOGIC SCALE	BED-1	Analogue	1		9,90
SCALE	BED-4	Digital	1		39,00
ELECTRONIC SCALE	BED-5	Digital	1		24,90
PRECISION SCALE	BED-6	Digital	1		35,00
ANALOGIC SCALE	BED-7	Analogue	1		35,00

HEADLAMP YUKI SENSITIVE



**HANDS
FREE!**



Ref.	Intensity	Un.		R.R.P.
LEL-ST	100 Lumens	1		19,90

HEADLAMP ORIGINAL



ADJUSTABLE FOCUS

LED HEADLAMP



Ref.	Intensity	Un.		R.R.P.	Ref.	Leds	Un.		R.R.P.
LEL-R	120 Lumens	1		14,90	LEL-5	5	1		6,90

HEADLAMP ADVANCE MG



CARRY BAG
INCLUDED



ADJUSTABLE FOCUS
ADJUSTABLE LIGHT INTENSITY



ULTRAVIOLET TORCH



EFFECTIVELY LIGHTS UP
THE LUMINESCENT
MATERIALS



Ref.	Intensity	Un.		R.R.P.	Ref.	Leds	Un.		R.R.P.
LEL-A	160 Lumens	1		29,00	LEL-U	14	1		14,90

SUBMERSIBLE LEDS LAMPS

SUBMERSIBLE LEDS LAMP 70W

Output. Includes clips for; battery, adapter or car charger. Carrying case included

Potencia de luz. Incluye pinzas para batería o adaptador para cargador de automóvil. Funda de transporte incluida

Élevé. Comprend pinces de batterie. Adaptateur ou chargeur de voiture



SUBMERSIBLE LEDS LAMP 160W

SUBMERSIBLE LEDS LAMP 130W



Ref.	Lamp length	Cable length	Power	Brightness	Light Color	Un.		R.R.P.
LEL-C	50 cm	7,5 m	70 W	9600 Lumens	White	1		149,00
LEL-CB	50 cm	7,5 m	70 W	1920 Lumens	Blue	1		149,00
LEL-CG	50 cm	7,5 m	70 W	6912 Lumens	Green	1		149,00
LEL-K28W	28 cm	10 m	160 W	13860 Lumens	White	1		125,00
LEL-K16W	16 cm	10 m	130 W	11880 Lumens	White	1		89,00

SUBMERSIBLE LEDS LAMP 450W



Ref.	Lamp length	Cable length	Power	Light Color	Un.		R.R.P.
LEL-HW	32	10 m	300 W	White	1		219,00
LEL-HB	32	10 m	300 W	Blue	1		219,00
LEL-HG	32	10 m	300 W	Green	1		219,00

SUBMERSIBLE LEDS LAMP 300W



Ref.	Lamp length	Cable length	Brightness	Power	Light Color	Un.		R.R.P.
LEL-PW	32 cm	10 m	29040 Lumens	300w	White	1		195,00
LEL-PB	32 cm	10 m	5280 Lumens	300w	Blue	1		195,00
LEL-PG	32 cm	10 m	16896 Lumens	300w	Green	1		195,00

SOLAR X BATTERY

Solar deep cycle battery, ideal for use with LED lamp, thanks to its small size and long useful life (30% higher than AGM batteries stationary).

Batería solar de ciclo profundo, ideal para su uso con la lámpara de leds, gracias a su reducido tamaño y muy larga vida útil (30% superior que las baterías AGM estacionarias).

Batterie solaire de cycle profond, idéal pour l'usage de lampe Leds, grâce à sa taille réduite et sa grande autonomie (30% supérieur que les batteries AGM stationnaire).




Ref.	Description	Volts	Ampere	Un.		R.R.P.
LEL-B	Battery	12 V	8Ah	1		39,90
LEL-BC	Battery Charger	—	—	1		85,00

SQUID JIG HOOKS

For squid and cuttlefish. Wide range of models and sizes

Para calamar y sepia. Amplia gama de modelos y tamaños

Pour calmars et seiches. Large gamme de modèles et de tailles



Ref.	Weight (gr)	Length (cm)	Un.	R.R.P.
J/S-01	43,0	24,5	10	9,90
J/S-02	130,0	23,5	10	12,90
J/S-03	140,0	17,5	10	11,90
J/S-04	150,0	17,0	10	12,90

Ref.	Weight (gr)	Length (cm)	Un.	R.R.P.
J/S-05	44,0	13,0	10	8,90
J/S-06	11,0	20,0	10	3,90
J/S-07	8,5	18,0	10	3,90
J/S-08	16,5	16,0	10	2,90

CRAB

Specially developed for octopus. Colours: White base or Fluor base

Especial para la pesca de pulpos. Colores: Base blanca o base flúor

Pêche spécial pour le poulpe. Couleurs: blanc de base ou de fluor sur la base



Ref.	Size	Gr.	Un.	R.R.P.
R190	13 x 3,5 cm	280	1	17,90
R190F	13 x 3,5 cm	280	1	18,90

OCTOPUS JIG

Octopus jig, four hooks, sinker and equipped with safety pin for securing the bait

Pulpera de cuatro anzuelos, plomada y dotada de imperdible para la sujeción del cebo

Planche à poulpe quatre hameçons, plombée et équipée avec épingle de sécurité pour fixer l'appât



Ref.	Color	Hooks	Gr	Un.	R.R.P.
R193F	Glow	4	179	1	7,90

Sliding rig for squid jig fishing. Multiplies the effectiveness thanks to its continuous action during fishing, both descencing and recovering

Montajes corrededos para la pesca con jibionera. Multiplica la efectividad gracias a su continuada acción de pesca, tanto al descender como al recuperar

Bas de ligne coulissant pour la pêche du calmar à la turlutte. Multiplie l'efficacité grâce à son action continue en pêche, à la fois à la descente comme à la récupération



SPECIAL SQUID JIG




OCTOPUS MULTIPLE HOOK FOR LANDINGNET


Octopus multiple hook with universal screw for landingnet handle so you can reach places of difficult access to. It has a ring to keep the hooks attached or open

Práctica pulpera de acero con rosca universal para fijarla a un mango y así poder llegar a lugares de difícil acceso con ella. Dispone de arandela para mantener los anzuelos unidos o abiertos

Hameçon d'acier pour la pêche du poulpe. Pratique filetage universel pour la fixation à une manche d'épaulement pour arriver à des endroits d'accès difficile. Avec rondelle pour soutenir les hameçons ouverts et unis



EGI
SNAPS
Egi Snap
Enganche Egi
Agravé Egi



Ref.	Pc/bag	Un.		R.R.P.
EYSQ-A	10	10		3,50
EYSQ-B	10	10		3,90
EYSQ-C	10	10		1,90

YUKI ASSEMBLY BASE




Ref.	Length	Un.	R.R.P.
T9930	120-320 cm	1	199,00

HEAT SHRINKABLE TUBE

Ideal for placement on the handle of the rod. Colors: Green, red, black, blue and transparent.

Tubo termoretráctil. Ideal para su colocación en el mango de la caña. Colores: Verde, rojo, negro, azul y transparente.

Thermos rétractables. Idéale pour le manche de votre canne. Couleurs disponibles : vert, rouge, noir, bleu et transparent.



CLEAR TAPE

Clear tape to fix on rod's butt section for better grip.

Cinta transparente para fijar en la empuñadura de las cañas para un mejor agarre.

Ruban transparent pour fixer dans l'emmanchement des cannes pour une meilleure adhérence



Ref.	Length	Wide	Un.	R.R.P.
CIRE1T	10m	1,5cm	1	

YUGLASS

High resistance adhesive activated by UV rays.

Adhesivo de alta resistencia que se activa mediante luz ultravioleta.

Adhésif haute résistance qui est activé par la lumière ultraviolette.



Ref.	Type	ml	Un.	R.R.P.
UV101	Glass-Glass	15	1	9,90

SILICONE SPRAY 100%



Ref.	ml	Un.	R.R.P.
ADS03	200	1	12,90

EPOXY



Ref.	ml	Un.	R.R.P.
ADS02	25	1	19,90

REFLECTIVE TAPE

To stick on tip of fishing rods, to increase visibility at night.

Se adhiere a las puntas de las cañas, para incrementar su visibilidad nocturna.

Adhère au premier scion de la canne, pour augmenter votre visibilité de nuit.



Ref.	Color	Size	Un.	R.R.P.
CIRE-P	Silver	50 x 4 cm	10	4,50

STORMSURE

Repairing adhesive for rubber, neoprene, PVC, etc.

Adhesivo reparador para goma, neopreno, PVC, etc.

Adhésif réparateur pour la gomme, néoprène, PVC...



Ref.	Un.	R.R.P.
ADSS01	1	13,90

Ref.	Length	Ø	Un.	R.R.P.
COLOUR				
CIRE25	70 cm	25-13 mm	5	12,90
CIRE28	70 cm	28-15 mm	5	14,90
CIRE30	70 cm	30-16 mm	5	16,90
CIRE35	70 cm	35-18 mm	5	21,90
TRANSPARENT				
CIRE-25T	70 cm	25-13 mm	5	9,90
CIRE-28T	70 cm	28-15 mm	5	11,90
CIRE-30T	70 cm	30-16 mm	5	13,90
CIRE-35T	70 cm	35-18 mm	5	16,90

RIG GLUE

Technical glue for rigs.

Cola técnica para elaborar bajos de línea.

Colle pour le montage des bas de ligne.



Ref.	Un.	R.R.P.
ADS05	1	19,00

PRIME GLUE

Use dryer ADS07 for nylon and fluorocarbon

• Maximum fluidity

Emplear secador ADS07 para nylon y fluorocarbón • Máxima fluidez

Utiliser avec séchant ADS07 pour nylon et fluorocarbène • Maximum fluidité



Ref.	Gr.	Un.	R.R.P.
ADS06	15	1	27,90

GLUE DRYER SPRAY



Ref.	ml	Un.	R.R.P.
ADS07	150	1	20,90

PTFE LUBE OIL



Ref.	ml	Un.	R.R.P.
AFF04	30	1	16,90

REELS PRECISION OIL



Ref.	Un.	R.R.P.
AFF05	1	9,90

VARNISH 2 COMPONENTS



Ref.	Net Weight	Un.	R.R.P.
BHC-2	500 gr (x2)	1	

METALLIC LINE FOR WRAPPING



D



AC



R



AM



P



V



C



VI



G

Ref.	Color	Length	Un.	R.R.P.
HAM	Gold (D) / Bright Blue (AC) / Red (R) / Dark Blue (AM) / Silver (P) / Green (V) / Cooper (C) / Violet (VI) / Gray (G)	100 mt	1	

SPECIAL THREAD FOR WRAPPING



BLACK



BLUE



SILVER



RED



CREAM



ORANGE



ORANGE FLUO


Ref.	Length	Un.	R.R.P.
HAF-2	200 m	1	

Ref.	Length	Un.	R.R.P.
HAF-3	300 m	1	

SL-001




SL-001+2



SL-002




SL-003



SL-004



SL-005



SL-011



SL-015



SL-075




SL-120





SL-KM

Smaller size and more sensitivity
Pequeño y sensible
Plus petit et grande sensibilité




SL-300



Starlite

SL-K


Specially to use with sabiki and for squid fishing
Especial sabiki y jibionera
Spécialement pour une utilisation avec Sabiki ou pour la pêche au calmar



SIZE:
15 x 55mm

SL-KX25

Innovative base in "X" for sliding floats
Innovador pie en forma de "X" para flotador deslizante
Lumière innovant dans un "X" pour flotteur coulissant



SIZE:
2,9-4 x 29mm

SL-LU

Fish attraction thanks to its low profile light, pointed shape to easily attach into soft lures
Atrae los peces con la luz del bajo de línea. Forma puntiaguda que facilita la introducción en un vinilo
Attire les poissons avec la lumière base de ligne. Sa forme pointue facilite également l'introduction d'un vinyle




A
SIZE:
2,9 x 22mm



VA
SIZE:
2,9 x 22mm



RG
SIZE:
2,9 x 22mm
4,5 x 26mm



SL-W WIND

Made for soft plastic lures. Pointed shape with a screw. Leader in the asiatic and Japanese market
Especial vinilos. Forma puntiaguda en forma de rosca. Éxito en el mercado asiático
Spécial pour le vinyle. Forme pointue comme un pas de vis. Un succès sur le marché japonais et en Asie



Ref.	Size/Dimensions	Un.	
SL-001	4,5 x 37 mm	50	
SL-001+2	4,5 x 42 mm	50	
SL-002	4,5 x 37 mm	50	
SL-003	6,00 x 50 mm	50	
SL-004	2,9 x 50 mm	50	
SL-005	3,0 x 23 mm	50	
SL-011	4,5 x 8,0 x 30 mm	50	
SL-015	2,9 x 4,6 x 23 mm	50	
SL-075	7,5 x 75 mm	25	
SL-120	7,5 x 120 mm	25	
SL-300S	S	50	
SL-300M	M	50	
SL-300L	L	50	
SL-300XL	XL	50	
SL-300XXL	XXL	30	
SL-KM	2,2 x 22 mm	20	
SL-K	15 x 55 mm (base)	50	
SL-KX25	2,9 - 4 x 29 mm	50	
SL-LU/A	2,9 x 22 mm (blue)	50	
SL-LU/RG	4,5 x 26 mm (red color)	50	
SL-LU/VA	2,9 x 22 mm (green-blue)	50	
SL-W	2,2 x 22 mm	15	



TIP 1

Solid + High Modulus Carbon
Maciza + Carbono Alto Módulo
Solides + Carbone Haut Module

Ref.	Ø Tip (mm)	Ø Base (mm)	Length (cm)	Un.	
PUM01	0,6	2,0	50	10	
PUM02	0,6	2,2	50	10	
PUM03	0,7	2,9	50	10	
PUM04	0,6	3,0	70	10	
PUM05	0,6	3,0	75	10	
PUM06	0,6	3,0	80	10	
PUM07	0,8	4,0	85	10	
PUM08	0,8	4,5	85	10	
PUM09	0,8	5,0	85	10	
PUM10	0,8	5,5	110	10	
PUM11	0,8	6,0	110	10	
PUM12	0,9	4	90	10	
PUM01A	0,7	2,0	50	10	
PUM02A	0,7	2,2	50	10	
PUM02B	0,7	2,4	50	10	
PUM07A	0,8	3,5	80	10	
PUM07B	0,8	4,0	80	10	

TIP 2

Solid - Carbon High Modulus - Original Sic guides
Maciza - Carbono Alto Módulo - Anillas Original Sic
Solide - Carbone Haut Module - Anneaux Sic originales

Ref.	Ø Tip (mm)	Ø Base (mm)	Length (cm)	Un.	
PUMA01	0,8	4,0	85	10	
PUMA02	0,8	4,5	85	10	
PUMA03	0,8	5,0	85	10	
PUMA04	0,8	5,5	110	10	

TIP 3

High Modulus Carbon
Carbono Alto Módulo
Carbone Haut Module

Ref.	Ø Tip (mm)	Ø Base (mm)	Length (cm)	Un.	
PUCT01	1,5	4,0	90	10	
PUCT02	1,5	4,2	90	10	
PUCT03	1,5	4,5	110	10	
PUCT04	1,5	4,7	110	10	
PUCT05	1,5	4,8	110	10	
PUCT06	1,5	5,0	110	10	
PUCT07	1,5	5,2	110	10	
PUCT08	1,5	5,3	110	10	
PUCT09	1,5	5,5	110	10	
PUCT10	1,5	5,7	110	10	
PUCPF-D	1,8	5,0	89	10	
	Action H				
PUCPF-M	1,8	5,0	89	10	
	Action M				

TIP 4

Fiberglass - Extra-Hard - Original Sic guides
Fibra De Vidrio - Extra-Dura - Anillas Original Sic
Fibre de verre - Extra-Dure - Anneaux Sic originales

Ref.	Ø Tip (mm)	Ø Base (mm)	Length (cm)	Un.	
PUFV01	0,8	4,0	85	10	
PUFV02	0,8	4,5	85	10	
PUFV03	0,8	5,0	85	10	
PUFV04	0,8	4,0	110	10	

TIP 5

Solid - Extra Hard - Multicolor
Maciza - Extra-Dura - Multicolor
Solide - Extra - Forte - Multicolore

Ref.	Ø Tip (mm)	Ø Base (mm)	Length (cm)	Un.	
PUFE01	1,2	5,0	60	10	
PUFE02	1,2	5,5	60	10	
PUFE03	1,2	6,0	60	10	
PUFE04	1,2	7,0	60	10	
PUFE05	1,2	7,5	60	10	
PUFE06	1,2	5,0	70	10	
PUFE07	1,2	5,5	70	10	
PUFE08	1,2	6,0	70	10	
PUFE09	1,2	7,0	70	10	
PUFE10	1,2	7,5	70	10	
PUFE11	0,8	3,0	80	10	
PUFE12	0,8	5,5	80	10	
PUFE13	0,8	6,0	80	10	
PUFE14	0,9	4,0	80	10	
PUFE15	1,0	4,5	80	10	
PUFE16	0,8	3,0	110	10	
PUFE17	0,9	4,0	110	10	
PUFE18	1,0	4,5	110	10	

TIP 6

High Modulus Carbon - For 3 sections rods
Carbono Alto Módulo - Para tercer Tramo
Carbone Haut Module - Pour le 3ème element

Ref.	Ø Tip (mm)	Ø Base (mm)	Length (cm)	Un.	
PUS301	3,2	12,0	145	10	
PUS302	3,5	12,5	140	10	
PUS303	3,5	12,8	160	10	
PUS304	4,0	12,8	160	10	
PUS305	4,0	13,0	145	10	

TIP 7

Tubular - Fiber - Telescopic
Tubular - Fibra - Telescópicas
Tubulaire - Fibre - Télescopique

Ref.	Ø Tip (mm)	Ø Base (mm)	Length (cm)	Un.	
PUFC01	5,0	11,0	95	10	
PUFC02	5,0	12,0	150	10	

TIP 8

High Modulus carbon - Surf-Casting - Telescopic - Tubular
Carbono Alto Módulo - Anilla Surf-Casting - Telescópica - Tubular
Carbone haut module - Anneaux Surf-Casting - Télescopique - Tubulaire

Ref.	Ø Tip (mm)	Ø Base (mm)	Length (cm)	Un.	
PUCC01	2,5	9,0	100	10	
PUCC02	3,5	8,0	100	10	
PUCC03	4,0	8,0	100	10	
PUCC04	3,5	10,0	100	10	
PUCC05	4,0	10,0	100	10	
PUCC06	3,5	11,0	100	10	
PUCC07	4,0	11,0	100	10	
PUCC08	2,5	8,0	100	10	

TIP 9

Boat Embarcación Bateau

Ref.	Ø Tip (mm)	Ø Base (mm)	Length (cm)	Un.	
PUEM01	0,8	3,5	40	10	
PUEM02	0,8	4,0	40	10	
PUEM03	0,8	4,5	40	10	
PUEM04	0,8	4,0	60	10	
PUEM05	0,8	4,5	60	10	
PUEM06	0,8	5,0	60	10	
PUEM07	0,8	5,5	60	10	

TIP 10

Boat Embarcación Bateau

Ref.	Action	Ø Tip (mm)	Ø Base (mm)	Length (cm)	Un.	
PUBF-B	L	0,7	3,9	73	10	
PUBF-D	H	0,7	3,9	65	10	
PUBF-M	M	0,7	3,9	69	10	

TIP 11

Provocate Action Acción Provocada Action Provocate

Ref.	Ø Tip (mm)	Ø Base (mm)	Length (cm)	Un.	
PUPR01H	1,0	4,0	70	10	
PUPR02H	1,0	4,5	70	10	
PUPR03H	1,0	5,0	70	10	

TIP 11



1AMOS

Original Sic guide single leg
Monopata original Sic
Anneaux monopate original Sic



Ref.	Ø Ext ring (mm)	Un.
1AMOS-06	6	10
1AMOS-08	8	10
1AMOS-10	10	10
1AMOS-12	12	10
1AMOS-16	16	10
1AMOS-20	20	10
1AMOS-25	25	10
1AMOS-30	30	10

2AGOS

Dual leg original Sic globe guide, black or chrome
Globo Sic original. Bastidor negro o cromo
Anneaux globe original Sic noir ou chrome



Ref.	Ø Ext ring (mm)	Un.
2AGOS-06	6	10
2AGOS-08	8	10
2AGOS-10	10	10
2AGOS-12	12	10
2AGOS-16	16	10
2AGOS-20	20	10
2AGOS-25	25	10
2AGOS-30	30	10
2AGOS-40	40	10

3AGTOSG

Globe guide original Sic titanium metallic frame
Globo titanio original Sic. Bastidor metálico pavonado
Anneux globe Sic titanium original metal frame bruni



Ref.	Ø Ext ring (mm)	Un.
3AGTOSG-06	6	10
3AGTOSG-08	8	10

3AGTOSG (cont.)

Ref.	Ø Ext ring (mm)	Un.
3AGTOSG-10	10	10
3AGTOSG-12	12	10
3AGTOSG-16	16	10
3AGTOSG-20	20	10
3AGTOSG-25	25	10
3AGTOSG-30	30	10
3AGTOSG-40	40	10

4APBN

Ceramic guide white/black metallic frame
Porcelana blanca/negra, bastidor metálico
Anneux porcelaine blanc/noir châssis metal



Ref.	Ø Ext ring (mm)	Un.
4APBN-08	8	10
4APBN-10	10	10
4APBN-12	12	10
4APBN-16	16	10
4APBN-20	20	10
4APBN-25	25	10
4APBN-30	30	10
4APBN-40	40	10
4APBN-50	50	10

5APN

Ceramic guide black. Metallic frame
Porcelana negra. Bastidor metálico
Anneux porcelaine noir châssis meta



Ref.	Ø Ext ring (mm)	Un.
5APN-08	8	10
5APN-10	10	10
5APN-12	12	10
5APN-16	16	10
5APN-20	20	10
5APN-25	25	10
5APN-30	30	10
5APN-40	40	10
5APN-50	50	10

6PPBN

Ceramic tip guide white/black metallic frame
Porcelana blanca y negra. Bastidor metálico.
Bout porcelaine blanche/noir châssis metal



Ref.	Ø Ext ring (mm)	Ø Int. cone (mm)	Un.
6PPBN1	6	1.5	10
6PPBN2	6	1.8	10
6PPBN3	6	2.0	10
6PPBN3A	8	2.2	10
6PPBN3B	8	2.4	10
6PPBN4	8	2.5	10
6PPBN4A	8	2.6	10
6PPBN4B	8	2.8	10
6PPBN5	8	3.0	10
6PPBN6	10	3.5	10
6PPBN7	10	4.0	10
6PPBN8	12	4.5	10
6PPBN9	16	5.0	10
6PPBN10	20	5.5	10
6PPBN11	20	6.0	10

7PPN

Tip ceramic guide black metallic frame
Porcelana negra. Bastidor metálico
Bout porcelaine noir châssis metal



Ref.	Ø Ext ring (mm)	Ø Int. cone (mm)	Un.
7PPN1	6	1.5	10
7PPN2	6	1.8	10
7PPN3	6	2.0	10
7PPN3A	8	2.2	10
7PPN3B	8	2.4	10
7PPN4	8	2.5	10
7PPN4A	8	2.6	10
7PPN4B	8	2.8	10
7PPN5	8	3.0	10
7PPN6	10	3.5	10
7PPN7	12	4.0	10
7PPN8	12	4.5	10
7PPN9	16	5.0	10
7PPN10	20	5.5	10
7PPN11	20	6.0	10

8AOSPST

Original Sic tip guide metallic frame
Original Sic sin tirantes. Bastidor metálico pavonado
Bout original Sic, sans renfort. Châssis metal bruni



Ref.	Ø Ext ring (mm)	Ø Int. cone (mm)	Un.
8AOSPST01	3	0.7	10
8AOSPST02	3	0.8	10
8AOSPST03	3	1.0	10
8AOSPST04	3	1.2	10
8AOSPST05	4	0.7	10
8AOSPST06	4	0.8	10
8AOSPST07	4	1.0	10
8AOSPST08	4	1.2	10
8AOSPST09	4	1.5	10
8AOSPST10	4	1.8	10
8AOSPST11	4	2.0	10
8AOSPST12	5	0.7	10
8AOSPST13	5	0.8	10
8AOSPST14	5	1.0	10
8AOSPST15	5	1.2	10
8AOSPST16	5	1.5	10
8AOSPST17	5	1.8	10
8AOSPST18	5	2.0	10
8AOSPST20	5.5	0.8	10
8AOSPST22	5.5	1.2	10
8AOSPST23	5.5	1.5	10
8AOSPST24	5.5	1.8	10
8AOSPST25	5.5	2.0	10
8AOSPST26	6	1.0	10
8AOSPST27	6	1.2	10
8AOSPST28	6	1.5	10
8AOSPST29	6	1.8	10
8AOSPST30	6	2.0	10
8AOSPST31	6	2.2	10
8AOSPST32	6	2.4	10
8AOSPST33	6	2.6	10
8AOSPST34	8	1.0	10
8AOSPST35	8	1.2	10
8AOSPST36	8	1.5	10
8AOSPST37	8	1.8	10
8AOSPST38	8	2.0	10
8AOSPST39	8	2.2	10
8AOSPST40	8	2.4	10
8AOSPST41	8	2.6	10
8AOSPST42	8	3.0	10

9POST

Original Sic tip metallic frame

Original Sic con tirantes. Bastidor metálico pavonado

Bout original Sic renforts châssis metal bruni



Ref.	Ø Ext. ring (mm)	Ø Int. cone (mm)	Un.	
9POST1	10	2.0	10	
9POST2	10	2.5	10	
9POST3	10	3.0	10	
9POST4	10	3.5	10	
9POST5	12	4.0	10	
9POST6	12	4.5	10	
9POST7	16	5.0	10	

10PROS

Reinforced original Sic tip guide metallic frame

Reforzada original Sic. Bastidor met. pavonado

Bout renforcée original Sic. Châssis metal-bruni



Ref.	Ø Ext. ring (mm)	Ø Int. cone (mm)	Un.	
10PROS01	8	2.6	10	
10PROS02	8	3.0	10	
10PROS03	8	3.5	10	
10PROS04	8	4.0	10	
10PROS05	10	3.0	10	
10PROS06	10	3.5	10	
10PROS07	10	4.0	10	
10PROS08	10	4.5	10	
10PROS09	10	5.0	10	
10PROS10	12	4.0	10	
10PROS11	12	4.5	10	
10PROS12	12	5.0	10	
10PROS13	12	5.5	10	
10PROS14	12	6.0	10	
10PROS15	12	6.5	10	
10PROS16	12	7.0	10	
10PROS17	12	7.5	10	
10PROS18	12	8.0	10	

11ACIOS

Match rod original Sic guide metallic frame

Inglesa Original Sic. Bastidor metálico

Anneaux Sic original metal frame



Ref.	Ø Ext. ring (mm)	Ø Int. cone (mm)	Un.	
11ACIOS1	4	1.4	10	
11ACIOS2	4	1.5	10	
11ACIOS3	6	1.6	10	
11ACIOS4	6	1.7	10	
11ACIOS5	6	1.8	10	
11ACIOS6	6	1.9	10	
11ACIOS7	6	2.0	10	

12AECT

Special telescopic rod guide metallic frame

Especial telescópica. Bastidor metálico

Anneaux metal spécial telescopique



Ref.	Ø Ext. ring (mm)	Ø Int. cone (mm)	Un.	
12AECT01	8	2.5	10	
12AECT02	8	3.0	10	
12AECT03	10	3.5	10	
12AECT04	10	4.0	10	
12AECT05	10	4.5	10	
12AECT06	12	5.0	10	
12AECT07	12	5.5	10	
12AECT08	12	6.0	10	
12AECT09	12	6.5	10	
12AECT10	12	7.0	10	
12AECT11	12	7.5	10	
12AECT12	12	8.0	10	
12AECT13	16	8.5	10	
12AECT14	16	9.0	10	
12AECT15	16	9.5	10	
12AECT16	16	10.0	10	
12AECT17	16	10.5	10	
12AECT18	16	11.0	10	
12AECT19	16	11.5	10	
12AECT20	16	12.0	10	

12AECT (cont.)

Ref.	Ø Ext. ring (mm)	Ø Int. cone (mm)	Un.	
12AECT21	20	12.5	10	
12AECT22	20	13.0	10	
12AECT23	20	13.5	10	
12AECT24	20	14.0	10	
12AECT25	20	14.5	10	
12AECT26	20	15.0	10	
12AECT27	20	15.5	10	
12AECT28	20	16.0	10	
12AECT29	20	16.5	10	
12AECT30	20	17.0	10	
12AECT31	20	17.5	10	
12AECT32	20	18.0	10	
12AECT33	25	18.5	10	
12AECT34	25	19.0	10	
12AECT35	25	19.5	10	
12AECT36	25	20.0	10	
12AECT37	25	20.5	10	
12AECT38	25	21.0	10	
12AECT39	25	22.0	10	
12AECT40	25	23.0	10	
12AECT41	25	24.0	10	
12AECT42	25	25.0	10	
12AECT43	30	26.0	10	
12AECT44	30	28.0	10	
12AECT45	30	30.0	10	
12AECT46	30	32.0	10	
12AECT47	30	34.0	10	
12AECT48	40	36.0	10	

13AOSCT

Original Sic telescopic rods guide metallic frame

Original Sic telescópica. Bastidor metálico

Anneaux original Sic telescopique. Châssis métallique



Ref.	Ø Ext. ring (mm)	Ø Int. cone (mm)	Un.	
13AOSCT01	5	1.0	10	
13AOSCT1A	5	1.1	10	

13AOSCT (cont.)

Ref.	Ø Ext. ring (mm)	Ø Int. cone (mm)	Un.	
13AOSCT1B	5	1.2	10	
13AOSCT1C	5	1.3	10	
13AOSCT1D	5	1.4	10	
13AOSCT02	5	1.5	10	
13AOSCT2A	5	1.6	10	
13AOSCT2B	5	1.7	10	
13AOSCT2C	5	1.8	10	
13AOSCT2D	5	1.9	10	
13AOSCT03	5	2.0	10	
13AOSCT3A	5	2.1	10	
13AOSCT3B	5	2.2	10	
13AOSCT3C	5	2.3	10	
13AOSCT3D	5	2.4	10	
13AOSCT04	5	2.5	10	
13AOSCT4A	5	2.6	10	
13AOSCT4B	5	2.7	10	
13AOSCT4C	5	2.8	10	
13AOSCT4D	5	2.9	10	
13AOSCT05	5	3.0	10	
13AOSCT5A	5	3.1	10	
13AOSCT5B	5	3.2	10	
13AOSCT5C	5	3.3	10	
13AOSCT5D	5	3.4	10	
13AOSCT06	5	3.5	10	
13AOSCT6A	5	3.6	10	
13AOSCT6B	5	3.7	10	
13AOSCT6C	5	3.8	10	
13AOSCT6D	5	3.9	10	
13AOSCT07	5	4.0	10	
13AOSCT08	5.5	4.5	10	
13AOSCT09	5.5	5.0	10	
13AOSCT10	5.5	5.5	10	
13AOSCT11	5.5	6.0	10	
13AOSCT12	5.5	6.5	10	
13AOSCT13	5.5	7.0	10	
13AOSCT14	5.5	7.5	10	
13AOSCT15	6	8.0	10	
13AOSCT16	6	8.5	10	
13AOSCT17	6	9.0	10	
13AOSCT18	6	9.5	10	
13AOSCT19	6	10.0	10	
13AOSCT20	6	10.5	10	

13AOSCT (cont.)

Ref.	Ø Ext ring (mm)	Ø Int. cone (mm)	Un.	
13AOSCT21	6	11.0	10	
13AOSCT22	8	11.5	10	
13AOSCT23	8	12.0	10	
13AOSCT24	8	12.5	10	
13AOSCT25	8	13.0	10	
13AOSCT26	8	13.5	10	
13AOSCT27	8	14.0	10	
13AOSCT28	8	14.5	10	
13AOSCT29	8	15.0	10	
13AOSCT30	8	15.5	10	
13AOSCT31	8	16.0	10	
13AOSCT32	8	16.5	10	
13AOSCT33	8	17.0	10	
13AOSCT34	8	17.5	10	
13AOSCT35	10	18.0	10	
13AOSCT36	10	18.5	10	
13AOSCT37	10	19.0	10	
13AOSCT38	10	19.5	10	
13AOSCT39	10	20.0	10	
13AOSCT40	10	20.5	10	
13AOSCT41	10	21.0	10	
13AOSCT41A	10	21.5	10	
13AOSCT42	10	22.0	10	
13AOSCT43	12	22.5	10	
13AOSCT44	12	23.0	10	
13AOSCT45	12	23.5	10	
13AOSCT46	12	24.0	10	
13AOSCT47	12	25.0	10	
13AOSCT48	12	26.0	10	
13AOSCT49	12	27.0	10	
13AOSCT50	12	28.0	10	
13AOSCT51	12	29.0	10	
13AOSCT52	12	30.0	10	

14APNED

Black extra hard porcelain guide
Porcelana negra extra-dura
 Anneaux porcelaine noir extra dur



Ref.	Ø Ext ring (mm)	Ø Int. cone (mm)	Un.	
14APNED01	6	1.8	10	
14APNED02	6	2.0	10	
14APNED03	6	2.5	10	
14APNED04	6	3.0	10	
14APNED05	10	3.5	10	
14APNED06	10	4.0	10	
14APNED07	10	4.5	10	
14APNED08	12	5.0	10	
14APNED09	12	5.5	10	
14APNED10	12	6.0	10	
14APNED11	12	6.5	10	
14APNED12	12	7.0	10	
14APNED13	16	7.5	10	
14APNED14	16	8.0	10	
14APNED15	16	8.5	10	
14APNED16	20	9.0	10	
14APNED17	20	9.5	10	

14APNED (cont.)

Ref.	Ø Ext ring (mm)	Ø Int. cone (mm)	Un.	
14APNED18	20	10.0	10	
14APNED19	20	10.5	10	
14APNED20	20	11.0	10	
14APNED21	20	11.5	10	
14APNED22	20	12.0	10	
14APNED23	20	12.5	10	
14APNED24	20	13.0	10	
14APNED25	20	13.5	10	
14APNED26	20	14.0	10	
14APNED27	20	14.5	10	
14APNED28	20	15.0	10	
14APNED29	20	15.5	10	
14APNED30	20	16.0	10	
14APNED31	20	16.5	10	
14APNED32	20	17.0	10	
14APNED33	20	17.5	10	
14APNED34	20	18.0	10	
14APNED35	25	19.0	10	
14APNED36	25	20.0	10	
14APNED37	25	21.0	10	
14APNED38	25	22.0	10	
14APNED39	30	23.0	10	
14APNED40	30	24.0	10	
14APNED41	30	25.0	10	
14APNED42	30	26.0	10	
14APNED45	30	29.0	10	
14APNED46	30	30.0	10	

14AOS

Black extra hard porcelain original Sic guide chrome metallic frame
Porcelana negra Sic extra-dura original. Bastidor metálico cromado
 Anneaux porcelaine noir extradur original Sic metalique chrome



Ref.	Ø Ext ring (mm)	Ø Int. cone (mm)	Un.	
14AOS01	6	1.8	10	
14AOS02	6	2.0	10	
14AOS03	6	2.5	10	
14AOS04	6	3.0	10	
14AOS05	10	3.5	10	
14AOS06	10	4.0	10	
14AOS07	10	4.5	10	
14AOS08	12	5.0	10	
14AOS09	12	5.5	10	
14AOS10	12	6.0	10	
14AOS11	12	6.5	10	
14AOS12	12	7.0	10	

14AOS (cont.)

Ref.	Ø Ext ring (mm)	Ø Int. cone (mm)	Un.	
14AOS13	16	7.5	10	
14AOS14	16	8.0	10	
14AOS15	16	8.5	10	
14AOS16	20	9.0	10	
14AOS17	20	9.5	10	
14AOS18	20	10.0	10	
14AOS19	20	10.5	10	
14AOS20	20	11.0	10	
14AOS21	20	11.5	10	
14AOS22	20	12.0	10	
14AOS23	20	12.5	10	
14AOS24	20	13.0	10	
14AOS25	20	13.5	10	
14AOS26	20	14.0	10	
14AOS27	20	14.5	10	
14AOS28	20	15.0	10	
14AOS29	20	15.5	10	
14AOS30	20	16.0	10	
14AOS31	20	16.5	10	
14AOS32	20	17.0	10	
14AOS33	20	17.5	10	
14AOS34	20	18.0	10	
14AOS35	25	19.0	10	
14AOS36	25	20.0	10	
14AOS37	25	21.0	10	
14AOS38	25	22.0	10	
14AOS38A	25	22.5	10	
14AOS39	30	23.0	10	
14AOS40	30	24.0	10	
14AOS41	30	25.0	10	
14AOS42	30	26.0	10	
14AOS43	30	27.0	10	
14AOS44	30	28.0	10	
14AOS45	30	29.0	10	
14AOS46	30	30.0	10	

15AEOS

Boat original Sic black guide metallic frame
Embarcación original Sic. Bastidor metálico
 Anneaux bateau original Sic metalique noir



Ref.	Ø Ext ring (mm)	Un.	
15AEOS08	8	10	
15AEOS10	10	10	
15AEOS12	12	10	
15AEOS16	16	10	
15AEOS20	20	10	
15AEOS25	25	10	
15AEOS30	30	10	

16PR

2 rollers tip guide stainless steel chrome frame
De dos rodillos. Bastidor cromado inox
 Bout à 2 rouleaux en acier inox chromé



Ref.	Ø Ext ring (mm)	Un.		R.R.P.
16PR3	3	10		

16APR

1 roller tip guide stainless steel chrome frame
De un rodillo Sic cañas telescópicas. Bastidor cromado inox
 Bout 1 rouleau Sic. Châssis chromé inox



Ref.	Ø Ext ring (mm)	Un.	
16APR3	3	10	
16APR4	4	10	
16APR5	5	10	
16APR6	6	10	
16APR7	7	10	
16APR8	8	10	
16APR9	9	10	

17AA

Fold down original Sic guide
Abatible original Sic
 Anneaux pliable original Sic



Ref.	Ø Ext ring (mm)	Ø Int. cone (mm)	Un.	
17AA01	25	14.0	10	
17AA02	25	14.5	10	
17AA03	25	15.0	10	
17AA04	25	15.5	10	
17AA05	25	16.0	10	
17AA06	25	16.5	10	
17AA07	25	17.0	10	
17AA08	30	15.0	10	

17AA (cont.)

Ref.	Ø Ext. ring (mm)	Ø Int. cone (mm)	Un.
17AA09	30	15.5	10
17AA10	30	16.0	10
17AA11	30	16.5	10
17AA12	30	17.0	10
17AA13	30	17.5	10
17AA14	30	18.0	10
17AA15	30	18.5	10
17AA16	30	19.0	10
17AA17	30	19.5	10
17AA18	30	20.0	10
17AA19	40	21.0	10
17AA20	40	22.0	10
17AA21	40	23.0	10
17AA22	40	24.0	10
17AA23	40	25.0	10
17AA24	40	26.0	10
17AA25	40	27.0	10
17AA26	40	28.0	10

17AA0S

Fold down original Sic guide for telescopic rods metallic frame


Abatible original Sic Telescópicas. Bastidor metálico
Bout enveloppant original Sic low rider. Nickel ou chromé



Ref.	Ø Ext. ring (mm)	Ø Int. cone (mm)	Un.
17AA0S1	25	23	10
17AA0S2	25	25	10
17AA0S3	25	30	10
17AA0S3A	30	15	10
17AA0S4	30	23	10
17AA0S5	30	25	10
17AA0S6	30	30	10
17AA0S7	40	23	10
17AA0S8	40	30	10

18AASC

Fold down surf casting guide metallic black frame
Abatible Surf-Casting. Bastidor metálico negro
Anneaux pliable surf casting frame métal noir



Ref.	Ø Ext. ring (mm)	Un.
18AASC25	25	10
18AASC30	30	10
18AASC40	40	10
18AASC50	50	10

19AASC

Fold down surf casting guide original Sic metallic frame
Abatible Surf-Casting Sic. Bastidor metálico
Anneau pliable surf casting Sic. Châssis métallique



Ref.	Ø Ext. ring (mm)	Un.
19AASC0S25	25	10
19AASC0S30	30	10
19AASC0S40	40	10
19AASC0S50	50	10

20AAPE

Large ceramic tip guide original Sic stand up metallic frame

Especial envoltente original Sic. Bastidor metálico súper-reforzado y pavonado

Stand-up. Anneau pointe spécial original Sic. Châssis métallique chromé



Ref.	Ø Ext. ring (mm)	Ø Int. cone (mm)	Un.
20AAPE1	10	3.0	10
20AAPE2	10	3.5	10
20AAPE3	12	4.0	10
20AAPE4	12	4.5	10

20APSUS

Special large ceramic tip guide original Sic metallic reinforced frame.

Stand-Up original Sic. Bastidor metálico pavonado.

Anneux pointe special Sic original metal super renforcé bruni.



Ref.	Ø Ext. ring (mm)	Ø Int. cone (mm)	Un.
20APSUS1	10	2.0	10
20APSUS2	10	2.5	10
20APSUS3	10	3.0	10
20APSUS4	10	3.5	10
20APSUS4A	12	3.0	10
20APSUS4B	12	3.5	10
20APSUS5	12	4.0	10
20APSUS6	12	4.5	10
20APSUS7	16	5.0	10
20APSUS7A	16	3.0	10
20APSUS7B	16	3.5	10
20APSUS7C	16	4.0	10
20APSUS7D	16	4.5	10

21AFB0S

Telescopic guide original Sic metallic frame
Flotante boloñesa original Sic. Bastidor metálico
Anneau flottant bolognese original Sic. Châssis métallique



Ref.	Ø Ext. ring (mm)	Ø Int. cone (mm)	Un.
21AFB0S1	4	1.0	10
21AFB0S2	4	1.2	10
21AFB0S3	4	1.4	10
21AFB0S4	4	1.6	10
21AFB0S5	4	1.8	10
21AFB0S6	4	2.0	10
21AFB0S7	4	2.2	10

22AMI

Single leg match rod guide metallic frame
Monopata inglesa. Bastidor metálico pavonado
Anneaux monopate anglais metal frame bruni



Ref.	Ø Ext. ring (mm)	Un.
22AMI04	4	10
22AMI06	6	10
22AMI08	8	10
22AMI10	10	10
22AMI12	12	10
22AMI16	16	10
22AMI20	20	10

23ADPI

Dual leg match rod guide metallic chrome frame
Doble pata inglesa. Bastidor metálico pavonado
Anneaux double pate anglaise metal frame bruni



Ref.	Ø Ext. ring (mm)	Un.
23ADPI10	10	10
23ADPI12	12	10
23ADPI16	16	10
23ADPI20	20	10

24PEBP


Large ceramic guide original Sic
Envoltente original Sic. Bastidor pavonado
Bout enveloppant original Sic. Châssis bruni



Ref.	Ø Ext. ring (mm)	Ø Int. cone (mm)	Un.
24PEBP1	8	2.0	10
24PEBP2	8	2.5	10
24PEBP3	8	3.0	10
24PEBP4	8	3.5	10
24PEBP5	10	2.0	10
24PEBP6	10	2.5	10
24PEBP7	10	3.0	10
24PEBP8	10	3.5	10

25PLR

Large ceramic stand up guide original Sic low rider nickel or chrome
Envoltente original Sic. Bastidor pavonado o níquel
Bout enveloppant original Sic low rider. Nickel ou chromé



Ref.	Ø Anilla ext. (mm)	Ø Cono int. (mm)	Un.
25PLR1	8	2.0	10
25PLR2	8	2.5	10
25PLR3	8	3.0	10
25PLR4	10	2.0	10
25PLR5	10	2.5	10
25PLR6	10	3.0	10
25PLR7	10	3.5	10

26ALR

Low rider guide nickel
Low Rider níquel
Anneau low rider. Nickel



Ref.	Ø Ext. ring (mm)	Un.
26ALR08	8	10
26ALR10	10	10
26ALR12	12	10
26ALR16	16	10
26ALR20	20	10

SIMBOLOGY



Lure that works on surface or nearby
Señuelo que trabaja en superficie o cerca de la misma
Leurre qui travaille au surface ou proche



Estimated depth where lure works
Profundidad aproximada a la que trabaja el señuelo
Estimation de la profondeur où le leurre travaille



Lure that works on different depths
Señuelo que trabaja a diferentes profundidades
Leurre qui travaille sur différent profondeur



Loud lure
Señuelo sonoro
Leurre sonore

RECOMMENDED TECHNIQUES
TECNICAS RECOMENDADAS
TECHNIQUES RECOMMANDEES

WTD

Walking the Dog

SKP

Skipping

SLD

Sliding

JRK

Jerking

STOP & GO

Stop and Go

LR

Lineal Retrieve

POP & SP

Popping and Splashing

VJG

Vertical Jigging

DSH

Drop Shot

LENGTH AND WEIGHT INDICATORS

INDICADORES DE LONGITUD Y GRAMAJE

INDICATEURS LONGUEUR ET POIDS

LENGTH / LONGITUD / LONGUEUR

WEIGHT / PESO / POIDS

L	5 cm	1,96"
W	10 gr	0.35 oz

Light blue / Azul claro / Bleu clair
0-25 Gr

L	12,5 cm	4,92"
W	25 gr	0.88 oz

Green / Verde / Vert
25-50 Gr

L	16 cm	6,29"
W	60 gr	2.11 oz

Orange / Naranja / Orange
50-75 Gr

L	20 cm	7,87"
W	80 gr	2.82 oz

Red / Rojo / Rouge
75-100 Gr

L	25 cm	9,84"
W	120 gr	4.23 oz

Dark blue / Azul oscuro / Blue foncé
>100 Gr

FINISH TYPES

TIPOS DE ACABADO

TYPE FINITION

GLOW

Glow lure (emits light)
Señuelo fotoluminiscente (emite luz)
Leurre luminescent (émet lumière)

GLOSS!

Lure with ultra-bright Glossy finish
Señuelo con acabado Glossy superbrillante
Leurre avec finition superbrillante Glossy



Lure with flavoured aroma Attract Fero Fish
Señuelo con aroma Attract Fero Fish
Leurre avec arôme Attract Fero Fish

GLOW HEAD!

Glow head lure
Señuelo con cabeza fotoluminiscente
Tête du leurre luminescente

GLOSS head!

Glossy head Finish
Señuelo con cabeza Glossy
Leurre avec tête Glossy finition



Lure coated with shrimp flavour aroma
Señuelo impregnado con aroma de gamba
Leurre imprégné avec arôme crevette

HOLOGRAPHIC LASER PAINT

Laser holographic paint
Pintura láser holográfica
Peinture laser holographique


REALISTIC PAINT

Special finishing with realistic fish texture
Acabado especial con textura realista de pez
Finition spéciale avec texture réaliste du poisson

UV 紫外

Ultraviolet paint
Pintura Ultravioleta
Peinture Ultraviolet

MINNOW



005



014



088



016

WOBBLING



Ref.	Weight (gr)	Length (cm)	Color	Hook	Type	Sound	Un.		R.R.P.
M80	8	8	005 / 014 / 016 / 088	Treble hook	Floating	Rattling	5		7,90


SALT MINNOW




736



125



637




AF-4

WOB'N ROLL



ACTION



755



AF-3L



AF-1

Ref.	Weight (gr)	Length (cm)	Color	Hook	Type	Sound	Un.		R.R.P.
SM80S	9	8	125 / AF-3L / AF-1	Treble hook	Sinking	Rattling	5		6,90
SM100S	16,5	10	736 / 755 / AF-3L / AF-4	Treble hook	Sinking	Rattling	5		10,90

SPOON LURES

METAL LURES



ENGRAVED SPOON

Ref.	Length	Un.		R.R.P.
CS/MAR70	70 mm	5		1,90
CS/MAR80	80 mm	5		1,90
CS/MAR90	90 mm	5		1,90

SMOOTH SPOON

Ref.	Length	Un.		R.R.P.
CS/LIS35	35 mm	5		1,90
CS/LIS50	50 mm	5		1,90
CS/LIS60	60 mm	5		1,90
CS/LIS70	70 mm	5		1,90

LURES

SEÑUELOS
LEURRES
AMOSTRAS
ARTIFICIALI
KUNSTKÖDER

HARD LURES

WALKIN MINI

L 3,5 cm 1,84"
W 1,8 gr 0,06 oz

HOLOGRAPHIC
LASER PAINT

POP
& SP

WtD

FLOATING

DEPTH
SURFACE

NOISE

HARD
LURES




210



240



280



INNER
RATTLE

FEATHER
HOOK



SPLASHING
BUBBLES
ACTION

Ref.	Weight (gr)	Length (cm)	Color	Type	Un.	R.R.P.
FIWA35	1,8	3,5	210 / 240 / 280	Floating	5	5,90

DART MINI

L 3,5 cm 1,84"
W 2,5 gr 0,08 oz

HOLOGRAPHIC
LASER PAINT

POP
& SP

WtD

FLOATING

DEPTH
SURFACE

NOISE

HARD
LURES



270



210



240



280

FEATHER
HOOK


INNER
RATTLE



SPLASHING
BUBBLES
ACTION

Ref.	Weight (gr)	Length (cm)	Color	Type	Un.	R.R.P.
FIDA35	2,5	3,5	210 / 240 / 280 / 270	Floating	5	5,90

MAXIM



WOBBLING

ACTION

L 19 cm 7,48"
W 32 gr 1,12 oz

HOLOGRAPHIC
LASER PAINT


LR

FLOATING

DEPTH
1,5 m

NOISE

HARD
LURES



inner
rattle



750



753



755



786



AF-3L



AF-3S

Ref.	Weight (gr)	Length (cm)	Color	Type	Un.	R.R.P.
M190	32 gr	19 cm	750 / 753 / 755 / 786 / AF-3L / AF-3S	Sinking	5	8,90

SUPER ROCK

HOLOGRAPHIC
LASER PAINT



ASSIST HOOK
INCLUDED IN 40GR

ASSIST HOOK
WITH OCTOPUS
INCLUDED IN 60GR



01



10



19



02



11



25



07



16



MA MACKEREL

Ref.	Weight (gr)	Size (mm)	Color	Type	Un.	R.R.P.
JS-R04	40	75	07 / 10 / 11 / 16 / 19 / 25 / MA	Sinking	5	7,90
JS-R06	60	85	07 / 10 / 11 / 19 / 25 / MA	Sinking	5	7,90
JS-R07	75	90	01 / 02 / 10 / 11 / 16 / 19 / 25 / MA	Sinking	5	7,50
JS-R09	90	100	02 / 07 / 10 / 11 / 16 / 19 / 25 / MA	Sinking	5	7,90

Ref.	Weight (gr)	Size (mm)	Color	Type	Un.	R.R.P.
JS-R15	150	140	02 / 10 / 11 / 16 / 19 / 25 / MA	Sinking	5	9,90
JS-R20	200	140	02	Sinking	5	9,90
JS-R40	400	175	10 / 11 / 19	Sinking	5	9,90

PREMIUM JIG

HOLOGRAPHIC
LASER PAINT

L 10 m 3,93" 11,5 m 4,52" 14 m 7,76" 21,5 m 8,46" 23 m 9,05"
W 80 g 2,82 oz 100 g 3,52 oz 160 g 5,64 oz 400 g 14,10 oz 500 g 17,63 oz




Ref.	Weight (gr)	Length (cm)	Color	Type	Un.	R.R.P.
JS-P08	80	10,0	30	Sinking	5	5,90
JS-P10	100	11,5	30	Sinking	5	6,28
JS-P16	160	14,0	01	Sinking	5	7,54
JS-P40	400	21,5	01 / 03 / 11 / 30	Sinking	5	10,90
JS-P50	500	23,0	01 / 03 / 11 / 25 / 30	Sinking	5	11,90

DENTON

L 08 m 3,14" 10 m 3,93" 11,5 m 4,52" 13,5 m 5,31" 20,5 m 8,07"
W 60 g 2,11 oz 80 g 2,82 oz 100 g 3,52 oz 150 g 5,29 oz 550 g 19,4 oz

HOLOGRAPHIC
LASER PAINT



01



02




03



04



05




08

Ref.	Weight (gr)	Length (cm)	Color	Type	Un.	R.R.P.
JS-D06	60	8,0	01 / 03 / 04 / 05 / 08	Sinking	5	4,90
JS-D08	80	10,0	01	Sinking	5	5,90
JS-D10	100	11,5	02 / 03	Sinking	5	6,90

Ref.	Weight (gr)	Length (cm)	Color	Type	Un.	R.R.P.
JS-D15	150	13,5	01 / 04 / 05	Sinking	5	7,90
JS-D55	550	20,5	03 / 05 / 08	Sinking	5	11,90

AKIRA SPIN JIG



09

L 8,5 m 3,34" 9 m 3,54" 11 m 4,33"
W 20 g 0,70 oz 30 g 1,06 oz 60 g 2,11 oz

HOLOGRAPHIC
LASER PAINT

VJG

SINKING

METAL
LURES

Ref.	Weight (gr)	Length (cm)	Color	Type	Un.	R.R.P.
JS-AK02	20	8,5	09	Sinking	5	6,90
JS-AK03	30	9	09	Sinking	5	6,90
JS-AK06	60	11	09	Sinking	5	6,90

SEA JIG

HOLOGRAPHIC
LASER PAINT

VJG

SINKING

METAL
LURES

L 10,3 m 4,05" 11,8 m 4,64" 12 m 4,72" 14 m 5,51"
W 60 g 2,11 oz 80 g 2,82 oz 100 g 3,52 oz 120 g 4,23 oz

04


05

06



Ref.	Weight (gr)	Length (cm)	Color	Type	Un.	R.R.P.
JS-SS06	60	10,3	05	Sinking	5	2,90
JS-SS08	80	11,8	04 / 05	Sinking	5	3,90
JS-SS10	100	12,0	04 / 05 / 06	Sinking	5	3,90
JS-SS12	120	14,0	04 / 05 / 06	Sinking	5	4,90

LONG JIG



VJG

SINKING

METAL
LURES

L 16,5 m 6,49" 22 m 8,66"
W 180 g 6,34 oz 230 g 8,11 oz

HOLOGRAPHIC
LASER PAINT

Ref.	Weight (gr)	Length (cm)	Color	Type	Un.	R.R.P.
JS-L18	180	16,5	02 / 04	Sinking	5	6,90
JS-L23	230	22,0	02 / 04	Sinking	5	7,90

JIG

L 5,5 m 2,16" 8,5 m 3,34" 9,5 m 3,74" 10,5 m 4,13" 11,0 m 4,33" 11,5 m 4,52" 14,5 m 5,70" 14,5 m 5,70"
W 20 g 0,70 oz 80 g 2,82 oz 100 g 3,52 oz 130 g 4,58 oz 160 g 5,64 oz 200 g 7,05 oz 300 g 10,58 oz 500 g 17,63 oz

VJG

SINKING


METAL
LURES



Ref.	Weight (gr)	Length (cm)	Color	Type	Un.	R.R.P.
J028F	28	5,5	014 / 125	Sinking	5	5,90
J080F	80	8,5	018 / 020 / 022	Sinking	5	8,90
J100F	100	9,5	004 / 014 / 018 / 020 / 022 / 125	Sinking	5	9,90
J130F	130	10,5	004 / 012 / 014 / 016 / 018 / 020 / 022 / 084 / 125 / 727	Sinking	5	9,90
J160F	160	11,0	004 / 012 / 014 / 016 / 018 / 020 / 022 / 727 / 125	Sinking	5	9,90
J200S	200	11,5	014 / 018 / 022	Sinking	5	9,90
J300S	300	14,5	004 / 022 / 084 / 125	Sinking	5	10,90
J500S	500	14,5	004 / 014	Sinking	5	10,90

SERVIOLO

HOLOGRAPHIC
LASER PAINT



L 12,5 m 4,92" 14,5 m 5,70" 15,5 m 6,10" 18 m 7,08" 23,5 m 9,05"
W 80 g 2,82 oz 100 g 3,52 oz 120 g 4,23 oz 150 g 5,29 oz 400 g 14,10 oz

METAL
LURES

SINKING

VJG

Ref.	Weight (gr)	Length (cm)	Color	Type	Un.	R.R.P.
JS-S08	80	12,5	01 / 02 / 03 / 06 / 09 / 11	Sinking	5	5,90
JS-S10	100	14,5	01 / 02 / 03 / 06 / 09 / 11	Sinking	5	6,90
JS-S12	120	15,5	03 / 06 / 09 / 11	Sinking	5	6,90
JS-S15	150	18	01 / 02 / 03 / 06 / 09	Sinking	5	9,90
JS-S40	400	23,5	01 / 03 / 06 / 09	Sinking	5	5,90

SUPER SLIDE

HOLOGRAPHIC
LASER PAINT



30

VJG

SINKING


METAL
LURES

L 21 m 8,26"
W 160 g 5,64 oz

Ref.	Weight (gr)	Length (cm)	Color	Type	Un.	R.R.P.
JS-SL1630	160	21,0	30	Sinking	5	8,90

SLIDER JIG

L 22,5 m 8,85" 26,5 m 10,43" 27 m 10,69"
W 220 g 7,76 oz 320 g 11,28 oz 420 g 14,81 oz



04

Ref.	Weight (gr)	Length (cm)	Color	Type	Un.	R.R.P.
JS-SJ32	320	26,5	01/03/04	Sinking	5	9,90



HOLOGRAPHIC
LASER PAINT

TREBLE HOOK INCLUDED

KANAHEBI

IKURA

SAIKIN

MIMIZU

KEIKO

001

002

001

001

GLOW

001

GLOW

007

004

002

008

015

SHITSU

MASU

SUCHO

010

012

GLOW

REAL SIZE
5cm

018

REAL SIZE
9,5 cm

YOUCHUU

001

Model	Ref.	Size (mm)	Weight	Colors	Pcs/Blister	Un.	R.R.P.
MIMIZU	FIMI40	40	0,8gr	001 / 004 / 015	12	5	2,90
SAIKIN	FISS05	50	0,3gr	001	12	5	2,90
SHITSU	FISI6010	60	0,8gr	010	12	5	4,25
YOUCHUU	FIY05001	50	1,4gr	001	12	5	2,90
IKURA	FIU3502	35	0,1gr	002	10	5	2,50
KANAHEBI	FIKH0201	25	0,10gr	001	10	5	4,50
KEIKO	FIKE50	50	0,5gr	001 / 002 / 007 / 008	5	5	2,90
MASU	FIMA05	1,30	5,0	012 / 018	20	5	7,90
SUCHO	FISC7005	1,20	7,0	005	10	5	7,90
SUCHO	FISC9505	1,80	9,5	005	10	5	10,90

SOFT LURES

SAKI SHAD TEXAN

HOLOGRAPHIC
LASER PAINT

L 19,5 cm 7,67"
W 170 gr 5,99 oz

JRK LR VJG

SINKING
SOFT LURES


魚のアロモン!
ATTRACT FERO FISH



02 GLOW HEAD



04 GLOW HEAD



11




08 GLOW HEAD



12 GLOW HEAD

Ref.	Weight (gr)	Length (cm)	Color	Type	Pcs/Blister	Un.	R.R.P.
FISKS08T	8	6,5	11	Sinking	1 Head + 2 Tails	5	14,90
FISKS40T	40	12,0	02 / 04 / 08 / 11 / 12	Sinking	1 Head + 2 Tails	5	14,90
FISKS60T	60	13,7	02 / 04 / 08 / 11 / 12	Sinking	1 Head + 2 Tails	5	16,90
FISKS90T	90	16,0	02 / 04 / 08 / 11 / 12	Sinking	1 Head + 2 Tails	5	19,90



WOB'N ROLL

ACTION



EXTRA SOFT BODY

SAKI SHAD ASSIST TUNA EDITION



02

REINFORCED HEAD

Extra heavy Assist hook



10




14

HOLOGRAPHIC
LASER PAINT



11



ASSIST HOOK SYSTEM



WOB'N ROLL ACTION



EXTRA SOFT BODY

Ref.	Weight (gr)	Length (cm)	Color	Pcs/Blister	Un.	R.R.P.
FISKTE60	60	13,7	02 / 10 / 11 / 14	1 Head + 2 Tails	5	17,90
FISKTE90	90	16,0	02 / 10 / 11 / 14	1 Head + 2 Tails	5	21,90

SAKI SHAD ASSIST




02



06



09



12




04



07



10



13



05



08



11



14

L 6,5 cm 2,55"
W 08 gr 0.28 oz

L 8,5 cm 3,34"
W 16 gr 0.56 oz

L 13,7 cm 5,39"
W 60 gr 2.11 oz

L 16 cm 6,29"
W 90 gr 3.17 oz

L 12 cm 4,72"
W 40 gr 1.41 oz

Ref.	Weight (gr)	Length (cm)	Color	Type	Pcs/Blister	Un.	R.R.P.
FISKS08	8	6,5	09 / 10 / 11 / 13	Sinking	1 Head + 2 Tails	5	8,90
FISKS16	16	8,5	09 / 10 / 12 / 13 / 14	Sinking	1 Head + 2 Tails	5	10,90
FISKS40	40	12,0	02 / 04 / 05 / 06 / 07 / 09 / 10 / 13 / 14	Sinking	1 Head + 2 Tails	5	14,90
FISKS90	90	16,0	09 / 10 / 13	Sinking	1 Head + 2 Tails	5	19,90
FISKS17	170	19,5	02 / 04 / 08 / 11 / 12 / 13	Sinking	1 Head + 2 Tails	5	19,90

HANTA SHAD

EXTRA SOFT BODY

L 8 cm 3,14"
W



14

GLOSS!

SHRIMP FLAVOUR!

JRK LR VJG DSH

SINKING

SOFT LURES

Ref.	Weight (gr)	Length (cm)	Color	Type	Pcs/Blister	Un.	R.R.P.
FIHS0814	—	8	14	Sinking	4	5	6,90

HANTO TAIL

EXTRA SOFT BODY

L 8 cm 3,14"
W

L 8 cm 3,14"
W

SHRIMP FLAVOUR!

GLOSS!



04



11

JRK LR VJG DSH

SINKING

SOFT LURES

Ref.	Weight (gr)	Length (cm)	Color	Type	Pcs/Blister	Un.	R.R.P.
FIHT08	—	8	04-11-14	Sinking	4	5	7,90
FIHT11	—	11	04-11-14	Sinking	4	5	8,90

SAKI SHAD TAIL



02



04



05



06



07



08



09



10



11



12



13



14

Ref.	Length (cm)	Color	Pcs/Blister	Un.	R.R.P.
FISKTO8	6,5	04 / 08 / 09 / 10 / 11	3 Tails	5	2,90
FISKT16	8,5	02 / 04 / 08 / 09 / 10 / 11 / 12 / 13	3 Tails	5	3,90
FISK40	12,0	02 / 04 / 05 / 06 / 07 / 08 / 09 / 10 / 11 / 12 / 13 / 14	3 Tails	5	4,90

Ref.	Length (cm)	Color	Pcs/Blister	Un.	R.R.P.
FISK60	13,7	02 / 04 / 08 / 09 / 11 / 13	3 Tails	5	6,90
FISK90	16,0	02 / 04 / 13	3 Tails	5	9,90

SEXY SHAD TAIL



02



04



06



09



10



11



16



17



Ref.	Length (cm)	Color	Pcs/Blister	Un.	R.R.P.
FISXT08	5	02 / 04 / 06 / 09 / 10 / 11 / 16 / 17	3 Tails	5	2,90
FISXT16	6,5	02 / 04 / 06 / 10 / 16 / 17	3 Tails	5	2,90

Ref.	Length (cm)	Color	Pcs/Blister	Un.	R.R.P.
FISXT40	8,5	02 / 04 / 06 / 09	3 Tails	5	3,90
FISXT60	10,5	02 / 04 / 06 / 09 / 10 / 11 / 16 / 17	3 Tails	5	5,90

SAKI SHAD HEAD



08



09



10



11

Ref.	Weight (gr)	Color	Pcs/Blister	Un.	R.R.P.
FISKH05	5	08 / 09 / 11	5	5	10,90
FISKH10	10	10 / 11	5	5	12,90
FISKH40	40	09 / 10 / 11	3	5	12,90

Ref.	Weight (gr)	Color	Pcs/Blister	Un.	R.R.P.
FISKH60	60	08 / 10 / 11	3	5	15,90
FISHK120	120	08 / 11	2	5	15,90

NOBU SHAD



11



12



19



635

EXTRA SOFT BODY

JRK

LR

VJG

DSH



SOFT LURES

L 11,5 cm 4,52"

W

L 12,5 cm 4,92"

W

Ref.	Weight (gr)	Length (cm)	Color	Type	Pcs/Blister	Un.	R.R.P.
FINS11	—	11,5	11 / 635	Sinking	4	5	7,90
FINS15	—	12,5	11 / 12 / 19 / 635	Sinking	4	5	7,90

NOBU TAIL

EXTRA SOFT BODY



11



12



21

L 7,5 cm 2,95"

W

L 12,5 cm 4,92"

W



JRK

VJG

DSH



SOFT LURES

Ref.	Weight (gr)	Length (cm)	Color	Type	Pcs/Blister	Un.	R.R.P.
FINT75	—	7,5	11	Sinking	4	5	6,90
FINT11	—	11,5	11 / 12 / 21	Sinking	4	5	7,90

SHADE

L 8,5 cm 3,34"
W



01



Ref.	Weight (gr)	Length (cm)	Color	Type	Pcs/Blister	Un.	R.R.P.
FISH0801	—	8,5	01	Sinking	10	5	18,90

VJG JRK LR

AMENI SHAD

LR

VJG



SAND EEL
SOFT LURES




013



004



012



WOBBLING

ACTION

REINFORCED HOOK

HOLOGRAPHIC
LASER PAINT

L 14,5 cm 5,70"
W 16 gr 0.56 oz

L 19,5 cm 7,67"
W 30 gr 1.05 oz

Ref.	Weight (gr)	Length (cm)	Color	Type	Pcs/Blister	Un.	R.R.P.
FIAS30	30	19,5	004 / 012 / 013	Sinking	1 head + 3 tails	10	12,90
FIAS16	16	14,5	004	Sinking	1 head + 3 tails	10	12,90

AMENI SHAD TAIL



002



011



008



012



009



013



010



SAND EEL
SOFT LURES

AMENI SHAD JIGHEAD

08



12



SAND EEL
SOFT LURES

Ref.	Length (cm)	Color	Pcs/Bl.	Un.	R.R.P.	Ref.	Weight (gr)	Color	Pcs/Blister	Un.	R.R.P.
FIAT16	11	09 / 11 / 12 / 13	3	5	5,90	FAIH16	16	12	3	5	9,90
FIAT30	11,5	02 / 08 / 09 / 10 / 11 / 12 / 13	3	5	7,90	FAIH30	30	08 / 12	3	5	11,90

SEA BASS LURES



SAND EEL
SOFT LURES



A /



M /



AM /



VC /



G /




O /



V /



VE /



WOBBLING

ACTION

Ref.	Length	Un.	R.R.P.
ASL/5	5 cm	25	
ASL/8	8 cm	25	

EEL WITH HOOK



Ref.	Length	Color	Un.	R.R.P.
ASL/A	11 cm	AA (Blue) - AG (Grey)	25	

OCTOPUSS

CURRI MINI



WEIGHTED OCTOPUSS



	Ref.	Weight (gr)	Length	Un.	R.R.P.
WEIGHTED OCTOPUSS	R180-V	4,5	20 cm	10	1,90
CURRI MINI	R09V	10,0	7 cm	10	1,90

SQUID JIGS

GURU IKA



BK



C

GLOW



P

GLOW



BL

GLOW



G

GLOW



V

GLOW



O

GLOW

Ref.	Size	Weight (gr)	Colores	Hook	Pcs. /Bl.	Un.	R.R.P.
J/S-G75	8.5	10	BK/BL/C/G/O/P/V	2	1	6	5,90

KIRA



HV

GLOW



V

GLOW



VP



GLOW



RECOMMENDED!



Ref.	Size (mm)	Colores	Hook	Pcs. /Bl.	Un.	R.R.P.
J/S-K80	80	HV / V / VP	2	1	10	1,90

EGIFLASH




Ref.	Weight (gr)	Length (cm)	Color	Hook	Un.		R.R.P.
J/S-70	14,0	9,0	BK / BL / G / O / P / V	2	10		1,90

GURU EGI



Ref.	Size	Weight (gr)	Colores	Hook	Pcs. /Bl.	Un.		R.R.P.
JS-GE25	2.5	11,0	BWT / W	2	1	6		7,90
JS-GE30	3.0	15,0	BWT	2	1	6		7,90

ZEBRA FLASH




SQUID JIGS


Ref.	Size	Weight (gr)	Length (cm)	Colores	Hook	Un.		R.R.P.
J/S-75	2.5	12,0	8,5	BK / BL / G / O / P / V	2	10		1,90
J/S-80	3.0	15,5	9,5	BK / BL / G / O / P / V	2	10		1,90
J/S-85	3.5	20,0	10,5	BK / BL / G / O / P / V	2	10		1,90



misaki



Description	Ref.	Length	Weight	Section	CL	RAW MATERIAL	REEL SEAT	GUIDES	CASTING WEIGHT	EGI ACTION	PE		R.R.P.
MISAKI CRAKEN	CMCR23	2,30m / 7'5"	174 gr	2	140cm	Super Light High Modulus Carbon	Fuji DSPS	Fuji KW	100-200gr	1.8 - 3.5	0.4 - 1.0		159,00
	CMCR27	2,70m / 8'8"	198 gr		180cm								179,00
MISAKI CRAKEN CASTING	CMCC23	2,30m / 7'5"	166 gr	2	140cm	Super Light High Modulus Carbon	Fuji DSPS Casting	Fuji KW	100-200gr	1.8 - 3.5	0.4 - 1.0		159,00
	CMCC27	2,70m / 8'8"	202 gr		180cm								179,00
MISAKI TIP RUN	CMTR19	1,95 m / 6'9"	84,8 gr	2	163cm	Super Light High Modulus Carbon	Fuji VSS	Fuji SIC KW	35-60 gr	1.8 - 3.5	0.4 - 1.0		199,00




MISAKI CRAKEN



MISAKI CRAKEN CASTING




MISAKI TIP RUN



R203

Seaguar
FLUOROCARBON



Ref.	Hooks	Hook size	Un.	R.R.P.
R203	10	10	5	9,90

Ref.	Main line Ø (mm)	Branch line Ø (mm)	Main line length (m)	Branch line length (cm)
R203	0,35	0,30	2,40	31

R204

Seaguar
FLUOROCARBON



Ref.	Hooks	Hook size	Un.	R.R.P.
R204	10	10	5	9,90

Ref.	Main line Ø (mm)	Branch line Ø (mm)	Main line length (m)	Branch line length (cm)
R204	0,30	0,28	2,40	31

R205

Seaguar
FLUOROCARBON



Ref.	Hooks	Hook size	Un.	R.R.P.
R205-10	8	10	5	9,90
R205-11	8	11	5	9,90

Ref.	Main line Ø (mm)	Branch line Ø (mm)	Main line length (m)	Branch line length (cm)
R205-10	0,33	0,23	2,85	12
R205-11	0,37	0,28	2,85	12

R206

Seaguar
FLUOROCARBON




Ref.	Hooks	Hook size	Un.	R.R.P.
R206-11	6	11	5	6,90

Ref.	Main line Ø (mm)	Branch line Ø (mm)	Main line length (m)	Branch line length (cm)
R206-11	0,37	0,28	2,25	12

R208

GLOW

Seaguar
FLUOROCARBON




Ref.	Hooks	Hook size	Un.	R.R.P.
R208-02	8	2	5	8,90
R208-04	8	4	5	8,90
R208-06	8	6	5	8,90
R208-10	8	10	5	8,90
R208-12	8	12	5	8,90
R208-14	8	14	5	8,90

Ref.	Main line Ø (mm)	Branch line Ø (mm)	Main line length (m)	Branch line length (cm)
R208-02	0,47	0,23	2,85	10
R208-04	0,44	0,28	2,85	10
R208-06	0,37	0,37	2,85	10
R208-10	0,33	0,41	2,85	10
R208-12	0,47	0,41	2,85	10
R208-14	0,47	0,41	2,85	10

R209

GLOW

Seaguar
FLUOROCARBON



Ref.	Hooks	Hook size	Un.	R.R.P.
R209	8	10	5	8,90

Ref.	Main line Ø (mm)	Branch line Ø (mm)	Main line length (m)	Branch line length (cm)
R209	0,33	0,23	2,85	10

SABIKI YUKI / SEAGUAR - FLUOROCARBON

R210

Seaguar
FLUOROCARBON




Ref.	Hooks	Hook size	Un.		R.R.P.
R210-08	6	8	5		3,90

Ref.	Main line Ø (mm)	Branch line Ø (mm)	Main line length (m)	Branch line length (cm)
R210-08	0,28	0,20	1,60	3

R215

Seaguar
FLUOROCARBON



Ref.	Hooks	Hook size	Un.		R.R.P.
R215-05	6	5	5		5,90
R215-06	6	6	5		5,90

Ref.	Main line Ø (mm)	Branch line Ø (mm)	Main line length (m)	Branch line length (cm)
R215-05	0,20	0,14	1,60	3
R215-06	0,20	0,14	1,60	3




FEATHERED RIG

INVISIBLE

Assembled feather for trolling fishing, seabass, horse mackerel, mackerel. Available in these colors: red, red/white, white, green

Para curricán, lubina, jurel y caballa. Rojo, rojo/blanco, blanco, blanco, verde

Bas de ligne pour la traine, bar, chinchard et le maquereau. Rouge, rouge / blanc, blanc, blanc, vert



R107



R108



R109



R110

Ref.	Hooks	Hook size	Main line Ø (mm)	Branch line Ø (mm)	Un.	R.R.P.
R107	5	2	0,40	0,35	10	3,90
R108	5	2	0,40	0,35	10	3,90

Ref.	Hooks	Hook size	Main line Ø (mm)	Branch line Ø (mm)	Un.	R.R.P.
R109	5	2	0,40	0,35	10	3,90
R110	5	2	0,40	0,35	10	3,90


OCTOPUS RIG

INVISIBLE


Octopus assembled rig especially for trolling fishing small tuna, mackerel

Bajos montados con pulpo; especial para la pesca al curricán de bonitos pequeños

Monté avec des poulpes; en particulier pour attraper des petites bonites à la traine



R115



R116

Ref.	Hooks	Hook size	Main line Ø (mm)	Branch line Ø (mm)	Un.	R.R.P.
R115	3	2/0	0,40	0,35	10	3,90
R116	4	2/0	0,40	0,35	10	3,90



5 SHRIMP RIG

INVISIBLE

Perfect shrimp imitation rig to be used on any fishing situation, for both boat or shore fishing.

Para utilizar en cualquier situación, ya sea desde embarcación o surf-casting.

Pour une utilisation dans toutes les situations: soit sur le bateau, soit le surfcasting.



T





M



R



Ref.	Hook size	Main line Ø (mm)	Color	Branch line Ø (mm)	Un.	R.R.P.
R130	2	0,45	T(Clear) / M(Brown) R(Pink)	0,35	10	2,90
R131	4	0,40	T(Clear) / M(Brown) R(Pink)	0,30	10	2,90

SABIKI YUKI R




Ref.	Model	Hooks	Line Ø	Un.	R.R.P.
R140	R818	8	0.25 - 0.18	10	2,90
R141	R1015	10	0.25 - 0.15	10	2,90
R142	R1215	12	0.18 - 0.15	10	2,90
R143	R1415	14	0.18 - 0.15	10	2,90

SABIKI YUKI P



INVISIBLE

SABIKI YUKI PW



INVISIBLE

Ref.	Model	Hooks	Line Ø	Un.		R.R.P.	Ref.	Model	Hooks	Line Ø	Un.		R.R.P.
R144	P1010	10	0.25-0.18	10		2,90	R145	PW2010	10	0.30-0.20	10		2,90


SABIKI RIG

Assembled rig for trolling and shore fishing. Ideal for mackerel, seabass. White, Brown and Transparent


Se puede utilizar para curricán o con caña. Ideal para la pesca de jurel y caballa. Blanco, marrón y transparente

Il peut être utilisé à la traine ou de la canne. Idéal pour la pêche au maquereau et le chinchard. Blanc, marron et transparent


INVISIBLE




R117




R118





R120



R120M



R120T





R121

Ref.	Hooks	Hook size	Main line Ø (mm)	Branch line Ø (mm)	Un.		R.R.P.	Ref.	Hooks	Hook size	Main line Ø (mm)	Branch line Ø (mm)	Un.		R.R.P.
R117	12	2	0,40	0,35	10		3,90	R120T	5	2	0,35	0,30	10		3,90
R118	8	2	0,40	0,35	10		3,90	R121	6	4	0,35	0,25	10		3,90
R120	5	2	0,40	0,35	10		3,90	R122	6	6	0,35	0,25	10		3,90
R120M	5	2	0,45	0,35	10		3,90								


SABIKI YUKI S

INVISIBLE



SABIKI YUKI YO1

INVISIBLE




Ref.	Hook size	Main Line Ø	Branch Line Ø	Un.	R.R.P.
R146	12	0,18	0,15	10	2,90
R147	14	0,18	0,15	10	2,90
R148	16	0,18	0,15	10	2,90
R161	2	0,35	0,25	10	2,90
R162	4	0,35	0,25	10	2,90
R163	6	0,35	0,25	10	2,90
R166	12	0,35	0,23	10	2,90
R167	14	0,35	0,23	10	2,90
R168	16	0,35	0,23	10	2,90

Ref.	Hooks	Line Ø	Un.	R.R.P.
R150	8	0.30-0.25	10	2,90
R151	9	0.30-0.25	10	2,90
R152	10	0.30-0.25	10	2,90


SABIKI YUKI PL

INVISIBLE



SABIKI YUKI MS

INVISIBLE



Ref.	Hook size	Hooks	Line Ø	Length	Un.	R.R.P.	Ref.	Hook size	Hooks	Line Ø	Length	Un.	R.R.P.
R155	16	6	0.30 - 0.23	100 cm	10	2,90	R160	16	8	0.23 - 0.16	200 cm	10	2,90


FEATHER BIG CATCH WHITE

INVISIBLE



OCTOPUS RIG

INVISIBLE



Ref.	Hook size	Hooks	Line Ø	Length	Un.	R.R.P.	Ref.	Hook size	Hooks	Line Ø	Length	Un.	R.R.P.
R180	7/0	3	0.80	160 cm	10	2,90	R185	5/0	3	0.75	160 cm	10	2,90
							R186	7/0	3	0.75	160 cm	10	2,90

ROD BLOCK



Ref.	Un.		R.R.P.
CIN-RB	3		8,90

STAINLESS STEEL TROLLING SINKER



Ref.	Gr	Un.		R.R.P.	Ref.	Gr	Un.		R.R.P.
PLOCF100	100	10		13,50	PLOCF300	300	10		23,90
PLOCF150	150	10		17,00	PLOCF400	400	10		27,90
PLOCF200	200	10		18,90	PLOCF500	500	10		29,90

BELT TUNA GT-SPIN



Ref.	Un.		R.R.P.
CIN-SP	1		29,90

ADJUSTABLE ROD HOLDER

Adjustable Rod holder, for all types of boat

Apoya cañas regulable en medida, para todo tipo de embarcaciones

Support-canne réglable sur mesure, pour tous les types de bateau



Ref.	Un.		R.R.P.
CIN-AP	1		25,50

GRILLOX HARNESS BLUE



GRILLOX
Extreme Fishing Gear



Ref.	Un.		R.R.P.
GRI/B	1pc		-
GRI/E	EXTENSION 1pc		-

STAINLESS STEEL ROTATIVE / ADJUSTABLE ROD HOLDER

S.S.316
QUALITY

ADJUSTABLE
ROD HOLDER
(CIN-TA)



ADJUSTABLE BASE
ROD HOLDER
(CIN-TB)



FLAT
ROD HOLDER
(CIN-TC)



BENDED
ROD HOLDER
(CIN-TD)



STRAIGHT
ROD HOLDER
(CIN-TF)



SLIDING
ROD HOLDER
(CIN-TH)



STRAIGHT
ROD HOLDER
(CIN-TJ)



ROTATE
RODS TOOL
(CIN-TK)



ADJUSTABLE ROD HOLDER (CIN-TI)



TREBLE ROD HOLDER (CIN-TG)

Ref.	Un.		R.R.P.
CIN-TA	1		119,00
CIN-TB	1		125,00
CIN-TC	1		39,90
CIN-TD	1		49,00
CIN-TF	1		49,00

Ref.	Un.		R.R.P.
CIN-TG	1		339,00
CIN-TH	1		59,00
CIN-TI	1		145,00
CIN-TJ	1		85,00
CIN-TK	1		26,90



STAINLESS STEEL BOAT ROD HOLDER



(INCLUDED
WITH CIN-TR)



ROTATIVE
ROD HOLDERS
SUPPORT
(CIN-TRC)



Ref.	Un.		R.R.P.
CIN-TR	1		349,00
CIN-TRC	1		32,90

LUX BOAT HOOK



Ref.	Lenght	Un.		R.R.P
PAGBI	2 sections, 180 cm	1		34,90

BOAT GAFF




Ref.	Lenght	Un.		R.R.P.
PAGA	120 cm	1		33,90

LUX GAFF



Ref.	Lenght	Material	Un.		R.R.P.
PAGL	130 cm	Stainless Steel	1		129,00

HARPOON



Ref.	Lenght	Material	Un.		R.R.P.
PAHA	190 cm (40+150)	Stainless Steel / aluminium	10		225,00

LUX COOLER CAMOU 90LT /WHEELS



Ref.	Capacity	Size (w / h / d - cm)	Un.		R.R.P.
FRIGL90C	90 lt	Outer: 90 x 49 x 50 Inner: 75 x 36 x 40	1		429,00

LUX COOLER

Revolutionary cooler that has the best features on the market, no other cooler can compare. Very sturdy with its thick thermal insulation and sealing layers used in the fabrication process. Keeps the cold up to 10 days! Attention to detail, it has practical rubber fixing locks, resistant and easy to use, non-slip rubber legs, drain plug that allows the total drainage of the cooler, and also sturdy and comfortable transport handles. The 90, 120 and 140 liters version also have rubber transport wheels and an extractor valve for the internal air. ¡The best cooler in the world!

Revolucionaria nevera que mejora las prestaciones de cualquier otra existente en el mercado. Muy robusta, gracias a las gruesas capas de aislamiento térmico y sellado empleados en su fabricación, jaguanta el frío hasta 10 días! Cuidada al máximo en cada detalle, dispone de prácticos cierres de fijación de goma resistentes y fáciles de manejar, patas de goma antideslizantes, tapón de desagüe con orificio de salida inclinado que permite el vaciado total del interior, así como robustas y cómodas asas de transporte. Las versiones de 90, 120 y 140 litros disponen de ruedas para el transporte y válvula extractora del aire interior. ¡La mejor nevera del mercado!

Frigo révolutionnaire qui meilleure les avantages de toutes les autres qui sont dans le marché. Très robuste grâce à l'épaisse couche d'isolation thermique et scellage utilisés dans sa fabrication. Préserve le froid jusqu'à 10 jours! Maintenu au maximum dans chaque détail, elle a des pratiques fermetures fixation à caoutchouc anti dérapage résistants et faciles à utiliser, jambes de caoutchouc anti dérapage, bouchon de vidange avec orifice de sortie qui permet de vider totalement l'intérieur, et aussi robustes et confortables poignées de transport. Les versions de 90, 120 et 140 litres ont des roues pour le transport et valve d'extraction pour l'aire intérieure. ¡La meilleur frigo du marché!



VACUUM SEALING VALVE
(90, 120 and 140 lt versions)
VÁLVULA SELLADO AL VACÍO
(Versiones 90,120 y 140 lt)
SCELLÉ SOUS VIDE VALVE
(Versions 90, 120 et 140 lt)



SAFETY LOCK
CIERRE DE SEGURIDAD
FERMETURE DE SÉCURITÉ



DRAIN PLUG
(TOTAL DRAINAGE)
TAPÓN DESAGÜE (VACIADO COMPLETO)
BOUCHON DE VIDANGE
(VIDER TOTALEMENT)



NON-SLIP RUBBER LEGS
PATAS DE GOMA ANTIDESLIZANTES
JAMBES DE CAOUTCHOUC
ANTI DÉRAPAGE



WATERTIGHT TOP LID
CIERRE DE TAPA SUPERIOR ESTANCO
FERMETURE DU COUVERCLE SUPÉRIEUR ÉTANCHE



RUBBER WHEELS (90, 120 and 140 lt versions)
RUEDAS DE GOMA (Versiones 90, 120 y 140 lt)
ROUES CAOUTCHOUC (Versions pour 90, 120 et 140 lt)



STURDY HANDLES
ASAS ROBUSTAS
POIGNÉES ROBUSTES



HITCH FOR A PADLOCK
ENGANCHE PARA CANDADO
ATTACHEMENT POUR ANTIVOL

Ref.	Capacity	Size (w / h / d - cm)	Un.		R.R.P.
FRIGL40	40 lt	Outer: 61 x 41 x 43 Inner: 48 x 30 x 31	1		215,00
FRIGL60	60 lt	Outer: 80 x 43 x 45 Inner: 67 x 31 x 30	1		299,00
FRIGL90	90 lt	Outer: 80 x 46 x 48 Inner: 75 x 36 x 35	1		399,00
FRIGL120	120 lt	Outer: 100 x 47 x 52 Inner: 87 x 36 x 40	1		499,00
FRIGL140	140 lt	Outer: 89 x 55 x 51 Inner: 75 x 44 x 44	1		539,00

COOLER

FRIG01



FRIG02



FRIG04



FRIG08



Ref.	Capacity	Size (mm)	Un.		R.R.P.
FRIG01	10 L	OUT: L35 x H22 x W22 / IN: L30 x H16 x W17	1		39,90
FRIG02	20 L	OUT: L50 x H28 x W26 / IN: L45 x H22 x W21	1		59,00
FRIG04	40 L	OUT: L60 x H35 x W36 / IN: L55 x H28 x W29	1		99,00
FRIG08	80 L	OUT: L80 x H45 x W41 / IN: L68 x H35 x W36	1		189,00

GREEN COOLER PACK



FRIGOPG4



FRIGOPG2



Ref.	Capacity	Size (mm)	Un.		R.R.P.
FRIGOPG	20 lt	OUT: L54 x H30 x W26 / IN: L45 x H22 x W21	1		-
FRIGOPG	40 lt	OUT: L64 x H36 x W33 / IN: L55 x H28 x W29	1		-

LURES

MISAKI

SABIKI

NAUTICAL

SEAT BOX

GROUNDBAIT

FEEDER

FLOATS & BOLO

KEEPNETS

LANDING NETS

CREATIVE SERIES

CLOTHING

CARP FISHING

SEATBOX YUKI SLANK



- LATERAL DRAWER X1
- FRONTAL DRAWER X2

- EXTRA STRONG
- HIGH LIGHT ALLUMINIUM
- 6*D36
- FOOTREST INCLUDED
- 76*71*64H CM
- WEIGHT: 16 KG

METAL LEGS BASE

SEATBOX YUKI MUST



- EXTRA STRONG
- HIGH LIGHT ALLUMINIUM
- WEIGHT: 5,4 KG
- 59*44CM

Ref.	Description	Un.	R.R.P.
PIPSL	Seatbox Yuki Slank	1	590,00
PIPMU	Seatbox Yuki Must	1	159,00


SEAT BOX

PANIERES
STATION
BANCO
PANIERI
SITZKIEPEN

NOVA FEEDER SEAT BOX



LAGOM SEATBOX



Accessories not included
Accesorios no incluidos
Accessoires non inclus

Ref.	Description	Un.		R.R.P.
PIP11	Seatbox Yuki NOVA FEEDER	1		590,00
PIPLG	Lagom Seatbox	1		390,00
PIP10R	SLANK-LAGOM-NOVA Match seat	1		
PIP11R	Seat Nova Feeder	1		149,00
PIP1MA	Module Nova A	1		69,00
PIP1MC	Module Nova C	1		75,00

yuki2025

EXTENSIBLE ARM



Ref.	Ø Diameter	Length	Un.		R.R.P.
PIP501	25+30+36mm	55+35cm	1		45,00

CURVE SHORT ARM



Ref.	Ø Diameter	Length	Un.		R.R.P.
PIP502	25+30+36mm	30cm	1		24,90

CURVE LONG ARM



Ref.	Ø Diameter	Length	Un.		R.R.P.
PIP503	25+30+36mm	X	1		27,90

MULTI ARM



Ref.	Ø Diameter	Length	Un.		R.R.P.
PIP504	25+30+36mm	X	1		29,90

DETACHABLE CONNECTOR



Ref.	Ø Diameter	Length	Un.		R.R.P.
PIP505	25+30+36mm	8cm	1		21,90

SINGLE THREAD



Ref.	Ø Diameter	Length	Un.		R.R.P.
PIP505T	25+30+36mm	X	1		11,90

LONG CONNECTOR



Ref.	Ø Diameter	Length	Un.		R.R.P.
PIP506	25+30+36mm	55cm	1		39,90

UMBRELLA SUPPORT



Ref.	Ø Diameter	Length	Un.		R.R.P.
PIP507	25+30+36mm	16cm	1		36,90

BUCKET + RING



PIP307

PIP308


Ref.	Ø Diameter	Length	Un.		R.R.P.
PIP307	25cm	25*30*36	1		19,90
PIP308	38 cm	25*30*36	1		26,90

REVERSE FRONTAL BAR




Ref.	Ø Diameter	Un.		R.R.P.
PIP212	25-30-36 mm	1		99,90

SUPPORTS



Ref.	Ø Diameter	Length	Un.		R.R.P.
PIP715	25-30 mm	15 cm	1		11,90
PIP738	25-30 mm	38 cm	1		23,90

CURVED ARM



Ref.	Ø Diameter	Length	Un.		R.R.P.
PIP107	25-30-36 mm	17 cm	1		21,90
PIP108	25-30-36 mm	28 cm	1		21,90

ARM/SUPPORT SCREW SET



Ref.	Description	Un.		R.R.P.
PIP04	Set 2 pz	1		2,90

STOPPER CENTRAL ARM



Ref.	Ø Diameter	Length	Un.		R.R.P.
PIP324	25-30-36 mm	34 cm	1		29,90

STRAIGHT ARM



Ref.	Ø Diameter	Length	Un.		R.R.P.
PIP106	25-30-36 mm	28 cm	1		20,90

BLUE NEOPRENE SUPPORT



Ref.	Length	Un.		R.R.P.
PIP311	34 cm	1		24,90

ADJUSTABLE LATERAL ROD HOLDER



Ref.	Ø Diameter	Description	Un.		R.R.P.
PIP07	25-30-36 mm	Set 1 pz	1		16,90

LATERAL ROD HOLDER



Ref.	Ø Diameter	Description	Un.		R.R.P.
PIP05	25-30-36 mm	Set 2 pz	1		29,00

LURES

MISAKI

SABIKI

NAUTICAL

SEAT BOX

GROUNDBAIT

FEEDER

FLOATS & BOLO

KEEPNETS

LANDING NETS

CREATIVE SERIES

CLOTHING

CARP FISHING

TRAYS

DOUBLE TRAY LARGE +TENT
PIP430



SINGLE TRAY MEDIUM TRAY + TENT - PIP411



SINGLE TRAY BIG - PIP429



SINGLE TRAY MEDIUM - PIP410



Ref.	Ø Diameter	Dimensions	Un.		R.R.P.
PIP410	25-30-36 mm	50x40	1		89,00
PIP411	25-30-36 mm	50x40	1		149,00
PIP430	25-30-36 mm	70x50	1		179,00
PIP429	25-30-36 mm	70x50	1		159,00

TRAY + CASE SET



FOLDING TRAY



Ref.	Dimensions	Un.		R.R.P.	Ref.	Ø Diameter	Dimensions	Un.		R.R.P.
PIP420	50 x 36 cm	1		69,00	PIP305	20-25-30 mm	67 x 51 cm	1		35,00

MEDIUM TRAY



Legs not included
Patas no incluidas
Pieds non inclus

BIG TRAY

Tray with holder bait umbrella
Bandeja con soporte para paraguas de cebo incorporado
Desserte avec le support de parapluie



Ref.	Ø Diameter	Dimensions	Un.		R.R.P.	Ref.	Ø Diameter	Dimensions	Un.		R.R.P.
PIP490	25 mm	49 x 39 cm	1		89,90	PIP670	25 mm	67 x 51 cm	1		149,00

TECO PLATFORM



Legs included
Patas incluidas
Pieds inclus

Ref.	Ø Diameter	Dimensions	Un.		R.R.P.
PIP671	25 mm	67 x 51 cm	1		149,00

25 MM LEG



Ref.	Type	Length	Un.		R.R.P.
PIP749	No telescopic	45 cm	1		17,90

BAIT UMBRELLA



Ref.	Dimensions	Material	Un.		R.R.P.
PAG04	0,80 x 0,80 m	PVC	1		49,00

COVER WITH HANDLE



Ref.	Dimensions	Un.		R.R.P.
PIPM3	41 x 28,5 x 2 cm	1		35,00

BOX 1 PLUS



Ref.	Dimensions	Un.		R.R.P.
PIPM5	41 x 28,5 x 8 cm	1		89,00

BOX 1 DRAWER



Ref.	Dimensions	Un.		R.R.P.
PIPM6	41 x 28,5 x 10 cm	1		69,00

LURES

MISAKI

SABIKI

NAUTICAL

SEAT
BOX

GROUND BAIT

FEEDER

FLOATS
& BOLO

KEEPNETS

LANDING
NETS

CREATIVE
SERIES

CLOTHING

CARP FISHING

SIMBOLOGY



STILL WATER - AGUAS CALMAS - EAUX CALMES
AGUAS CALMAS - ACQUA CALMA



FAST WATER - AGUAS RAPIDAS - EAUX RAPIDES
AGUAS RAPIDAS - ACQUA RAPIDE



STILL & FAST - AGUAS RAPIDAS & CALMAS
- EAUX CALME & RAPIDES - AGUAS CALMAS &
RAPIDAS - ACQUA CALMA & RAPIDE



FINE GRAIN - GRANO FINO - GRAIN FIN - GRÃO FINO
- GRANELLO FINE



FINE-MEDIUM GRAIN - GRANO FINO-MEDIO
GRAIN FIN-DEMI - GRÃO FINO-MEDIO
GRANELLO FINE-MEZZO



MEDIUM GRAIN - GRANO MEDIO - GRAIN DEMI
GRÃO MEDIO - GRANELLO MEZZO



MEDIUM THICK GRAIN - GRANO MEDIO-GRUESO
GRAIN DEMI-GROS - GRÃO MEDIO-GROSSO
GRANELLO MEZZO-GROSSO



THICK GRAIN - GRANO GRUESO - GRAIN GROS
GRÃO GROSSO - GRANELLO GROSSO



SPECIAL COMPETITION - ESPECIAL COMPETICION
SPÉCIAL COMPÉTITION - ESPECIAL COMPETIÇÃO
SPECIALE COMPETIZIONE



FISH POWDER - POUDRE DE POISSON - PESCADO EN
POLVO - PÓ DE PEIXE - POLVERE DI PESCE



SWEET AROMA - AROMA DULCE - ARÔME DOUCE
AROMA DOCE - AROMA DOLCE



EXTRA ATTRACTIVE - EXTRA ATRAYENTE
EXTRA ATTIRANT - EXTRA ATRATIVO - EXTRA
ATTRAENTE



SALTY - SALADO - SALÉ - SALGADO - SALATO



CHEESE - QUESO - FROMAGE - QUEIJO - FORMAGGIO



EASY DISSOLVING - FACIL DISOLUCION
FACILE DISSOLUTION - FACIL DISSOLUÇÃO
FACILE DISSOLUZIONE



BIND POWER - PODER AGLUTINANTE
CAPACITÉ AGGLUTINANTE - CAPACIDADE
AGLUTINANTE - CAPACITÁ LEGANTE



SPECIAL LIVE BAIT - ESPECIAL CEBOS VIVOS
SPÉCIAL APPÂT VIF - ESPECIAL ISCO VIVO
SPECIALE ESCE VIVE



SURFACE - SUPERFICIE - SURFACE
SUPERFICIE - SUPERFICIE



BOTTOM - FONDO - PROFONDEUR - FUNDO -
PROFONDITÀ



GRAIN, BISCUIT & BREAD - GRANO, GALLETA Y PAN
GRANO, BISCOTTI E PANE - CEREAIS, BOLACHAS E
PÃO - CÉRÉALES, BISCUITS ET PAIN

CARP SERIES



Ref.	Weight	Box	R.R.P.
EN12	1 kg	12 kg	4,90

Ref.	Weight	Box	R.R.P.
EN25X	2,5 kg	12,5 kg	10,90

Ref.	Weight	Box	R.R.P.
EN80	1 kg	12 kg	4,90

Ref.	Weight	Box	R.R.P.
EN15	1 kg	12 kg	4,90

GROUND BAIT

ENGODOS
AMORCES
FARINHAS
PASTURA
FUTTER

F10 SERIES

F10 BLACK



STILL WATER

INGREDIENTS

FLAVOUR
EXTRA ATTRACTIVE

SPECIAL
COMPETITION

TEXTURE
FINE

DEEP
BOTTOM

F10 RED



STILL WATER

INGREDIENTS

FLAVOUR
EXTRA ATTRACTIVE

SPECIAL
COMPETITION

TEXTURE
FINE

DEEP
BOTTOM

F10 YELLOW



STILL WATER

INGREDIENTS

FLAVOUR
EXTRA ATTRACTIVE

SPECIAL
COMPETITION

TEXTURE
FINE

DEEP
BOTTOM

F10 CARBREM



STILL WATER

INGREDIENTS

FLAVOUR
EXTRA ATTRACTIVE

SPECIAL
COMPETITION

TEXTURE
FINE

DEEP
BOTTOM

Ref.	Weight	Box	R.R.P.	Ref.	Weight	Box	R.R.P.	Ref.	Weight	Box	R.R.P.	Ref.	Weight	Box	R.R.P.
EN69	1 kg	12 kg	4,90	EN70	1 kg	12 kg	4,90	EN71	1 kg	12 kg	4,90	EN72	1 kg	12 kg	4,90

SUPER SERIES

SUPER CARP



1 & 2,5 KG

STILL & FAST

INGREDIENTS

FLAVOUR
SWEET

TEXTURE
THICK

ACTION
BIND POWER

DEEP
BOTTOM

SUPER CARP RED



1 & 2,5 KG

STILL & FAST

INGREDIENTS

FLAVOUR
SWEET

TEXTURE
THICK

ACTION
BIND POWER

DEEP
BOTTOM

SUPER CARP BLACK



1 & 2,5 KG

STILL & FAST

INGREDIENTS

FLAVOUR
SWEET

TEXTURE
THICK

ACTION
BIND POWER

DEEP
BOTTOM

SUPER CARP WHITE



1 & 2,5 KG

STILL & FAST

INGREDIENTS

FLAVOUR
SWEET

TEXTURE
THICK

ACTION
BIND POWER

DEEP
BOTTOM

Ref.	Weight	Box	R.R.P.	Ref.	Weight	Box	R.R.P.	Ref.	Weight	Box	R.R.P.	Ref.	Weight	Box	R.R.P.
EN50	1 kg	12 kg	3,90	EN52	1 kg	12 kg	3,90	EN58	1 kg	12 kg	3,90	EN56	1 kg	12 kg	3,90
EN51	2,5 kg	12,5 kg	7,90	EN53	2,5 kg	12,5 kg	7,90	EN59	2,5 kg	12,5 kg	7,90	EN57	2,5 kg	12,5 kg	7,90

FEEDER SERIES

FEEDER BETAINNE EN85



FEEDER HALIBUT EN86



FEEDER CARP/ROACH/NE187



FEEDER POWER EN88



FLAVOUR
SALTY

FEEDER MATCH EN89



FLAVOUR
SWEET



Ref.	Weight	Box		R.R.P.
EN85	1 kg	12 kg		5,90
EN86	1 kg	12 kg		5,90
EN87	1 kg	12 kg		5,90
EN88	1 kg	25 kg		5,90
EN89	1 kg	12 kg		5,90

ALGUNAS FOTOS DE TEXTURAS PUEDEN ESTAR AMPLIADAS EN ESCALA DE 1:5

SOME PHOTOS OF TEXTURES CAN BE SCALED 1:5


CERTAINES PHOTOGRAPHIES DE TEXTURE PEUVENT ÊTRE AGRANDIES À L'ÉCHELLE 1:5

EXPERT SERIES

TEUCA - EN35



Ref.	Weight	Box	R.R.P.
EN35	1 kg	12 kg	4,90
EN42	1 kg	12 kg	4,90
EN65	1 kg	12 kg	4,90
EN90	1 kg	12 kg	5,90
EN30	1 kg	12 kg	4,90



SPECIAL CARASI - EN42



MATCH BOCA
/ALBORELLA - EN90



CARBREM - EN65



ALBURNO - EN30



PLUS SERIES

PLUS LAKE & RIVER



1 & 2,5 KG



Ref.	Weight	Box	R.R.P.
EN48	1 kg	12 kg	3,90
EN48K	2,5 kg	12,5 kg	7,90

PLUS SUPER RED



1 & 2,5 KG



Ref.	Weight	Box	R.R.P.
EN47	1 kg	12 kg	3,90
EN47K	2,5 kg	12,5 kg	7,90

PLUS SUPER TEUCA



1 & 2,5 KG



Ref.	Weight	Box	R.R.P.
EN46	1 kg	12 kg	3,90
EN46K	2,5 kg	12,5 kg	7,90

SEA FISHING SERIES

DORADA



SARGO



MUJOL



MUSSEL-BIBI



1 & 2,5 KG

1 & 2,5 KG



1 & 2,5 KG



Ref.	Weight	Box	R.R.P.
EN91	1 kg	12 kg	4,90
EN92	2,5 kg	12,5 kg	10,90

Ref.	Weight	Box	R.R.P.
EN93	1 kg	12 kg	4,90
EN94	2,5 kg	12,5 kg	10,90

Ref.	Weight	Box	R.R.P.
EN95	1 kg	12 kg	4,90
EN95K	2,5 kg	12,5 kg	10,90

Ref.	Weight	Box	R.R.P.
EN96	1 kg	12 kg	5,90

EXTRA MUJOL



KRILL



MOISTURE CHEESE



MOISTURE SARDINE



Ref.	Weight	Box	R.R.P.
EN97	1 kg	12 kg	5,90

Ref.	Weight	Box	R.R.P.
EN98	1 kg	12 kg	5,90

Ref.	Weight	Box	R.R.P.
EN99C	1 kg	12 kg	5,90

Ref.	Weight	Box	R.R.P.
EN99S	1 kg	12 kg	5,90

ADITIVES



TTX CORN

Ref.	Weight	Box	R.R.P.
ENI04	1 kg	20 kg	4,90



BARBO-BOGA

Ref.	Weight	Box	R.R.P.
ENA02	300 gr	20 un	5,90



CARPIX VANILA

Ref.	Weight	Box	R.R.P.
ENA03V	300 gr	20 un	5,90



CARPIX STRAWBERRY

Ref.	Weight	Box	R.R.P.
ENA03F	300 gr	20 un	5,90



BRASEM

Ref.	Weight	Box	R.R.P.
ENA01	300 gr	20 un	5,90

HOOK PASTE



**MAXIMUM HOOK ADHESION
REMAINING POWER!**

Ref.	Flavour	Box	Can Weight	R.R.P.
ENFC	Crab	12 un	200gr	4,90
ENFG	Shrimp	12 un	200gr	4,90
ENFQ	Cheese	12 un	200gr	4,90
ENFS	Sardine	12 un	200gr	4,90

MAGGOT SERIES



MAGGOT GUM

Ref.	Weight	Box	R.R.P.
C0100	500 gr	10 un	7,90



ARABIC GUM

Ref.	Weight	Box	R.R.P.
C0500	500 gr	10 un	15,90



ARABIC
GUM REFILL

Ref.	Weight	Box	R.R.P.
C0600	500 gr	10 un	13,90



STONE MIX

Ref.	Weight	Box	R.R.P.
EN00	2 kg	20 kg	2,90

CROSS DOUBLE ROLLER



Ref.	Un.	R.R.P.
ROD05A	1	79,00


ROLLER "V"



Ref.	Dimensions	Un.	R.R.P.
ROD08	8 cm	1	8,90
ROD15	15 cm	1	10,90
ROD23	23 cm	1	14,90

CATAPULTS

TIRY



TIRY-E



TIRY-P



Ref.	Description	Size / Color	Un.	R.R.P.
TIRY	Catapult	M (Light) L (Medium) XL (Strong)	1	14,90
TIRY-E	Elastic Replacement	G (Light) O (Medium) R (Strong)	1	5,90
TIRY-P	Spare Pouch	M - L - XL	1	5,90

APEDY



Ref.	Un.	R.R.P.
APYS	1	6,50

CATAPULT BAG

Manufactured in high quality material, capacity for several catapult, various measures capacity
Fabricada en cordura, con capacidad para varios tiradores de diversas medidas
Fabriqué cordura, capacité pour plusieurs frondes diverses mesures



CATAPULT NOT INCLUDED

Ref.	Dimensions	Un.	R.R.P.
BOTIR	22 x 28 x 10	1	9,90

FEEDER - COUP ACCESSORIES

FEEDER / COUP ACCESSORIES · ACCESORIOS COUP · COUP ACCESSOIRES · COUP ACCESSORIOS · COUP ACCESSORI · STIPPZUBEHÖR DISSOLVING

POLE CUP SET MESH



Ref.	Dimensions	Un.		R.R.P.
POK04	8 / 10	1		15,90

PLUMMET NEOPRENE BASE



Ref.	Gr	Un.	Pcs/bag	Color	€/bag	R.R.P.
SONC10	10	10	2	Black		3,90
SON15	15	10	2	Silver		4,90
SONC20	20	10	2	Black		4,90
SONC30	30	10	2	Black		4,90
SON50	50	10	2	Silver		9,90

DACRON CONECTOR

Special connector for attaching the elastic to the line, quickly and safely in long pole fishing

Conector especial para unir elástico y línea de una forma rápida y segura en la pesca con caña enchufable

Connecteur spécial pour fixer rapidement et sûr l'élastique et ligne dans la pêche à roubaisienne



Ref.	Dimensions	Pcs/Bag	Un.		R.R.P.
DC-S	S	4	10		2,90

SPRING PLUMMET



Ref.	Gr	Un.	Pcs/Bag		R.R.P.
SOM05	6	5	2		4,90
SOM10	10	5	2		5,90
SOM15	16	5	2		5,90
SOM20	20	5	2		14,90
SOM25	24	5	2		5,90
SOM35	35	5	2		6,90
SOM55	55	5	2		18,90

CORK PLUMMET




Ref.	Gr	Pcs/Bag	Un.		R.R.P.
SOC010	10	5	1		6,90
SOC015	15	5	1		6,90
SOC020	20	5	1		7,90
SOC025	25	5	1		8,90

POLE ANCHOR

To keep the lines stretch and lined in our rig set

Para retener las líneas en nuestras plegadoras

Pratique pour vos lignes montées sur les petits plioirs



Ref.	Un.	Pcs/Bag		R.R.P.
TNC1	10	10		2,90/bag
TNC2	20	10		1,90/bag

POLE BUNG

Two conical fixation devices to hold and adjust the elastic tension inside the element, and a device for extraction. Ultra lightweight and robust

Dos dispositivos cónicos para retener y ajustar el elástico dentro del tramo y un dispositivo para su extracción. Ultraligeros y robustos


Deux dispositifs coniques pour retenir et ajuster l'élastique dans le brin et un dispositif pour son extraction. Ultraléger et solide

Ref.	Pz	Un.		R.R.P.
ACSE	2 Cones + 1 Extractor	10		6,90



4MT

Ø 1.27 mm
Ø 1.52 mm
Ø 1.81 mm
Ø 2.06 mm
Ø 2.31 mm
Ø 2.56 mm
Ø 2.70 mm
Ø 3.02 mm



Ref.	Ø	Color	Length	Un.	R.R.P.
ELM13	1,27 mm	Blue/Amber	4 m	5	19,00
ELM15	1,52 mm	Violet/Amber	4 m	5	19,90
ELM18	1,81 mm	Pink/Amber	4 m	5	19,90
ELM20	2,06 mm	Green/Amber	4 m	5	23,00
ELM23	2,56 mm	Yellow/Amber	4 m	5	23,00
ELM25	2,56 mm	Orange/Amber	4 m	5	23,00
ELM27	2,70 mm	Camouflage/Amber	4 m	5	24,90
ELM30	3,02 mm	Red/Amber	3 m	5	24,90




MICROPORE ELASTIC 4 M

Micropore hollow elastic with special internal liquid. Technically designed for maximum performance and durability, allowing that in fishing action. This elastic behavior is much more regular and uniform, facilitating the recovery of the catch much more quickly, reducing the risk of losing them

Elástico microporoso hueco con líquido interno. Técnicamente diseñado para obtener el máximo rendimiento y durabilidad, mostrando en acción de pesca un comportamiento mucho más regular y uniforme y facilitando la recuperación de las capturas mucho más rápido, minimizando el riesgo de pérdida

Gamme d'élastique creux microporeux avec liquide interne. Techniquement conçu pour optimiser les rendements et durabilité durant l'action de pêche, leur comportement est beaucoup plus régulier et uniforme, ce qui facilite la récupération de leurs prises beaucoup plus rapidement, sans risque de les perdre.



HOLLOW ELASTIC 4 M

Hollow elastic, designed especially for fishing competition. The silicone treatment used gives special characteristics that provides long life without changes even if used in extreme conditions

Elástico tubular hueco, diseñado especialmente para la pesca de competición. El siliconado le da unas características especiales que le mantienen inalterable, incluso en agua salada

Élastique creux, spécialement conçu pour la compétition de pêche. Le silicone donne des caractéristiques particulières qui restent inchangées même dans l'eau salée



Ø 1.30 mm
Ø 1.50 mm
Ø 1.80 mm
Ø 2.00 mm
Ø 2.30 mm
Ø 2.50 mm
Ø 2.70 mm
Ø 3.00 mm

Ref.	Ø	Color	Length	Un.	R.R.P.
ELT13	2,66 mm	Blue/White	4 m	5	19,00
ELT15	2,98 mm	Violet/White	4 m	5	19,00
ELT18	3,60 mm	Pink/White	4 m	5	19,00
ELT20	2,00 mm	Green/White	4 m	5	19,00
ELT23	2,30 mm	Yellow/White	4 m	5	19,00
ELT25	2,50 mm	Orange/White	4 m	5	21,00
ELT27	2,70 mm	Camouflage/White	4 m	5	21,00
ELT30	3,00 mm	Red/White	4 m	5	21,00

DOUBLE SILICONE ELASTIC 7 M

For a different way of working the fish with long pole rod. Ensures the most difficult catches. Made of silicone.

Una forma diferente de trabajar el pez con la caña enchufable. Asegura las capturas más complicadas. Hecho de silicona

Une autre façon de travailler le poisson avec la canne. Assure les captures plus difficiles. Fabriqué en silicone.



Ref.	Color	Ø	Un.	R.R.P.
ELAD090	Yellow	1,84 mm	5	3,90
ELAD100	Yellow	1,00 mm	5	4,90

LATEX ELASTIC 6 M

Pure latex gum with double silicone treatment. Suitable for fishing with rigs on the edge of breaking strength, when the fishing make us fish with very slim lines

Goma de puro látex con doble siliconado, excepcional estiramiento con recuperación total. Indicada para la pesca con terminales al límite de la resistencia a la rotura


Gomme en latex pur double silicone, exceptionnelle élongation avec une récupération complète. Indiqué pour l'utilisation de bas de ligne au limite du rupture

Ref.	Ømm	Color	Un.	R.R.P.
ELAT105	1.05mm/7mts	White	5	3,90
ELAT120	1.20mm/6mts	Orange	5	3,90
ELAT140	1.40mm/6mts	Green	5	3,90
ELAT160	1.60mm/6mts	Yellow	5	5,90
ELAT210	2.10mm/6mts	Blue	5	6,90
ELAT240	2.40mm/7mts	White	5	6,90



GROUND BAIT MIXERS

OCTOGONAL



CONICAL



Ref.	Un.	R.R.P.
MEZ	1	39,00
MEZ2	1	39,00

SUPER SILICONE ELASTIC 7 M

The special silicone used provides great resistance to abrasion, temperature changes and UV rays. Stretch ratio of 1:6 with total return élastique

El siliconado les proporciona gran resistencia a las abrasiones, a los cambios de temperatura y a los rayos UV. Relación de estiramiento de 1:6, con retorno total

Série d'élastiques de silicone en bobines de 7mts. Le silicone donne une haute résistance à l'abrasion, les changements de température et rayons U.V. Rapport étirement de 1:6, avec retour complet



Ref.	Ø	Color	Length	Un.	R.R.P.	Ref.	Ø	Color	Length	Un.	R.R.P.
ELS090	1,84 mm	Yellow	7 m	5	4,50	ELS160	1,60 mm	Yellow	7 m	5	6,90
ELS105	1,05 mm	Blue	7 m	5	4,50	ELS180	3,60 mm	Red	7 m	5	7,50
ELS120	1,20 mm	Orange	7 m	5	4,50	ELS210	4,20 mm	Yellow	7 m	5	7,50
ELS140	1,40 mm	Green	7 m	5	4,50	ELS240	2,40 mm	Black	7 m	5	8,90

FLOATS TUBE FOR LEADS CALIBRATION

This tube made of transparent plastic, allows accurate calibrate our floats in the comfort of our home. Strong resistant base



Con este tubo fabricado en material plástico transparente, podremos plomear nuestros flotadores con precisión en el propio domicilio. Peana resistente y estable

Avec ce tube en plastique transparent vous pouvez mettre vos flotteurs précisément dans vot re domicile. Base astringent



Ref.	Dimensions	Un.	R.R.P.
TPT	60 cm h.	1	49,00

ADJUSTABLE WINDER



Ref.	Length	Un.	R.R.P.
PL25	25 cm	100	1,90

BAIT PLATE



Ref.	Un.		R.R.P.
PIATT01	1		29,00

SQUARE CONTAINER

SCPL43
(with lid)



Ref.	Dimensions	Un.		R.R.P.
SCPL43	13 x 16 x 5 cm	1		10,90
SCPL44	13 x 13 x 5 cm	1		9,90

MULTI-BOXES BAIT



CP10



CP11



CP12




CP13

Ref.	Capacity	Un.		R.R.P.
CP10	0,30 lt - MINI	10		1,90
CP11	0,60 lt - SMALL	10		2,90


Ref.	Capacity	Un.		R.R.P.
CP12	1,25 lt - MEDIUM	10		3,90
CP13	1,88 lt - BIG	10		4,90

MAGIC BOX

Lid included on each model
Tapadera incluida en todos los modelos
Couvercle compris à chaque modèle



SCPL33



SCPL34



SCPL35



SCPL36



SCPL37

Ref.	Model	Capacity	Un.		R.R.P.
SCPL33	MAGIC BOX	1/2 lt	1		5,90
SCPL34	MAGIC BOX Small	1/2 lt w/mesh	1		6,90
SCPL35	MAGIC BOX Small 2	1/2 lt w/mesh	1		8,90
SCPL36	MAGIC BOX Medium	1lt w/mesh	1		8,90
SCPL37	MAGIC BOX Big	1,5 lt w/mesh	1		10,90

OFFICIAL BAIT MEASURER

Five containers with the official different measures for bait. Pack content: The five recipients
Cinco recipientes con las medidas oficiales para el cebo. Contenido del pack: Los cinco recipientes
 Cinq récipients avec des mesures officielles pour les appâts. Contenu du pack: Les cinq récipients



Ref.	Un.		R.R.P.
CP0	1		20,90

DEPTH CONTAINER MESH



SCPL12



SCPL13



SCPL13R

With STEP



SCPL14



SCPL16

Ref.	Dimensions	Un.		R.R.P.
SCPL12	28 x 18,5 x 9 cm	1		12,90
SCPL13	31 x 20,5 x 10,5 cm	1		14,90
SCPL13R	31 x 20,5 x 10,5 cm	1		14,90
SCPL14	40 x 30 x 11 cm	1		14,90
SCPL16	50 x 34 x 12 cm	1		19,00

BAIT BOX



SIEVE



Ref.	Size (mm)	Un.		R.R.P.
CP69	Ø 95	20		1,00

Ref.	Dimensions	Un.		R.R.P.
TZ03	Ø 33 cm / 2,4 mm	1		15,90
TZ04	Ø 42 cm / 7,4 mm	1		25,00

LURES

MISAKI

SABIKI

NAUTICAL

SEAT BOX

GROUND BAIT

FEEDER

FLOATS & BOLO

KEEPNETS

LANDING NETS

CREATIVE SERIES

CLOTHING

CARP FISHING



LIMA

PLASTIC

STEEL

10 Un.
Ref.
FLLI
R.R.P.
5,90
Gr.
6.00
8.00
10.00
12.00

MIXTO

INTERNAL LINE

PLASTIC

CARBON

20 Un.
Ref.
FCMI
R.R.P.
2,90
Gr.
1.00
1.50
2.00
3.00
4.00
5.00
6.00
8.00
10.00

ZAY

INTERNAL LINE

PLASTIC

STEEL

20 Un.
Ref.
FLZA
R.R.P.
2,90
Gr.
1.50
2.00
2.50
3.00
4.00
5.00
6.00
8.00
10.00
12.00
15.00

MAYA

INTERNAL LINE

PLASTIC

CARBON

10 Un.
Ref.
FLMY
R.R.P.
4,90
Gr.
6.00
8.00
10.00
12.00

ALBA

PLASTIC

STEEL

10 Un.
Ref.
FLAL
R.R.P.
1,90
Gr.
0.10
0.20
0.30
0.50
0.75
1.00
1.50

FLOATS


FLOTADORES
FLOTTEURS
BOIAS
GALLEGGIANTI
POSEN

SUPREME



10 Un.
Ref.
FISU
R.R.P.
9,90
Gr.
14.00
16.00
18.00
20.00

TENCA



10 Un.
Ref.
FITE
R.R.P.
5,90
Gr.
3+2
4+2
6+2
8+2

HAWK



10 Un.
Ref.
FIHA
R.R.P.
14,90
16,90
Gr.
10+6
16+9
20+10

MARTINIQUE



FIBERGLASS

10 Un.
Ref.
FLMR
R.R.P.
3,90
Gr.
2,50
3,00
4,00

GUADELOUPE



FIBERGLASS

10 Un.
Ref.
FLGU
R.R.P.
3,90
Gr.
2,50
3,00
4,00

TRINIDAD



FIBERGLASS

10 Un.
Ref.
FLTR
R.R.P.
3,90
Gr.
2,50
3,00
4,00

VGO



FIBERGLASS

20 Un.
Ref.
FLVG
R.R.P.
2,90
Gr.
1,00
2,00
3,00
4,00

SANDRA



FIBERGLASS

20 Un.
Ref.
FLSD
R.R.P.
1,90
Gr.
2,00
3,00
4,00
5,00
6,00
8,00
10,00

MONACO



FIBERGLASS

20 Un.
Ref.
FLMO
R.R.P.
1,90
2,50
Gr.
2,00
3,00
4,00
5,00
6,00
8,00
10,00

FINE



INTERNAL LINE



FIBERGLASS

20 Un.
Ref.
FLFI
R.R.P.
3,90
Gr.
4,00
5,00
6,00
8,00

PLANET




PLASTIC

FIBERGLASS

10 Un.
Ref.
FLPL
R.R.P.
1,50
Gr.
1.00
2.00
3.00
4.00

CARTY



PLASTIC

FIBERGLASS

10 Un.
Ref.
FLCY
R.R.P.
1,50
Gr.
0.50
0.75
1.00
1.50
2.00
2.50
3.00
4.00
5.00
6.00
8.00

AXE



INTERNAL LINE

PLASTIC

FIBERGLASS

20 Un.
Ref.
FLAX
R.R.P.
3,90
Gr.
2.00
3.00
4.00
6.00

WIZARD



PLASTIC

FIBERGLASS

10 Un.
Ref.
FCWI
R.R.P.
2,90
Gr.
2.00
3.00
4.00
6.00

PIERRE



PLASTIC

FIBERGLASS

20 Un.
Ref.
FCPI
R.R.P.
3,90
Gr.
2.00
4.00
6.00

BRUNEY

20 Un.

Ref.
FLBRU
R.R.P.
1,90



PLASTIC

FIBERGLASS

2 gr: 1,30
Gr.
1.00
1.50
2.00
3.00
4.00
5.00
6.00
8.00
10.00
12.00

SOLEIL SLIDING



INTERNAL LINE

PLASTIC

FIBERGLASS

20 Un.
Ref.
FCSO
R.R.P.
4,90
Gr.
4.00
5.00
6.00
8.00
10.00
12.00

LURES

MISAKI

SABIKI

NAUTICAL

SEAT BOX

GROUNDBAIT

FEEDER

FLOATS & BOLO

KEEPNETS

LANDING NETS

CREATIVE SERIES

CLOTHING

CARP FISHING

IBANA SLIDING

STARLITE 4,5 mm

INTERNAL LINE

PLASTIC

10 Un.

Ref.
FCIB
R.R.P.
2,50
2,90

Gr.
2.00
3.00
4.00
5.00
6.00
8.00
10.00
12.00
15.00

FIBERGLASS

BRUNEY SLIDING

STARLITE 4,5 mm

INTERNAL LINE

PLASTIC

10 Un.

Ref.
FCBR
R.R.P.
2,90

Gr.
6.00
8.00
10.00
12.00

FIBERGLASS

CABO SLIDING

STARLITE 4,5 mm

INTERNAL LINE

PLASTIC

10 Un.

Ref.
FCCA
R.R.P.
1-20gr: 2,90
25-40 gr: 3,50

Gr.
6.00
8.00
10.00
12.00
15.00
20.00
25.00
30.00
35.00
40.00

CARBON

VULNA SLIDING

STARLITE 4,5 mm

INTERNAL LINE

PLASTIC

10 Un.

Ref.
FCVU
R.R.P.
1-20 gr: 2,90
30-40 gr: 3,90

Gr.
6.00
8.00
10.00
15.00
20.00
30.00
40.00

CARBON

M1 SLIDING

STARLITE 4,5 mm

INTERNAL LINE

PLASTIC

10 Un.

Ref.
FCM1
R.R.P.
1,90

Gr.
1.00
2.00
3.00
4.00
5.00
6.00

FIBERGLASS

M2 SLIDING

STARLITE 4,5 mm

INTERNAL LINE

PLASTIC

10 Un.

Ref.
FCM2
R.R.P.
6-15 gr: 1,90
30-40 gr: 2,50

Gr.
6.00
8.00
10.00
15.00
30.00
40.00

FIBERGLASS

TEO SLIDING

STARLITE 4,5 mm

INTERNAL LINE

PLASTIC

10 Un.

Ref.
FCTE
R.R.P.
6-10 gr: 1,90
20-30 gr: 2,90

Gr.
6.00
8.00
10.00
15.00
20.00
30.00

FIBERGLASS

DOMUS SLIDING

STARLITE 4,5 mm

INTERNAL LINE

PLASTIC

10 Un.

Ref.
FCDO
R.R.P.
6-8 gr: 2,50
10-30 gr: 2,90

Gr.
6.00
8.00
10.00
15.00
20.00
30.00

FIBERGLASS

MOLA

10 Un.

Ref.

FOMO

R.R.P.

1,90

2,50

INTERNAL LINE



RONY

20 Un.

Ref.

FLRO

R.R.P.

3,90

Gr.

2.00

3.00

4.00

5.00

6.00



HOLLOW ANTENNA

10 Un.

Ref.

ANH45

R.R.P.


2,90

Ø (mm)

4.5

Pcs. / Blister

5



MULTICOLOR ANTENNA

10 Un.

Ref.

ANM45

R.R.P.

3,90

Ø (mm)

4.5

Pcs. / Blister

5



FLOAT OVAL



OVAL WITH EYELETS

Ref.	Gr.	Un.	R.R.P.
BOA/T-1	8	20	-
BOA/T-2	15	20	-
BOA/T-3	30	20	-
BOA/T-4	40	20	-
BOA/T-5	60	20	-
BOA/T-6	80	20	-

FLOAT BALL



WHITE

Ref.	Gr.	Un.	R.R.P.
BNF40W	40	10	2,50
BNF60W	60	10	3,90
BNF80W	80	10	4,90

GLASS FLOAT



SINKING

SINKING

Ref.	Gr.	Un.	R.R.P.
BNA20	20	20	2,50
BNA25	25	20	2,90
BNA30	30	20	3,50
BNA35	35	20	3,90
BNA40	40	20	4,50
BNA45	45	20	4,90
BNA50	50	20	5,90
BNA60	60	20	6,90
BNA80	80	20	7,90



SEMI-FLOATING

SEMI-FLOATING

Ref.	Gr.	Un.	R.R.P.
BNS20	20	20	2,90
BNS25	25	20	2,90
BNS30	30	20	3,50
BNS35	35	20	3,90
BNS40	40	20	4,50
BNS45	45	20	4,90
BNS50	50	20	5,50

LURES

MISAKI

SABIKI

NAUTICAL

SEAT BOX

GROUNDBAIT

FEEDER

FLOATS & BOLO

KEEPNETS

LANDING NETS

CREATIVE SERIES

CLOTHING


CARP FISHING

CARE KEEPNET

Strong dense mesh rectangular keepnet with size 45*35cm. Lightweight and resistant. Two reinforced hoops.

Resistente rejón con malla "dense", de forma rectangular con medidas 45*35cm. Muy ligero y resistente. Dos aros reforzados.

Filet de protection rectangulaire à mailles denses et résistantes de 45*35cm. Légère et résistante. Deux arceaux renforcés.



ø 0,10mm

2 REFORCED HOOP


Ref.	Hoops	Meters	Square	Un.		R.R.P.
REJ201	8	3	Dense mesh	1		69,00
REJ202	9	3,5	Dense mesh	1		75,00
REJ203	11	4	Dense mesh	1		79,00

BLUE CARP

Keep net round, diameter 50 cm in all rings, with super strong mesh. Rings light and reinforced with rubber protection to prevent breakage of the mesh. Ultrafast regulation angle system

Rejón de boca redonda de diámetro 50 cm en todos los aros, con malla súper-resistente. Aros ligeros, reforzados con goma exterior para evitar roturas en la malla. Sistema de regulación de ángulo ultra-rápido

Bourriche ronde Spear 50 cm de diamètre pour tous les anneaux, maillage super fort.. Anneaux extérieures renforcés en caoutchouc pour éviter les ruptures dans la maille. Système de régulation d'angle ultra-rapide



ø 0,10mm



3 REFORCED HOOP

Ultra -fast angle regulation system
Sistema de regulación de ángulo ultra-rápido
Système de régulation d'angle ultra-rapide




Ref.	Hoops	Meters	Shape	Un.		R.R.P.
REJ100	7	2,50	Round	1		49,00

RUBBER 6 MM



1 REFORCED HOOP



ø 0,50mm

Rings with special reinforcement
Aros con refuerzo especial
Avec anneaux de renfort spéciaux



Carrying handle and helps drain
Asa para el transporte y ayuda al vaciado
Poignée de transport et aide vidange

Ref.	Hoops	Meters	Shape	Un.		R.R.P.
REJ502	10	4,00	Round	1		99,00

KEEPNETS - MESH

REJONES & REDES
BOURRICHES & MAILLES
MANGAS & REDES
SETZKESCHER & FISCHNETZ

FLOATING KEEPNET

Keep net with floating ring perfect to keep fish in perfect conditions.
Made with rubber mesh and featuring strap handle

Práctico rejón con aro flotante, que nos permitirá conservar las capturas en perfecto estado. Fabricado en malla rubber y dotado de asa para el transporte

Nasse pratique avec anneau flottant, ce qui nous permet de garder les captures en parfait état. Posté le maillage de caoutchouc et équipé d'une poignée de transport



Ref.	Dimensions	Un.	R.R.P.
REJF	Ø 50 cm - Length 60 cm	1	29,90

FISH MESH



Ref.	Dimensions	Un.	R.R.P.
REL02	75 cm	1	4,90



OVAL FISH MESH



Ref.	Dimensions	Un.	R.R.P.
R30	Ø ext. 30 cm - Ø int. 24cm	1	5,90

METALLIC KEEPNET

Classic metal bucket, for storage and transport of catch. Cover with spring lock and handle

Rejón de malla metálica. Dispone de puerta abatible con autocierre y asa de transporte

Bourriche en maille métallique. Conçu avec porte rabattable automatique avec serrure et poignée



Ref.	Dimensions	Un.	R.R.P.
R35	2 Hoops - Ø 35 cm	1	10,90

LANDING NET HANDLES



ATLANTA



FURY



JUMP



SAIKOU

ATLANTA

Take apart or Telescopic • High modulus carbon • Radial reinforcement • Light • Designed for competition fishing
Enchufable o Telescópico • Carbono alto módulo • Refuerzo radial • Ligero • Pesca de competición
Emmanchement ou Télescopique • Carbone haut module • Renforcement radial • Légère • Spécial compétition

HMC: High modulus carbon

Ref.	Type	Length	Closed	Pz.	Weight	Un.		R.R.P.
CWAT30	Put-in	3.00 m	155 cm	2	300 gr	1		49,00
CWAT40	Put-in	4.00 m	115 cm	4	410 gr	1		65,00
CWTA40	Telescopic	4.00 m	110 cm	4	338 gr	1		69,00
CWTA50	Telescopic	5.00 m	110 cm	5	535 gr	1		79,00
CWTA65	Telescopic	6.50 m	110 cm	6	745 gr	1		99,00

FURY

Telescopic • Composite • Hard and very tough • For all fishing techniques
Telescópico • Composite • Rígido y resistente • Versátil
Télescopique • Composite • Rigide et très résistante • Pour toutes les techniques de pêche

Ref.	Length	Closed	Pz.	Weight	Un.		R.R.P.
CWFU20	2.00 m	115 cm	2	193 gr	1		15,90
CWFU30	3.00 m	115 cm	2	329 gr	1		22,90
CWFU40	4.00 m	114 cm	3	472 gr	1		29,90

JUMP

Telescopic • High modulus carbon • Compact • Light
Telescópico • Carbono alto módulo • Compacto • Ligero
Télescopique • Carbone haut module • Compact • Légère

HMC: High modulus carbon



Ref.	Length	Closed	Pz.	Weight	Un.		R.R.P.
CWJU59	5.90 m	68 cm	10	548	1		89,90

SAIKOU

High module carbon put-in handle, very light weight, perfectly balanced and easy to use.
Double screw (first and second section). For competition.
Mango enchufable de carbono alto módulo, extremadamente ligero y perfectamente equilibrado, de fácil manejo. Sistema de doble rosca (1er y 2º tramo). Para competición.
Fabriqué en caoutchouc de haute qualité • Léger • Résistant • Manipulation facile • Filetage universel

SLHMC: Superlight high modulus carbon



DOUBLE THREAD
ROSCA DOBLE
DOUBLE FILETAGE

Ref.	Length	Sections	Pz.	Weight	Un.		R.R.P.
CWSH40	4.00 m	3 (2 thread)	3	364gr	1		89,00

LANDING NETS

SACADORAS
EPUISSETTES
CAMAROEIROS
GUADINI
KESCHER

NYLON MESH LANDING NET HEADS

SAC50PL

Round landing net head. The particularity of this head is bending system into four parts, which reduces the store space. Blue aluminum structure

Cabeza sacadora redonda de malla de color azul intenso. La particularidad de esta cabeza es el sistema de plegado en cuatro partes

Tête ronde maille couleur bleu royal. La particularité de ce système est la tête de pliant en quarts



Ref.	Size	Colour	Un.		R.R.P.
SAC50PL	55 cm	Blue	1		35,00

SAC55A

Oval head net in fine nylon mesh, black color. V reinforcement for the screw

Cabeza sacadora oval, malla fina súper ligera de color negro. Refuerzo metálico en forma de "V" para la rosca

Tête ovale maille fine noir super léger. Renfort métallique forme "V" sur le filet



Ref.	Size	Colour	Un.		R.R.P.
SAC55A	55 x 46 cm	Black	1		13,90

SAC75

Rectangular, sturdy and lightweight landing net, with grip handle. Transparent nylon fine mesh.

Sacadora rectangular, robusta y ligera, con asa de agarre. Malla fina de nylon transparente.

Machine à sacs rectangulaire, robuste et légère, avec poignée de préhension. Maille fine en nylon transparent.



Ref.	Size	Colour	Un.		R.R.P.
SAC75	45 x 40 cm	Transparent	1		19,90

SAC76

Rectangular, sturdy and lightweight landing net, with grip handle. Transparent nylon fine mesh.

Sacadora rectangular, robusta y ligera, con asa de agarre. Malla fina de nylon transparente.

Machine à sacs rectangulaire, robuste et légère, avec poignée de préhension. Maille fine en nylon transparent.



Ref.	Size	Colour	Un.		R.R.P.
SAC76	50 x 45 cm	Transparent	1		20,90

SAC80


Oval head landing net, fine black nylon mesh, ultra- lightweight frame.
 Cabeza sacadora de malla fina con nylon negro, de forma oval, destaca por el material en el que esta fabricada por la gran ligereza que le aporta.
 Tête avec maille fine nylon noir, ovale, mis en évidence par le matériau qui est conçu par l'hyper légèreté qu'il lui apporte



Ref.	Size	Colour	Un.		R.R.P.
SAC80	60 cm	Black	1		11,90

SAC81


Landing net in clear nylon mesh. Oval, ultra- lightweight frame.
 Cabeza sacadora de malla fina con nylon transparente, de forma oval, destaca por el material en el que está fabricada que le aporta una ligereza extra
 Tête maille fine avec nylon transparent, ovale, caractérisé en ce que le matériau est fabriqué, ce qui lui donne une légèreté supplémentaire



Ref.	Size	Colour	Un.		R.R.P.
SAC81	55 x 45 cm	Transparent	1		17,90

SAC82

1 mm clear nylon mesh. Oval, blue aluminium, ultra-lightweight frame, neoprene sides to improve the buoyancy, V-sized reinforcement for universal thread. 2 x 2 cm mesh.
 Nylon invisible de 1 mm, oval, de aluminio azul, ultraligera, con neopreno para mejorar la flotabilidad, refuerzo metálico en forma de "V" para rosca universal. Malla de 2 x 2 cm
 1mm invisible structure en aluminium ovale bleu, néoprène léger et pour améliorer la flottabilité, armature métallique en forme de "V" pour le fil universelle. Maille 2 x 2 cm



Ref.	Size	Colour	Un.		R.R.P.
SAC82	55 x 45 cm	Transparent	1		26,90

SAC84


1mm transparent nylon mesh. 360° adjustable thread, allows the head to be fixed in any position as required.
 Malla de nylon transparente de 1mm. Rosca ajustable 360°, permite fijar la sacadora en cualquier posición según necesidad.
 Filet en nylon transparent de 1 mm. Filet réglable sur 360°, permettant de fixer le poinçon dans n'importe quelle position.



Ref.	Size	Colour	Un.		R.R.P.
SAC84	50 x 45 cm	Transparent	1		24,90

SAC83

1 mm thick clear nylon mesh with oval-shaped frame lightweight landing net
 Sacadora de malla gruesa de 1 mm de nylon transparente y forma oval, muy ligera
 Epuisette maille épaisse de 1 mm et de nylon ovale transparent, très léger



Ref.	Size	Colour	Un.		R.R.P.
SAC83	55 x 45 cm	Transparent	1		18,90

RUBBER MESH LANDING NET HEADS

SAC85

Rectangular, sturdy, light-weight, rectangular landing net with grip handle. Fine water-repellent rubber mesh in 6mm.
 Sacadora rectangular, robusta y ligera, con asa de agarre. Malla fina de goma hidrorrepelente en 6mm.
 Machine à sacs rectangulaire, robuste, légère, avec poignée de préhension. Maille fine en caoutchouc hydrofuge de 6 mm.



Hole ø 6mm

Ref.	Size	Colour	Un.		R.R.P.
SAC85	45 x 40 cm	Blue	1		19,90

SAC86

Rectangular, sturdy, light-weight, rectangular landing net with grip handle. Fine water-repellent rubber mesh in 6mm.
 Sacadora rectangular, robusta y ligera, con asa de agarre. Malla fina de goma hidrorrepelente en 6mm.
 Machine à sacs rectangulaire, robuste, légère, avec poignée de préhension. Maille fine en caoutchouc hydrofuge de 6 mm.



Hole ø 6mm

Ref.	Size	Colour	Un.		R.R.P.
SAC86	50 x 45 cm	Blue	1		21,90

SAC70

Oval landing net in rubber fine mesh, water and odor repellent material, universal thread. Lateral neoprene supports
 Cabeza sacadera de forma ovalada, fabricada en material rubber, que expulsa el agua rápidamente. Soportes de neopreno en los laterales
 Ovale tête fait d'un matériau en caoutchouc qui évacue l'eau rapidement. Le Néoprène permet de soutenir sur les côtés




ø 0,6cm

RUBBER MESH

Ref.	Size	Colour	Un.		R.R.P.
SAC70	70 cm	Blue	1		26,90

SAC71 & SAC72

Regular mesh 5mm hole. Oval shape 55x50cm / 55x45cm
 Malla regular 5mm agujero. Forma oval 55x50cm / 55x45cm
 Maille régulière, diamètre de 5 mm. Forme ovale 55x50cm / 55x45cm



ø 0,6cm

RUBBER MESH

Ref.	Size	Colour	Un.		R.R.P.
SAC71	55 x 50 cm	Blue	1		25,90
SAC72	50 x 45 cm	Blue	1		24,90

SAC73 & SAC74



ø 0,2cm

RUBBER MESH

Ref.	Size	Colour	Un.		R.R.P.
SAC73	45 x 40 cm	Blue	1		22,90
SAC74	50 x 45 cm	Blue	1		23,90

L310 & L311

Anodized aluminium landing net with rubber mesh 1cm hole diameter

Sacadora en aluminio anodizado con malla de goma (rubber) con agujero de 1cm de diámetro
Épousette en aluminium anodisé avec maille en caoutchouc avec un orifice de 1cm de diamètre




RUBBER MESH



0,80m - 2,22m

ø 1cm



Ref.	Length	Size	Sections	Colour	Un.		R.R.P.
L310	135cm	40 x 50 cm	2	Black	1		36,90
L311	220cm	50 x 50 cm	3	Black	1		49,00


L305



RUBBER MESH



1,45m - 2,20m



Ref.	Length	Colour	Un.		R.R.P.
L305	220 cm	Transparent	1		49,00

Practical, easy and quick to fold and to extend, 6mm water-repellent rubber mesh landing net. EVA handle for better grip. Floating frame wrap. Plastic extendable cord with powerful magnet and safety carabiner.

Práctica sacadora de plegado reducido y fácil y rápida para extender-montar, malla en goma hidrórepelente de 6mm. Cuerda plástica de seguridad con potente imán y mosquetón de seguridad. Cómoda empuñadura en EVA. Flotante.

Pratique, facile et rapide à plier et à déployer, filet en caoutchouc hydrofuge de 6 mm. Corde de sécurité en plastique avec aimant puissant et mousqueton de sécurité. Poignée confortable en EVA. Flottant.


FAST FOLDING-UNFOLDING SYSTEM



RUBBER MESH




105 cm



55 cm




15 x 8 mm




Ref.	Length	Depth	Colour	Un.		R.R.P.
L306	105 cm	40 cm	Blue	1		49,00

L308

Extra strong anodized aluminum landing net, nylon head with 6 mm water repellent treatment
 Sacadora en aluminio anodizado extra-fuerte, cabeza en nylon y fibra de vidrio, red hidro-repelente de 6 mm
 Tête extra forte en aluminium anodisé, nylon et fibre de verre tête, 6 mm rouge répulsif hydro



0,95m - 2,1m




Ref.	Size	Colour	Un.		R.R.P.
L308	65 x 60 x 210 cm	Black	1		19,00

L301



Nylon mesh landing net made from extra strong anodized aluminum, adjustable length.

Sacadora de nylon en aluminio anodizado extra-resistente, de longitud regulable.
 Nylon epuisette d'aluminium anodisé extra forte, longueur réglable de verrouillage.

Total
1,70m - 3,05m

ø 1mm
 3,5*3,5 cm ø hole



Ref.	Size	Meters	Colour	Un.		R.R.P.
L301	65 x 55 cm	2,40	Transparent	1		59,00

L307

Made of aluminum, with nylon 1mm mesh, transparent high capacity. 1.20 mts. including head and handle

Sacadora fabricada en aluminio con malla de nylon de 1mm transparente con gran capacidad. Plegado de 1,20 m. incluyendo cabeza y mango

Epuisette aluminium avec maille de nylon transparent 1mm de grande capacité. Plié 1.20 m. compris la tête et le manche



ø 1mm
 3,5*4 cm ø hole

Total
1,50m - 2,10m


Ref.	Length	Colour	Un.		R.R.P.
L307	180 cm	Transparent	1		35,00

L309

Made of aluminum, with nylon 1mm mesh, transparent high capacity. 1.20 mts. including head and handle

Sacadora fabricada en aluminio con malla de nylon de 1mm transparente con gran capacidad. Plegado de 1,20 m. incluyendo cabeza y mango

Epuisette aluminium avec maille de nylon transparent 1mm de grande capacité. Plié 1.20 m. compris la tête et le manche

Total
1,80m - 2,65m

Ref.	Length	Colour	Un.		R.R.P.
L309	180 cm	Transparent	1		125,00

LURES

MISAKI

SABIKI

NAUTICAL

SEAT BOX

GROUND BAIT

FEEDER

FLOATS & BOLO

KEEPNETS

LANDING NETS

CREATIVE SERIES

CLOTHING

CARP FISHING

HOODIE CARP OLIVE

Cotton 50%/polyester 50% • Hoodie with inner pocket, elastic cuffs and waist • Adjustable cord
Algodón 50%/poliéster 50% • Sudadera con doble bolsillo interior • Puños y cintura elásticos • Cuerda ajustable.
Coton 50%/polyester 50% • Sweat à capuche avec double poche intérieure • Poignets et ceinture élastiques. Corde réglable.

SIZE	S - M - L - XL - XXL - 3XL - 4XL
------	----------------------------------

Ref.		R.R.P.
EQTHC1		59,00



HOODIE PIKE OLIVE

Cotton 50%/polyester 50% • Hoodie with inner pocket, elastic cuffs and waist • Adjustable cord
Algodón 50%/poliéster 50% • Sudadera con doble bolsillo interior • Puños y cintura elásticos • Cuerda ajustable.
Coton 50%/polyester 50% • Sweat à capuche avec double poche intérieure • Poignets et ceinture élastiques. Corde réglable.

SIZE	S - M - L - XL - XXL - 3XL - 4XL
------	----------------------------------

Ref.		R.R.P.
EQTHP1		59,00



CREATIVE SERIES

HOODIE PERCH OLIVE

Cotton 50%/polyester 50% • Hoodie with inner pocket, elastic cuffs and waist • Adjustable cord
Algodón 50%/poliéster 50% • Sudadera con doble bolsillo interior • Puños y cintura elásticos • Cuerda ajustable.
Coton 50%/polyester 50% • Sweat à capuche avec double poche intérieure • Poignets et ceinture élastiques. Corde réglable.



SIZE S - M - L - XL - XXL - 3XL - 4XL

Ref.		R.R.P.
EQTHPE1		59,00



HOODIE PERCH BURGUNDY

Cotton 50%/polyester 50% • Hoodie with inner pocket, elastic cuffs and waist • Adjustable cord
Algodón 50%/poliéster 50% • Sudadera con doble bolsillo interior • Puños y cintura elásticos • Cuerda ajustable.
Coton 50%/polyester 50% • Sweat à capuche avec double poche intérieure • Poignets et ceinture élastiques. Corde réglable.



SIZE S - M - L - XL - XXL - 3XL - 4XL

Ref.		R.R.P.
EQTHPE2		59,00



HOODIE SEA BASS BLACK

Cotton 50%/polyester 50% • Hoodie with inner pocket, elastic cuffs and waist • Adjustable cord
Algodón 50%/poliéster 50% • Sudadera con doble bolsillo interior • Puños y cintura elásticos • Cuerda ajustable.
Coton 50%/polyester 50% • Sweat à capuche avec double poche intérieure • Poignets et ceinture élastiques. Corde réglable.

SIZE	S - M - L - XL - XXL - 3XL - 4XL	
Ref.		R.R.P.
EQTHSB1		59,00

MADE IN CCC



HOODIE SEA BASS NAVY

Cotton 50%/polyester 50% • Hoodie with inner pocket, elastic cuffs and waist • Adjustable cord
Algodón 50%/poliéster 50% • Sudadera con doble bolsillo interior • Puños y cintura elásticos • Cuerda ajustable.
Coton 50%/polyester 50% • Sweat à capuche avec double poche intérieure • Poignets et ceinture élastiques. Corde réglable.

SIZE	S - M - L - XL - XXL - 3XL - 4XL	
Ref.		R.R.P.
EQTHSB2		59,00

MADE IN CCC



HOODIE TUNA ROYAL

Cotton 50%/polyester 50% • Hoodie with inner pocket, elastic cuffs and waist • Adjustable cord
Algodón 50%/poliéster 50% • Sudadera con doble bolsillo interior • Puños y cintura elásticos • Cuerda ajustable.
Coton 50%/polyester 50% • Sweat à capuche avec double poche intérieure • Poignets et ceinture élastiques. Corde réglable.

MADE IN CCC

Ref.		R.R.P.
EQTHT1		59,00

SIZE	S - M - L - XL - XXL - 3XL - 4XL
------	----------------------------------




yuki

CREATIVE SERIES




#fishwithclass






SIZE CHART




T-Shirt Size Chart
(centimeters)

Size	A	B
S	49.5	66
M	50	70
L	52	70
XL	56	70
2XL	57.5	75
3XL	58	79
4XL	61	80



Hooded Sweatshirt Size Chart

Size	A	B
S	51	61
M	52	63
L	53	64
XL	55	68
2XL	58	70
3XL	62	76
4XL	63.5	80



Performance Jersey Size Chart

Size	A	B
S	48.5	66
M	50	67
L	52.5	70
XL	55	73
2XL	56.5	77.5
3XL	58.5	77.5
4XL	61	81

TRAINING SHIRT

TRAINING SHIRT BASS

SIZE S - M - L - XL - XXL - 3XL - 4XL

Ref.	R.R.P.
EQXTB	49,00



TRAINING SHIRT NUBA



SIZE	S - M - L - XL - XXL - 3XL - 4XL	
------	----------------------------------	--

Ref.		R.R.P.
EQXTT-N		49,00



- LURES
- MISAKI
- SABIKI
- NAUTICAL
- SEAT BOX
- GROUND BAIT
- FEEDER
- FLOATS & BOLO
- KEEPNETS
- LANDING NETS
- CREATIVE SERIES
- CLOTHING
- CARP FISHING

TRAINING SHIRT TUNA WHITE



SIZE	S - M - L - XL - XXL - 3XL - 4XL	
------	----------------------------------	--

Ref.		R.R.P.
EQTW		39,00



TRAINING SHIRT TUNA TURQUOISE



SIZE	S - M - L - XL - XXL - 3XL - 4XL	
------	----------------------------------	--

Ref.		R.R.P.
EQTU		39,00



T-SHIRT BASS

SIZE S - M - L - XL - XXL - 3XL - 4XL



WHITE	Ref.		R.R.P.
	EQTTB1		29,00

KAKI	Ref.		R.R.P.
	EQTTB2		29,00

GREY	Ref.		R.R.P.
	EQTTB3		29,00

T-SHIRT PIKE

SIZE S - M - L - XL - XXL - 3XL - 4XL



OLIVE	Ref.		R.R.P.
	EQTTP2		29,00



BLACK	Ref.		R.R.P.
	EQTTP1		29,00

T-SHIRT PERCH



OLIVE

Ref.	R.R.P.
EQTTP1	29,00



SIZE	S - M - L - XL - XXL - 3XL - 4XL
------	----------------------------------

BURGUNDY

Ref.	R.R.P.
EQTTP2	29,00



T-SHIRT CARP



OLIVE

Ref.	R.R.P.
EQTT1	29,00



SIZE	S - M - L - XL - XXL - 3XL - 4XL
------	----------------------------------



- LURES
- MISAKI
- SABIKI
- NAUTICAL
- SEAT BOX
- GROUND BAIT
- FEEDER
- FLOATS & BOLO
- KEEPNETS
- LANDING NETS
- CREATIVE SERIES
- CLOTHING
- CARP FISHING

T-SHIRT TUNA

NAVY

Ref.		R.R.P.
EQTTT1		29,00

SIZE

S - M - L - XL - XXL - 3XL - 4XL



ROYAL

Ref.		R.R.P.
EQTTT2		29,00



T-SHIRT SEA BASS

SIZE

S - M - L - XL - XXL - 3XL - 4XL



BLACK

Ref.		R.R.P.
EQTTSB1		29,00

NAVY

Ref.		R.R.P.
EQTTSB2		29,00

ROYAL

Ref.		R.R.P.
EQTTSB3		29,00

CREATIVE CAPS



SIZE

ONE SIZE FITS ALL



AMBERJACK

Ref.		R.R.P.
GOCAM		14,90



BASS

Ref.		R.R.P.
GOCBS		14,90



GT

Ref.		R.R.P.
GOCGT		14,90



CARP

Ref.		R.R.P.
GOCOA		14,90



SEABASS

Ref.		R.R.P.
GOCSE		14,90



PIKE

Ref.		R.R.P.
GOCPI		14,90



MARLIN

Ref.		R.R.P.
GOCMA		14,90



WELS CATFISH

Ref.		R.R.P.
GOCWC		14,90



TUNA

Ref.		R.R.P.
GOCTU		14,90



PERCH CAP

Ref.		R.R.P.
GOCPE		14,90



TROUT CAP

Ref.		R.R.P.
GOCTR		14,90

LURES

MISAKI

SABIKI

NAUTICAL

SEAT BOX

GROUND BAIT

FEEDER

FLOATS & BOLO

KEEPNETS

LANDING NETS

CREATIVE SERIES

CLOTHING


CARP FISHING

CAMOU WATERPROOF SUIT

3 layers, GSM double membrane+waterproof layer – Sealed YKK Zipper – Lightweight – Warm- Sublimation

Triple capa, doble membrana GSM+capa waterproof – Cremallera YKK termosellada – Ligero – Cálido – Sublimado

Triple couche, double membrane GSM + couche imperméable - Zip YKK thermoscellé - Léger - Chaud - Sublimé



Ref. EQ41

R.R.P. 139,00



SIZE

S - M - L - XL - XXL - 3XL - 4XL-5XL

PAD RAIN SUIT YUKI

Sealed Zipper - Lightweight - YKK zippers - GSM double membrane for keep dry from water

Cierre cremallera - Ligero - Cremalleras YKK - Doble membrana GSM para mantenerlo seco del agua

Fermeture à glissière étanche - Léger - Fermetures à glissière YKK - Double membrane GSM pour le maintenir sec

SIZE

S - M - L - XL - XXL - 3XL - 4XL-5XL



Ref. EQ40

R.R.P. 119,00





CLOTHING

ROPA
VETEMENTS
ROUPA
ABBIGLIAMENTO
BEKLEIDUNG

AQUAPLUS® JACKET

Sympa-tex · Sealed Zipper · Breatheable · Waterproof · YKK Zipper · Ultra-light Weight · Japan Seal

Sympa-tex · Cremallera sellada · Transpirable · Impermeable · Cremallera YKK · Peso ultraligero · Sello japonés

Sympa-tex · Fermeture à glissière scellée · Respirant · Imperméable · Fermeture à glissière YKK · Poids ultra-léger · Japan Seal

SIZE **S - M - L - XL - XXL - 3XL - 4XL**

Ref. **EQ60**

R.R.P. **149,00**

**AQUA
PLUS**



AQUAPLUS® JACKET + BIB PANTS

Sympa-tex · Sealed Zipper · Breatheable · Waterproof · YKK Zipper · Ultra-light Weight · Japan Seal

Sympa-tex · Cremallera sellada · Transpirable · Impermeable · Cremallera YKK · Peso ultraligero · Sello japonés

Sympa-tex · Fermeture à glissière scellée · Respirant · Imperméable · Fermeture à glissière YKK · Poids ultra-léger · Japan Seal

SIZE **S - M - L - XL - XXL - 3XL - 4XL**

Ref. **EQ65**

R.R.P. **325,00**

**AQUA
PLUS**



WATERPROOF SUIT

Entirely made in Ripper Premium soft fabric • Offers great protection combined with lightness, adapting perfectly to the body • YKK zippers

Fabricado en su totalidad en material premium soft Ripper • Ofrece una gran protección combinada con ligereza, adaptándose perfectamente al cuerpo • Cremalleras YKK

Faites entièrement de matériaux Premium soft Ripper • Offre une excellente protection combinée à la légèreté, s'adaptant parfaitement au corps • Edair YKK résistant

SIZE

S - M - L - XL - XXL - 3XL - 4XL



Ref. EQTJA

R.R.P. 149,00



COMPLETE SOFTSHELL

SIZE

S - M - L - XL - XXL - 3XL - 4XL

Softshell windbreaker and bib - Keeps the body temperature constant, avoiding warmth loss and accumulation • Waterproof zipped pockets • Practical and comfortable • YKK zippers

Traje de material Softshell • Mantiene de forma constante la temperatura interior del cuerpo, regulando y evitando la pérdida de calor o la acumulación excesiva de éste • Bolsillos con cremalleras resistentes al agua • Funcional y cómodo • Cremalleras YKK

Complete Softshell anti-vent • Maintiens constamment la température intérieure du corps, régule et évite la perte de chaleur ou excessive accumulation • Poches avec fermeture éclair résistante à l'eau • Fonctionnel et confortable • Edair YKK résistant



Ref. EQ45

R.R.P. 189,00



SOFTSHELL THUNDER JACKET

Softshell waterproof jacket. Sealed YKK zippers. Very lightweight and comfortable.
Chaqueta Softshell waterproof. Cremalleras YKK termoselladas. Muy ligera y cómoda.
Veste Softshell imperméable. Fermetures éclair thermoscellées YKK. Très légère et confortable.

SIZE S-M-L-XL-XXL-2XL-3XL-4XL-5XL



Ref. EQ33 R.R.P. 65,00

WAISTCOAT FINE BLUE

SIZE S-M-L-XL-XXL

Spectacular YUKI waistcoat with same characteristics as JACKET FINE
Espectacular chaleco YUKI de idénticas características que la chaqueta JACKET FINE
Spectaculaire gilet YUKI de caractéristiques identiques à la veste JACKET FINE



Ref. EQ17 R.R.P. 49,00

DAWN JACKET

SIZE S-M-L-XL-XXL-3XL-4XL-5XL



Ref. EQ32 R.R.P. 59,90

LURES

MISAKI

SABIKI

NAUTICAL

SEAT BOX

GROUND BAIT

FEEDER

FLOATS & BOLO

KEEPNETS

LANDING NETS

CREATIVE SERIES

CLOTHING

CARP FISHING

DOUBLE POLAR FLEECE

Ref.

EQ50

R.R.P.

95,00



Made in anti-peeling micro-tissue • Extremely comfortable • 2 layers of thickness

Fabricada en micro-tejido anti-peeling • Extremadamente confortable • 2 capas de espesor

Fabriquée à partir de micro-tissus anti-pelage • Extrêmement confortable • 3 couches d'épaisseur

SIZE

S - M - L - XL - XXL - 3XL - 4XL

POLAR FLEECE

Ref.

EQFP

R.R.P.

49,90



Polar fleece, anti-peeling • Adjustable strip, for a better cold protection

Confortable forro polar anti-peeling • Gomas ajustables para una mayor protección contra el frío

Confortable en laine polaire, anti peeling • Gommages réglables, pour une protection supplémentaire contre le froid

SIZE

S - M - L - XL - XXL - 3XL - 4XL - 5XL

ROYAL HOODIE

Cotton 65%/polyester 35% • Hoodie with inner pocket, elastic cuffs and waist • Adjustable cord
 Algodón 65%/poliéster 35% • Sudadera con doble bolsillo interior • Puños y cintura elásticos • Cuerda ajustable.
 Coton 65%/polyester 35% • Sweat à capuche avec double poche intérieure • Poignets et ceinture élastiques. Corde réglable.

SUGGESTED >
COMBINATION



Ref. EQ251

R.R.P. 49,00

SIZE S - M - L - XL - XXL - 3XL - 4XL - 5XL

GREY HOODIE

Cotton 50%/polyester 50% • Hoodie with inner pocket, elastic cuffs and waist • Adjustable cord
 Algodón 50%/poliéster 50% • Sudadera con doble bolsillo interior • Puños y cintura elásticos • Cuerda ajustable.
 Coton 50%/polyester 50% • Sweat à capuche avec double poche intérieure • Poignets et ceinture élastiques. Corde réglable.

< SUGGESTED
COMBINATION



Ref. EQ21

R.R.P. 49,00



SIZE S - M - L - XL - XXL - 3XL - 4XL - 5XL

CAMOUFLAGE HOODIE

Polyester 75% 250 gm/m2-Cotton 25% • Hoodie with double inner pocket, elastic cuffs and waist with adjustable cord • Hood with visor.

Poliéster 75% 250 gm/m2-Algodón 25% • Sudadera con doble bolsillo interior, puños y cintura elásticos con cordura ajustable • Capucha con visera.

75% polyester 250 g /m2-Coton 25% • Sweat à capuche avec double poche intérieure, poignets élastiques et ceinture avec corde ajustable, capuche avec visière.



SIZE **S - M - L - XL - XXL - 3XL - 4XL**

Ref. **EQCC**

R.R.P. **69,00**



TRACKSUIT

100%polyester, 250gr/m² • Jacket with double outside pocket and cuffs • Adjustable elastic in waist and sleeves

Poliéster 100%, 250gr/m² • Chaqueta con doble bolsillo exterior y puños elásticos • Cintura elástica con cordura ajustable

250gr/m² 100% de polyester • Veste avec poche extérieure et les poignets • Taille élastique avec corde



SIZE **S - M - L - XL - XXL - 3XL - 4XL - 5XL**

Ref. **EQ05**

R.R.P. **99,00**



BBK RIPSTOP



Ripstop unbreaking material. YKK Zipper. Lightweight. Warm. Velcro for adjustment.
Material anti-rasguños Ripstop. Cremalleras YKK. Ligero y cálido. Cierre Velcro.
Matériau ripstop. Fermetures éclair YKK. Léger et chaud. Fermeture velcro.

SIZE **S - M - L - XL - XXL - 3XL - 4XL - 5XL**



Ref. EQ18

R.R.P. 39,00

DP BLUE ZIP



Detachable leg trousers. YKK zipper. Elastic. Lightweight. Velcro for adjustment.
Pantalón desmontable. Cremalleras YKK. Elástico. Ligero. Cierre velcro.
Pantalon démontable. Fermetures éclair YKK. Extensible. Léger. Fermeture velcro.

SIZE **S - M - L - XL - XXL - 3XL - 4XL - 5XL**



Ref. EQ19

R.R.P. 45,00

YUKI TROUSERS

Made of 50% cotton 50% polyester fabric • Elastic waist with adjustable drawstring for a perfect fit that thins out towards the ankles • Large pocket on the right leg with Velcro® closure
Fabricados en felpa 50% algodón 50% poliéster • Cintura y tobillos elásticos para un ajuste perfecto • Cierre de cordón en la cintura • Amplio bolsillo lateral con cierre de Velcro®
Fabriqués en 50% coton 50% polyester • Taille et ourlet élastique pour un ajustement parfait • Cordon de fixation à la taille. Grande poche sur le côté droit avec fermeture Velcro®.



Ref. EQ11

R.R.P. 29,90

SIZE **XS - S - M - L - XL - XXL - 3XL - 4XL**



Ref. EQ12

R.R.P. 29,90

LURES

MISAKI

SABIKI

NAUTICAL

SEAT BOX

GROUND BAIT

FEEDER

FLOATS & BOLO

KEEPNETS

LANDING NETS

CREATIVE SERIES

CLOTHING

CARP FISHING

BLACK SHIRT

Expand drying system • Fitted and elastic shirt that perfectly adapts to any body thanks to its molecular expand drying system

Sistema de extensión de secado • Camisa estrecha y elástica que ajusta perfectamente sobre cualquier cuerpo gracias a su sistema de secado extensión molecular

Système d'étendue de sechage • Shirt serré fait avec un matériel élastique qui rentre parfaitement dans tout les corps grâce à son séchage étendue moléculaire

Ref. EQCL

R.R.P. 59,00



SIZE S - M - L - XL - XXL - 3XL - 4XL

WHITE SHIRT

Ref. EQCB

R.R.P. 59,00



DENIM SHIRT

Ref. EQCV

R.R.P. 59,00

Expand drying system • Fitted and elastic shirt that perfectly adapts to any body thanks to its molecular expand drying system

Sistema de extensión de secado • Camisa estrecha y elástica que ajusta perfectamente sobre cualquier cuerpo gracias a su sistema de secado extensión molecular

Système d'étendue de sechage • Shirt serré fait avec un matériel élastique qui rentre parfaitement dans tout les corps grâce à son séchage étendue moléculaire



SIZE S - M - L - XL - XXL - 3XL - 4XL

MARLIN POLO COLLECTION

Collection of pique polo shirts, with exclusive hand-painted designs.

Colección polos de pique, con exclusivos diseños pintados a mano.

Collection de polos en piqué, avec des modèles exclusifs dessinés à la main.



SIZE S - M - L - XL - XXL - 3XL - 4XL



Ref. EQPM

R.R.P. 45,00

SPECIAL POLO COLLECTION



Collection of pique polo shirts, with exclusive hand-painted designs.
Colección polos de pique, con exclusivos diseños pintados a mano.
Collection de polos en piqué, avec des modèles exclusifs dessinés à la main.

SIZE S - M - L - XL - XXL - 3XL - 4XL



TUNA1

Ref. EQPST R.R.P. 49,00



SEA-BASS1

Ref. EQPSS R.R.P. 49,00



BREAM1

Ref. EQPSB R.R.P. 49,00



PIKE1

Ref. EQPSP R.R.P. 49,00



MARLIN1

Ref. EQPSM R.R.P. 49,00

TRAINING SHIRT YUKI MASTERS

Performance jersey commemorating the YUKI MASTERS sport fishing event • 100% polyester
Camiseta deportiva que conmemora el evento deportivo YUKI MASTERS • 100% poliéster • Transpirable y se adapta al cuerpo
Sport t-shirt commémorant l'événement sportif YUKI MASTERS • Fait de 100% polyester • Respirant et adapte au corps



SIZE S - M - L - XL - XXL - 3XL - 4XL - 5XL

Ref. EQCYM R.R.P. 39,00

VANGUARD T-SHIRT

Sports t-shirt • Very comfortable • Vanguard design
Camiseta deportiva • Muy confortable • Diseño vanguardista
Tee-shirt sport • Très confortable • Design avant-gardiste



SIZE S - M - L - XL - XXL - 3XL - 4XL

Ref. EQCNY R.R.P. 35,00



SAPHIRE T-SHIRT



SIZE S - M - L - XL - XXL - 3XL - 4XL - 5XL

Ref. EQSH R.R.P. 35,00

EMERALD T-SHIRT



SIZE S - M - L - XL - XXL - 3XL - 4XL - 5XL

Ref. EQEM R.R.P. 29,00



YUKI INNOVATION T-SHIRT

Made with 180gr/m2 50% cotton / 50% polyester, provides perfect comfort.
Fabricado con 50% algodón / 50% poliéster, de 180gr/m2, ofrece un confort perfecto.
Fabriqué en 50% cotonnier / 50% polyester, de 180gr/m2, offre un parfait confort.



SIZE S - M - L - XL - XXL - 3XL - 4XL

Ref. EQCYI R.R.P. 29,00

FRESH T-SHIRT



SIZE S - M - L - XL - XXL - 3XL - 4XL - 5XL

Ref. EQN23 R.R.P. 29,00

NOVA T-SHIRT

Sports t-shirt • Very comfortable • Cotton 180gr.
Camiseta deportiva • Muy comfortable • Algodón 180gr.
Tee-shirt sport • Très comfortable • Coton 180gr.



SIZE S - M - L - XL - XXL - 3XL - 4XL - 5XL

Ref. EQCM R.R.P. 24,90

SHORTS

100% Soft Woven • 2 side pockets
100% Soft Woven • 2 bolsillos laterales y forro interior
100% Soft Woven • 2 poches latérales



SIZE S - M - L - XL - XXL - 3XL - 4XL - 5XL

Ref. EQ14 R.R.P. 29,00

SWIM WEAR



Ref. EQBA SIZE S - M - L - XL - XXL - 3XL - 4XL - 5XL

R.R.P. 29,00

ELEGANCE CAP



Ref. G011

R.R.P. 12,90

SIZE ONE SIZE FITS ALL

FOCUS CAP



Ref. G002

R.R.P. 14,90

SIZE ONE SIZE FITS ALL

INVISIBLE CAP



Ref. G0IN

R.R.P. 14,90

SIZE ONE SIZE FITS ALL

MESH CAP



Ref. G006

R.R.P. 10,90

SIZE ONE SIZE FITS ALL

YUKI / SEAGUAR CAP



Ref. G0YS

R.R.P. 14,90

SIZE ONE SIZE FITS ALL

NUBA CAP



Ref. G0NC

R.R.P. 14,90

SIZE ONE SIZE FITS ALL

SUN ROYAL CAP

U.V protection, ultralight and very comfortable, quick drying, breathable
 Protección U.V, ultraligero, apenas se nota, de secado rápido, transpirable
 Protection U.V, ultra légère et très confortable, séchage rapide, respirant

SIZE **ONE SIZE FITS ALL**



Ref. G008 R.R.P. 15,90

PATCHES CAP

SIZE **ONE SIZE FITS ALL**



Ref. G010 R.R.P. 19,00

LUX FLEECE HAT

Soft, zero sting. 100% acrylic stitch.
 Suave, sin picor. 100% punto acrílico.
 Tissus doux, sans piqure. 100% acrylique

SIZE **ONE SIZE FITS ALL**



Ref. G005 R.R.P. 14,90

FLAPS CAP

Comfortable cap, with ear flaps, ideal protection for cold days
 Cómoda gorra, con orejeras, protección ideal para los días de frío
 Casquette confortable, avec des oreillettes, protection idéale pour les journées froides

SIZE **ONE SIZE FITS ALL**



Ref. G009 R.R.P. 11,90

NECKWARMER

Tech elastic bandana • Made from elastane and polyester • Keeps warm with confort features
 Bandana tecnología elástica • Hecha con elastano y poliéster • Mantiene el calor con cómodas características
 Bandana technologie élastique • Fabriqué avec du elastane et poliéster • Maintient la chaleur avec des caractéristiques confortables

SIZE **ONE SIZE FITS ALL**



Ref. G0B1 R.R.P. 5,90

Ref. G0B2 R.R.P. 5,90

PVC-NYLON WADERS

SIZE 36 TO 48



Ref. VBV

R.R.P. 79,00



Ref. VBV-C

R.R.P. 95,00

PVC-NYLON WADERS

SIZE 35 TO 48



Ref. VBA

R.R.P. 65,00

Ref. VBA-C

R.R.P. 65,00

PVC TROUSER BOOT

SIZE 36 TO 48



Ref. VBP-C

R.R.P. 89,00

Ref. VBP

R.R.P. 69,00

WORLD CHAMPIONSHIP BOOTS

SIZE 40 TO 46



Rubber+neoprene boots. Anti-slip rubber sole. Comfy neoprene ankle with Velcro closure.

Botas de neopreno y goma. Suela anti-derrapante. Tobillo confortable en neopreno con cierre de Velcro.

Bottes en néoprène et caoutchouc. Semelle antidérapante. Cheville confortable en néoprène avec fermeture velcro.



Ref. VBW

R.R.P. 69,00

EVA THERMAL BOOT

SIZE 36 TO 46



Extra light • Comfortable and easy to fit/take off • Extremely strong • Waterproof and insulating, protects from cold and moisture, even on very low temperatures (down to -30°) • Antislip sole

Extra light • Confortable y fácil de quitar y poner • Extremadamente fuerte • Impermeable y aislante, protege del frío y la humedad, también a temperaturas muy bajas (hasta -30°) • Suela antideslizante

Extra light • Confortable et facile à retirer et à mettre • Extrêmement fort • Imperméable et isolant, protège du froid et de l'humidité, même à très basse température (jusqu'à -30°) • Semelle antidérapante



ANTI-SLIP



Inner thermal foam soft sock

Calcetín interno suave de espuma térmica

Chaussette intérieure en mousse thermique douce

Ref. VBU

R.R.P. 39,00

SHORT BOOT

SIZE 36 TO 47



Ref. VBC

R.R.P. 29,00

RUBBER BOOT WITH LINIG

SIZE 39 TO 42



Ref. VBN-5

R.R.P. 39,00

LURES

MISAKI

SABIKI

NAUTICAL

SEAT BOX

GROUNDBAIT

FEEDER

FLOATS & BOLO

KEEPNETS

LANDING NETS

CREATIVE SERIES

CLOTHING

CARP FISHING

BED

Compact folding Bed featuring 6 legs, carrying handle, camouflage pattern with padded cushion and side pockets
Cama con 6 patas, de plegado súper reducido, con asa transportadora, de camuflaje con cojín acolchado y bolsillo lateral
Chaise pliable avec 6 gambes, poignée pour transport, pliage ultra-compact, tapis camoufflage, coussin rembourré et poche latérale



Ref.	Dimensions	Weight	Un.		R.R.P.
ACCA02	190 x 57 x 67 h. cm	5,5 kg	1		69,00

ADAPT TRIPOD

Extra light aluminum tripod, easy to fold and very compact. Adjustable in both height and orientation
Tripode de aluminio extra ligero, plegado fácil y muy compacto. Regulable en altura y orientación
Trépied en aluminium extra-léger, facile à plier et très compacte. Réglable en hauteur et orientation



Ref.	Length	Un.		R.R.P.
T9970	1,08 mt → 1,70 mt	1		79,90

KOMPAKT TRIPOD

Light aluminum tripod, sturdy and reduced folding. Adjustable height.
Tripode de aluminio ligero, robusto y de reducido plegado. Regulable en altura.
Trépied en aluminium léger, robuste et réduit après plier. Réglable en hauteur.



Ref.	Length	Un.		R.R.P.
T9975	1,50 mt → 1,50 mt	1		89,90

LEADS POWDER

Camouflage powder for leads coating. Available in colours: sand, brown, black, green, yellow, red, white, green-sand and sand-black
Polvos de camuflaje para revestir plomos. Colores disponibles: marrón, negro, verde, amarillo, rojo, blanco, arena, verde-arena y negro-arena
Poudre camoufflage, qui permet camoufler vos plombs dans les couleurs: marron, noir, vert, jaune, rouge, blanc, sable, vert-sable et noir-sable

Ref.	Weight	Un.		R.R.P.
PLOFP10	100 gr	1		8,50



CARP FISHING

TELESCOPIC SPIKE

Telescopic spike ideal for carp fishing. 12.7 mm diameter. Universal thread
Pica telescópica ideal para carp fishing. Diámetro 12,7 mm. Rosca universal
 Perche télescopique idéal pour la pêche de la carpe. 12,7 mm de diamètre. Filet universel



Ref.	Dimensions	Un.		R.R.P.
PTC	50 cm to 90 cm	1		13,90

SNAP

Two pieces on a bag
Dos piezas por bolsa
 Deux pièces dans un sac



Ref.	Dimens.	Un.		R.R.P.
EECFA-S	S	10		1,00
EECFA-M	M	10		1,00

Ref.	Size	Un.		R.R.P.
STOP15	XL	1		4,90
STOP18	S	1		4,90

CF NET

Keep mesh of composite, facilitate you to spend a pleasant day of fishing
Cabeza sacadora de material composite, con malla súper resistente con una óptima relación calidad-precio


Tête en matériaux composite avec un alliage super fort pour une valeur optimale. ce qui facilite une agréable journée de pêche



Ref.	Dimensions	Un.		R.R.P.
SAC00	100 x 100 cm	1		16,90

BOILIE STOPPER

Silicon-made transparent boilie stoppers
Topes transparentes fabricados en silicona
 Claires, fabriqué en silicone



Ref.	Description	Un.		R.R.P.
ACST	100 units tablet	10		1,50

LANDING NET CF PRIME

Landing net made from composite material, contributes for a pleasant fishing day making easier fish pick up
Mango de sacadora de material compuesto, te facilitara el pasar una agradable jornada de pesca
 Tête en matériaux composite avec un alliage super fort pour une valeur optimale



Ref.	Dimensions	Un.		R.R.P.
CWCF18	1,80 m	1		27,90

BUTT GRIPS



ACAP4



ACAP5



ACAP6



ACAP7



ACAP8



ACAP9



ACAP10

Ref.	Un.		R.R.P.
ACAP4	10		7,90
ACAP5	10		7,90
ACAP6	10		8,50
ACAP7	10		11,90
ACAP8	10		7,50
ACAP9	10		7,50
ACAP10	10		12,90

ROD REST

Safely hold the buck or sections of the rod, preventing scratches and breakage. Have a universal thread, ideal for carp fishing

Apoyacañas para reposar o bloquear con seguridad el buck o tramos, de la caña, evitando así arañazos y roturas. Disponen de rosca universal, lo que los hace ideales para la pesca de carpfishing

Support de canne pour reposer les cannes en toute sécurité, empêchant les égratignures et les ruptures. Ils ont filet universel e qui est idéal pour la pêche pour la pêche de la carpe


ACAP1



ACAP2



ACAP3



ACAPF

Ref.	Un.		R.R.P.
ACAP1	10		2,90
ACAP2	10		2,90

Ref.	Un.		R.R.P.
ACAP3	10		2,90
ACAPF	10		6,90

ALARMS SET ZX DELUXE

Deluxe version. Carrying case, included
Versión de lujo. Maletín de transporte incluido
Version Deluxe. Valise de transport incluse



Ref.	Kit	Un.		R.R.P.
ACS06	4 + Receiver	1		179,00

BOILIES PLIERS

Stainless steel tongs, for dip boilies soaking.

Pinza de acero inoxidable, para boilies en remojo.

Pinces en acier inoxydable, pour boilies en trempage.



Ref.	Un.		R.R.P.
ACPB	1		9,90

BOILIES SET



Ref.	Un.		R.R.P.
ACPS	1		11,90

BITE INDICATOR

Set of three bite indicators with a small stick, which prevents false movements produced by the wind. Three different colors and weights

Set de tres indicadores de picada con varilla, que evita falsos movimientos producidos por el viento. Tres colores diferentes y contrapesos

Trois indicateurs de touche conçus pour éviter des faux mouvements produits par le vent. Trois couleurs et de poids différents



Ref.	Description	Un.		R.R.P.
ACI2	Blister 3 un.	1		21,90

CHAIN INDICATOR

Set of three bite indicators with swing chain, high visibility. Three different colors and weights

Set de tres indicadores de picada con cadena oscilante, alta visibilidad. Tres colores diferentes y contrapesos

Trois indicateurs de touche avec chaînes, grande visibilité. Trois couleurs et de poids différents



Ref.	Description	Un.		R.R.P.
ACI1	Blister 3 un.	1		17,90

PVA MESH SPOOL

Spools of soluble mesh, available in two measures 25 and 37 mm. Length 5 meters

Bobinas de malla hidrosoluble, disponibles en dos medidas 25 y 37 mm. Longitud 5 metros

Bobines maille soluble, disponible en deux tailles, 25 et 37 mm. Longueur 5 mètres



Ref.	Dimensions	Un.	R.R.P.
ACPM25	25 mm - 5 m	1	14,90

SOLUBLE LINE

An ideal complement, available at 50 meters

Un complemento ideal, disponible en 50 metros

Un complément idéal, disponible en 50 mètres



Ref.	Description	Un.	R.R.P.
ACHD	Double, 50 m	1	7,90

BOILEIS SET PVA

Set with funnel, mesh PVA bag and mesh compressor in two diameters. 20 and 33 mm

Set compuesto por embudo para bolsas y mallas de PVA y compresor de mallas con dos diámetros uno en cada extremo de 20 y 33 mm

Ensemble composé d'entonnoir et sacs en filet PVA et compresseur de maille avec deux diamètres à chaque extrémité 20 et 33 mm



Ref.	Description	Un.	R.R.P.
ACPVA	Set boilies PVA	1	8,90

MESH TUBE PVA

Soluble 25 mm mesh, to prepare bait bags to deliver them at long distance

Malla hidrosoluble en 25 mm, para preparar bolsas de cebo y lanzarlas a gran distancia

Maille soluble en 25mm, pour préparer sacs d'appâts et lancer à une grande distance



Ref.	Dimensions	Un.	R.R.P.
ACPTM	25 mm / 5 m	1	17,90

ROCKET YUKI

Rocket to ground bait, medium size

Cohete cebador, de tamaño mediano para cebar a distancias medias

Fusée pour amorces, de taille moyenne




Ref.	Un.	R.R.P.
ACC01	1	7,90

YUKI MARKER

Available with three interchangeable antennas, it will help you to mark the fishing area and primed

Disponible con tres antenas intercambiables, te ayudara a marcar tu zona de pesca y cebado

Disponible avec trois antennes interchangeables, aidera pour marquer la votre zone de pêche et apprête



Ref.	Description	Un.	R.R.P.
ACMA1	3 Tips	1	9,90

HERBS CUTTER

With universal thread adapter

Con adaptador a rosca para mango

Adapter avec filet pour manche



Ref.	Un.	R.R.P.
ACCH1	1	8,90

COBRA

Available in two sizes, will allow you to launch your boilies with high accuracy over long distances

Disponible en dos medidas, te permitirán lanzar tus boilies con gran precisión a gran distancia

Disponible en deux tailles, vous permettra de lancer vos bouillettes sur de longues distances



Ref.	Dimensions	Un.	R.R.P.
ACC022	22 mm - 60 cm	1	14,90

FLOATING SOFT TUBE



Ref.	Ø (mm)	Length	Color	Un.	R.R.P.
PF-FS4/B	4	5 mt	White	1	12,90
PF-FS6/B	6	5 mt	White	1	12,90
PF-FS8/B	8	5 mt	White	1	12,90

FLOATING SOFT BAR



Ref.	Ø (mm)	Color	Un.	R.R.P.
PF-F	6	Pink (RO) - White (B) - Black (NE) - Yellow (A) - Green (V) - Blue (AZ) - Red (R) - Orange (N)	10	3,90

GREEN COOLER PACK



FRIGOPG4



FRIGOPG2



Ref.	Capacity	Size (mm)	Un.		R.R.P.
FRIGOPG	20+40 L	L53 * H29 * W35 / L65 * H36 * W35	1		-

COOLER LUX CAMOU 90LT / WHEELS



Ref.	Capacity	Size (w / h / d - cm)	Un.		R.R.P.
FRIGL90C	90 lt	Outer: 90 x 49 x 50 Inner: 75 x 36 x 40	1		429,00





SOCIAL MEDIA



YukiCompetition



@Yukicompetition



@Yukicompetition



Yuki.Freshwater



@Yuki_freshwater_fishing/



YukiPecheFrance



YukiSpain



@Yukicompetition



Yukiukireland



Yukicompetitionitalia



@Yukiteamitalia



YukiArgentina



@Yukicompetition



YukiGermany



@Yukicompetition

*Follow us on social media to keep up to date with our latest news, international fishing competitions and tips from our **pro-staffs**.*


yuki COMMERCIAL



FRANCISCO SAN MILLÁN
GALICIA, ASTURIAS & CANTABRIA
TEL.: +34619075225



CARLOS RODRÍGUEZ
PAÍS VASCO & LA RIOJA:
TEL.: +34609468051



OMAR VALLES
CATALUÑA & ARAGÓN
TEL.: +34626293628



JUAN CÁNOVAS
CDAD. VALENCIANA, MURCIA & MADRID
TEL.: +34606687424



DANIEL FERNÁNDEZ
ANDALUCÍA
TEL.: +34647812918



JACOBO LEÓN DELGADO
CANARIAS
TEL.: +34675103796



DAVID LARANJEIRA
PORTUGAL NORTH
TEL.: +3519198149



SERGIO NEVES
PORTUGAL SOUTH
TEL.: +351917582556




ARTFISHING S. L.
BALEARES, EXTREMADURA
& CASTILLA
TEL.: +34 93 811 30 77
facturación@artfishing.net




BENAODIA-SALAH
ALGERIA

NETWORK

FRANCE



GERMANY



KÉVIN BASTIAT
FRANCE WEST



NICOLAS BACHEVALIER
FRANCE SOUTH



FLORIAN BRUAUT
FRANCE NORTH + EAST



NICK GRUNBERG
GERMANY NORTH
+4915734530879



ANDREAS WEIK
GERMANY SOUTH
TEL.: +491742165099

ARTFISHING S.L.
FRANCE CENTER
TEL.: +34 93 811 30 77
EXPORT@ARTFISHING.NET


ARTFISHING SL

GERMANY CENTER
+34938113077 - COMERCIAL@ARTFISHING.NET

NETHERLANDS






ITALY



GERRIT VERSCHOOR
NETHERLANDS
+31623064361


BELGIUM



GERRIT VERSCHOOR
FLANDERS
+31623064361




FLORIAN BRUAUT
WALLONIA



MICHELE BATIGNANI
SALES MANAGER
M.BATIGNANI@ARTFISHING.NET
TEL.: +393496060966

UNITED KINGDOM & IRELAND


POLAND



LINDSAY RICHARDS
UNITED KINGDOM
& IRELAND
TEL.: +447739529381



ROBERT WEIMANN
COUNTRY SALES
MANAGER
TEL.: +4917672289401



DAWID FURMAN
SALES MANAGER
TEL.: +48608397109



Tel.: +34 93 811 30 77 / +34 93 811 30 66
e-mail: info@artfishing.net



SAIKOU

NEOX



INVISIBLE

Kenta

NUBA



RRP



yukicompetition.com



@yukicompetition